

FIGURE 1

GGGGCTTCGGCGCCAGCGGCCAGCGCTAGTCGGTCTGGTAAGGATTTACAAAAGGTGCAGGTATG
AGCAGGTCTGAAGACTAACATTTTGTGAAGTTGTAAACAGAAAACCTGTTAGAAATGTTGGTGGT
TTCAGCAAGGCCTCAGTTTCCTTCCTTCAGCCCTTGTAATTTGGACATCTGCTGCTTTCATATTT
TCATACATTACTGCAGTAACACTCCACCATATAGACCCGGCTTTACCTTATATCAGTGACACTGG
TACAGTAGCTCCAGAAAAATGCTTATTTGGGGCAATGCTAAATATTGCGGCAGTTTTATGCATTG
CTACCATTTATGTTTCGTTATAAGCAAGTTCATGCTCTGAGTCCTGAAGAGAACGTTATCATCAAA
TTAAACAAGGCTGGCCTTGTACTTGAATACTGAGTTGTTTAGGACTTTCTATTGTGGCAAACCTT
CCAGAAAAACAACCCCTTTTTGCTGCACATGTAAGTGGAGCTGTGCTTACCTTTGGTATGGGCTCAT
TATATATGTTTGTTCAGACCATCCTTTCTACCAAATGCAGCCCAAATCCATGGCAAACAAGTC
TTCTGGATCAGACTGTTGTTGGTTATCTGGTGTGGAGTAAGTGCACTTAGCATGCTGACTTGCTC
ATCAGTTTTGCACAGTGGCAATTTTGGGACTGATTTAGAACAGAACTCCATTGGAACCCCGAGG
ACAAAGGTTATGTGCTTCACATGATCACTACTGCAGCAGAATGGTCTATGTCATTTTCTTCTTT
GGTTTTTCTGACTTACATTCTGATTTTTCAGAAAATTTCTTTACGGGTGGAAGCCAATTTACA
TGGATTAACCCCTCTATGACACTGCACCTTGCCCTATTAACAATGAACGAACACGGCTACTTTCCA
GAGATATTTGATGAAAGGATAAAATATTTCTGTAATGATTATGATTCTCAGGGATTGGGGAAAGG
TTCACAGAAGTTGCTTATTCTTCTCTGAAATTTCAACCACTTAATCAAGGCTGACAGTAACACT
GATGAATGCTGATAATCAGGAAACATGAAAGAAGCCATTTGATAGATTATTCTAAAGGATATCAT
CAAGAAGACTATTAATAAACACCTATGCCTATACTTTTTTATCTCAGAAAATAAAGTCAAAGACT
ATG

FIGURE 2

<subunit 1 of 1, 266 aa, 1 stop

<MW: 29766, pI: 8.39, NX(S/T): 0

MWWFQQGLSFLPSALVIWTSAAFIIFS YITAVTLHHIDPALPYISDTGTVAPEKCLFGAMLNIAAV
LCIATIIYVRYKQVHALSPEENVIIKLNKAGLVLGILSCLGLSIVANFQKTTLFAAHVSGAVLTFG
MGSLYMFVQTILSYQMOPKIHGKQVFWIRLLLVWCGVSALSMLTCSSVLHSGNFGTDLEQKLHW
NPEDKGYVLHMITTAAEWSMSFSFFGFFLT YIRDFQKISLRVEANLHGLTLYDTAPCPINNERTR
LLSRDI

Important features:

Type II transmembrane domain:

amino acids 13-33

Other Transmembrane domains:

amino acids 54-73, 94-113, 160-180, 122-141

N-myristoylation sites.

amino acids 57-63, 95-101, 99-105, 124-130, 183-189

FIGURE 3

CGGACGCGTGGGCGGACGCGTGGGGGAGAGCCGAGTCCCGGCTGCAGCACCTGGGAGAAGGCAGACC
GTGTGAGGGGGCCTGTGGCCCCAGCGTGCTGTGGCCTCGGGGAGTGGGAAGTGGAGGCAGGAGCCTTC
CTTACACTTCGCCATGAGTTTCTTCATCGACTCCAGCATCATGATTACCTCCAGATACTATTTTTTG
GATTTGGGTGGCTTTTCTTCATGCGCCAATTGTTTAAAGACTATGAGATACGTCAGTATGTTGTACAG
GTGATCTTCTCCGTGACGTTTGCATTTTCTTGACCATGTTTGAGCTCATCATCTTTGAAATCTTAGG
AGTATTGAATAGCAGCTCCCGTTATTTTCACTGGAAAATGAACCTGTGTGTAATTCTGCTGATCCTGG
TTTTCATGGTGCCTTTTTACATTGGCTATTTTATTGTGAGCAATATCCGACTACTGCATAAACAAACGA
CTGCTTTTTTCTGTCTCTTATGGCTGACCTTTATGTATTTCTTCTGGAACTAGGAGATCCCTTTC
CATTCTCAGCCCAAACATGGGATCTTATCCATAGAACAGCTCATCAGCCGGGTTGGTGTGATTGGAG
TGACTCTCATGGCTCTTCTTTCTGGATTGGTGTCTCAACTGCCCATACACTTACATGTCTTACTTC
CTCAGGAATGTGACTGACACGGATATTCTAGCCCTGGAACGGCGACTGCTGCAAACCATGGATATGAT
CATAAGCAAAAAGAAAAGGATGGCAATGGCAGGAGAACAAATGTTCCAGAAGGGGGAAGTGCATAACA
AACCATCAGGTTTCTGGGGAATGATAAAAAGTGTACCCTTCAGCATCAGGAAGTGAAAATCTTACT
CTTATTCAACAGGAAGTGGATGCTTTGGAAGAATTAAGCAGGCAGCTTTTTCTGAAACAGCTGATCT
ATATGCTACCAAGGAGAGAATAGAATACTCCAAAACCTTCAAGGGGAAATATTTTAATTTTCTTGGTT
ACTTTTTCTCTATTTACTGTGTTTGGAAAATTTTCATGGCTACCATCAATATTGTTTTTGATCGAGTT
GGGAAAACGGATCCTGTCACAAGAGGCATTGAGATCACTGTGAATTATCTGGGAATCCAATTTGATGT
GAAGTTTGGTCCCAACACATTTCTTCATTCTGTTGGAATAATCATCGTCACATCCATCAGAGGAT
TGCTGATCACTCTTACCAAGTTCTTTTATGCCATCTCTAGCAGTAAGTCCTCCAATGTCATTGTCCTG
CTATTAGCACAGATAATGGGCATGTACTTTGTCTCCTCTGTGCTGCTGATCCGAATGAGTATGCCCTT
AGAATACCGCACCATAATCACTGAAGTCCTTGGAGAACTGCAGTTCAACTTCTATCACCGTTGGTTTG
ATGTGATCTTCCCTGGTCAGCGCTCTCTCTAGCATACTCTTCTCTATTTGGCTCACAAACAGGCACCA
GAGAAGCAAATGGCACCTTGAACTTAAGCCTACTACAGACTGTTAGAGGCCAGTGGTTTCAAATTTA
GATATAAGAGGGGGGAAAAATGGAACCGAGGCTGACATTTTATAAACAAACAAAATGCTATGGTAGC
ATTTTTACCTTCATAGCATACTCCTTCCCCGTCAGGTGATACTATGACCATGAGTAGCATCAGCCAG
AACATGAGAGGGGAGAACTAATCAAGACAATACTCAGCAGAGAGCATCCCGTGTGGATATGAGGCTGG
TGTAGAGGCGGAGAGGAGCCAAGAACTAAAGGTGAAAAATACACTGGAACCTCTGGGGCAAGACATGT
CTATGGTAGCTGAGCCAAACACGTAGGATTTCCGTTTTAAGGTTACATGGAAAAGGTTATAGCTTTG
CCTTGAGATTGACTCATTAAATCAGAGACTGTAACAAAAAAGGGCGGCCGCG
ACTCTAGAGTCGACCTGCAGAAGCTTGGCCGCCATGGCCCACTTGTTTATTGCAGCTTATAATG

FIGURE 4

MSFLIDSSIMITSQILFFGFWLFFMRQLFKDYEIRQYVVQVIFSVTFAFSCTMFELIIFEILGV
LNSSSRYPFHWMNLCVILLILVFMVPPFYIGYFIVSNIRLLHKQRLLFSCLLWLTFMYFFWKLGBP
FPILSPKHGILSIEQLISRVGVIGVTLMALLSGFGAVNCPYTYMSYFLRNVTDTDILALERLLQ
TMDMIISKKKRMAMARRTMFQKGEVHNKPSGFWGMIKSVTTSASGSENLTLIQQEVDALAEELSRQ
LFLETADLYATKERIEYSKTFKGKYFNFLGYFFSIYCVWKIFMATINIVFDRVGKTDVPTRGIEI
TVNYLGIQFDVKFWSQHISFILVGIIIVTSIRGLLITLTKEFFYAISSSKSSNVIVLLLAQIMGY
FVSSVLLIRMSMPLEYRTIITEVLGELQFNFYHRWFDVIFLVSALSSILFLYLAHKQAPEKQMAP

Important features:

Signal peptide:

amino acids 1-23

Potential transmembrane domains:

amino acids 37-55, 81-102, 150-168, 288-311, 338-356, 375-398,
425-444

N-glycosylation sites.

amino acids 67-70, 180-183 and 243-246

Eukaryotic cobalamin-binding proteins

amino acids 151-160

FIGURE 5

AGCAGGGAAATCCGGATGTCTCGGTTATGAAGTGGAGCAGTGAGTGTGAGCCTCAACATAGTTCC
 AGAACTCTCCATCCGGACTAGTTATTGAGCATCTGCCTCTCATATCACCAGTGGCCATCTGAGGT
 GTTTCCCTGGCTCTGAAGGGGTAGGCACGATGGCCAGGTGCTTCAGCCTGGTGTGCTTCTCACT
 TCCATCTGGACCACGAGGCTCCTGGTCCAAGGCTCTTTGCGTGCAGAAGAGCTTTCCATCCAGGT
 GTCATGCAGAATTATGGGGATCACCCCTTGTGAGCAAAAAGGCGAACCAGCAGCTGAATTTACAG
 AAGCTAAGGAGGCCTGTAGGCTGCTGGGACTAAGTTTGGCCGGCAAGGACCAAGTTGAAACAGCC
 TTGAAAGCTAGCTTTGAAACTTGCAGCTATGGCTGGGTTGGAGATGGATTCTGGTTCATCTCTAG
 GATTAGCCCAACCCCAAGTGTGGGAAAAATGGGGTGGGTGTCTGATTGGAAGGTTCCAGTGA
 GCCGACAGTTTGCAGCCTATTGTTACAACCTCATCTGATACTTGGACTAAGTGCATTCCAGAA
 ATTATCACCACCAAGATCCCATATTCAACACTCAAAGTCAACACAAACAGAAATTTATTGT
 CAGTGACAGTACCTACTCGGTGGCATCCCCCTTACTCTACAATACCTGCCCCCTACTACTCCTC
 CTGCTCCAGCTTCCACTTCTATTCACGGAGAAAAAATTGATTGTGTGCACAGAAGTTTTATG
 GAAACTAGCACCATTGTCTACAGAAAGTGAACCATTTGTTGAAAATAAAGCAGCATTCAAGAATGA
 AGCTGCTGGGTTTGGAGGTGTCCCCACGGCTCTGCTAGTGCTTGTCTCCTCTTCTTTGGTGCTG
 CAGCTGGTCTTGGATTTTGTATGTCAAAGGTATGTGAAGGCCTTCCCTTTTACAAACAAGAAT
 CAGCAGAAGGAAATGATCGAAACCAAAGTAGTAAAGGAGGAGAAGGCCAATGATAGCAACCCTAA
 TGAGGAATCAAAGAAACTGATAAAACCCAGAGAGTCCAAGAGTCCAAGCAAAACTACCGTGC
 GATGCCTGGAAGCTGAAGTTTAGATGAGACAGAAATGAGGAGACACACCTGAGGCTGGTTTCTTT
 CATGCTCCTTACCTTGCCCCAGCTGGGGAATCAAAGGGCCAAAGAACCAGAAAGAAAGTCCA
 CCCTTGGTTCCCTAAGTGAATCAGCTCAGGACTGCCATTGGACTATGGAGTGCACCAAGAGAAT
 GCCCTTCTCCTTATTGTAACCTGTCTGGATCCTATCCTCCTACCTCCAAAGCTTCCCACGGCCT
 TTCTAGCCTGGCTATGTCTTAATAATATCCCACTGGGAGAAAGGAGTTTTGCAAAGTGCAAGGAC
 CTAACACATCTCATCAGTATCCAGTGGTAAAAAGGCCTCCTGGCTGTCTGAGGCTAGGTGGGTG
 AAAGCCAAGGAGTCACTGAGACCAAGGCTTCTCTACTGATTCCGAGCTCAGACCCTTTCTTCA
 GCTCTGAAAGAGAAACACGTATCCCACTGACATGTCTTCTGAGCCCGTAAGAGCAAAAGAAT
 GGCAGAAAAGTTTAGCCCTGAAAGCCATGGAGATTCTCATAACTTGAGACCTAATCTCTGTAAA
 GCTAAAATAAAGAAATAGAACAAGGCTGAGGATACGACAGTACACTGTGAGCAGGGACTGTAAAC
 ACAGACAGGGTCAAAGTGTCTTCTCTGAACACATTGAGTTGGAATCACTGTTTAGAACACACACA
 CTTACTTTTTCTGGTCTCTACCACTGCTGATATTTCTCTAGGAAATATACTTTTACAAGTAACA
 AAAATAAAAGCTCTTATAAATTTCTATTTTTATCTGAGTTACAGAAATGATTACTAAGGAAGATT
 ACTCAGTAATTTGTTTAAAAAGTAATAAAATTCACAAACATTGCTGAATAGCTACTATATGTC
 AAGTGTGTGCAAGGTATTACACTCTGTAATTGAATATTATTCCTCAAAAATTGCACATAGTAG
 AACGCTATCTGGGAAGCTATTTTTTTCAGTTTTGATATTTCTAGCTTATCTACTTCCAACTAAT
 TTTTATTTTTGCTGAGACTAATCTTATTCATTTTCTCTAATATGGCAACCATTATAACCTTAATT
 TATTATTAACATACCTAAGAAGTACATTGTTACCTCTATATACCAAGCACATTTTAAAGTGCC
 ATTAACAAATGTATCACTAGCCCTCCTTTTTTCCAACAAGAAGGACTGAGAGATGCAGAAATATT
 TGTGACAAAAAATTAAAGCATTTAGAAAACTT

FIGURE 6

MARCFSLVLLLSIWTRLLVQGSRLAEELSIQVSCRIMGITLVSKKANQQLNFTEAKEACRLLG
LSLAGKDQVETALKASFETCSYGVGDGFVVISRISPNPKCGKNGVGVLIWKVPVSRQFAAYCYN
SSDTWTNSCIPEIITTKDPIFNTQTATQTTEFIVSDSTYSVASPYSTIPAPTTTTPPAPASTSIPR
RKKLICVTEVFMETSTMSTETEPFVENKAAFKNAAAGFGGVPTALLVLALLFFGAAAGLGFCYVK
RYVKAFPFTNKNQQKEMIETKVVKEEKANDSNPNNEESKKTDKNPESKSPSKTTVRCLEAEV

Signal sequence:

amino acids 1-16

Transmembrane domain:

amino acids 235-254

N-glycosylation site.

amino acids 53-57, 130-134, 289-293

Casein kinase II phosphorylation site.

amino acids 145-149, 214-218

Tyrosine kinase phosphorylation site.

amino acids 79-88

N-myristoylation site.

amino acids 23-29, 65-71, 234-240, 235-239, 249-255, 253-259

FIGURE 7

CGCCGCGCTCCCGCACCCGCGGCGCCGCCCGCGCTCCCGCATCTGCACCCGAGCCCGGCG
GGCCTCCCGGCGGGAGCGAGCAGATCCAGTCCGGCCCGCAGCGCAACTCGGTCCAGTCCGGGCGG
CGGCTGCGGGCGCAGAGCGGAGATGCGAGCGGCTTGGGGCCACCCTGCTGTGCCTGCTGCTGGCGG
CGGCGGTCCCCACGGCCCCCGCGCCGCTCCGACGGCGACCTCGGCTCCAGTCAAGCCCGGCCCCG
GCTCTCAGCTACCCGAGGAGGAGGCCACCCTCAATGAGATGTTCCGCGAGGTTGAGGAAGTATGAT
GGAGGACACGCAGCACAATTGCGCAGCGCGGTGGAAGAGATGGAGGCAGAAGAAGCTGCTGCTA
AAGCATCATCAGAAGTGAACCTGGCAAACCTTACCTCCCAGCTATCACAATGAGACCAACACAGAC
ACGAAGGTTGGAAATAATACCATCCATGTGCACCGAGAAATTCACAAGATAACCAACAACAGAC
TGGACAAATGGTCTTTTCAGAGACAGTTATCACATCTGTGGGAGACGAAGAAGGCAGAAGGAGCC
ACGAGTGCATCATCGACGAGGACTGTGGGCCCAGCATGTACTGCCAGTTTGCCAGCTTCCAGTAC
ACCTGCCAGCCATGCCGGGGCCAGAGGATGCTCTGCACCCGGGACAGTGAGTGTGTGGAGACCA
GCTGTGTGTCTGGGCTCACTGCACCAAATGGCCACCAGGGGCAGCAATGGGACCATCTGTGACA
ACCAGAGGGACTGCCAGCCGGGGCTGTGCTGTGCCTTCCAGAGAGGCTGTGTTCCCTGTGTGC
ACCCCTGCCCCGTGGAGGGCGAGCTTTGCCATGACCCCGCAGCCGGCTTCTGGACCTCATCAC
CTGGGAGCTAGAGCCTGATGGAGCCTTGGACCGATGCCCTTGTGCCAGTGGCCTCCTCTGCCAGC
CCCACAGCCACAGCCTGGTGTATGTGTGAAGCCGACCTTCGTGGGAGCCGTGACCAAGATGGG
GAGATCCTGCTGCCAGAGAGGTCCCCGATGAGTATGAAGTTGGCAGCTTCATGGAGGAGGTGCG
CCAGGAGCTGGAGGACCTGGAGAGGAGCCTGACTGAAGAGATGGCGCTGGGGGAGCCTGCGGCTG
CCGCCGCTGCACTGCTGGGAGGGGAAGAGATTAGATCTGGACCAGGCTGTGGGTAGATGTGCAA
TAGAAATAGCTAATTTATTTCCCGAGTGTGTGCTTTAGGCGTGGGCTGACCAGGCTTCTCTCTA
CATCTTCTTCCAGTAAGTTTCCCTCTGGCTTGACAGCATGAGGTGTTGTGCATTTGTTCAGCT
CCCCCAGGCTGTTCTCCAGGCTTACAGTCTGGTGTGCTTGGGAGAGTCAGGCAGGGTTAAACTGCA
GGAGCAGTTTGCCACCCTGTCCAGATTATTGGCTGCTTTGCCCTTACCAGTTGGCAGACAGCCG
TTTGTCTACATGGCTTTGATAATTGTTTGGGGGAGGAGATGGAAACAATGTGGAGTCTCCCTC
TGATTGGTTTGGGGAAATGTGGAGAAGAGTGCCTGCTTTGCAAACATCAACCTGGCAAAAATG
CAACAAATGAATTTCCACGCAGTTCTTTCCATGGGCATAGGTAAGCTGTGCCTTCAGCTGTTGC
AGATGAATGTTCTGTTACCCCTGCATTACATGTGTTTATTCATCCAGCAGTGTGCTCAGCTCC
TACCTCTGTGCCAGGGCAGCATTTTCATATCCAAGATCAATTCCCTCTCTCAGCACAGCCTGGGG
AGGGGGTCATTGTTCTCCTCGTCCATCAGGGATCTCAGAGGCTCAGAGACTGCAAGCTGCTTGCC
CAAGTCACACAGCTAGTGAAGACCAGAGCAGTTTCATCTGGTTGTGACTCTAAGCTCAGTGCTCT
CTCCACTACCCACACCAGCCTTGGTGCCACCAAAAGTGCTCCCCAAAGGAAGGAGAATGGGAT
TTTTCTTGAGGCATGCACATCTGGAATTAAGGTCAAACATAATCTCACATCCCTCTAAAAGTAAA
CTACTGTTAGGAACAGCAGTGTCTCACAGTGTGGGCAGCCGTCCTTCTAATGAAGACAATGAT
ATTGACACTGTCCCTCTTTGGCAGTTGCATTAGTAACCTTTGAAAGGTATATGACTGAGCGTAGCA
TACAGGTTAACCTGCAGAAACAGTACTTAGGTAATTGTAGGGCGAGGATTATAAATGAAATTTGC
AAAATCACTTAGCAGCAACTGAAGACAATTATCAACCACGTGGAGAAAATCAAACCGAGCAGGGC
TGTGTGAAACATGGTTGTAATATGCGACTGCGAACAACCTGAACCTACGCCACTCCACAAATGATG
TTTTCAGGTGTCATGGACTGTTGCCACCATGTATTATCCAGAGTTCTTAAAGTTTAAAGTTGCA
CATGATTGTATAAGCATGCTTCTTTGAGTTTAAATTATGTATAAACATAAGTTGCATTTAGAA
ATCAAGCATAAATCACTTCAACTGCAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 8

MQRLGATLLCLLLAAAVPTAPAPAPTATSAPVKPGPALSYPQEEATLNEMFREVEELMEDTQHKL
RSAVEEMEAEEAAKASSEVNLANLPSPYHNETNTDTKVGNNTIHVHREIHKITNNQTGQMFSE
TVITSVGDEEGRRSHECIIDEDCGPSMYCQFASFQYTCQPCRQMLCTRDSECCGDQLCVWGHC
TKMATRGSNGTICDNQRDCQPGGCCAFQRGLLFPVCTPLPVEGELCHDPASRLLDLITWELEPDG
ALDRPCASGLLCQPHSHSLVYVCKPTFVGSRDQDGEILLPREVPDEYEVGSFMEEVRQLEDLE
RSLTEEMALGEPAAAAAALLGGEI

Signal sequence:

amino acids 1-19

N-glycosylation site.

amino acids 96-100, 106-110, 121-125, 204-208

Casein kinase II phosphorylation site.

amino acids 46-50, 67-71, 98-102, 135-139, 206-210, 312-316,
327-331

N-myristoylation site.

amino acids 202-208, 217-223

Amidation site.

amino acids 140-144

FIGURE 9

CGGACGCGTGGGCGGACGCGTGGGGGCTGTGAGAAAGTGCCAATAAATACATCATGCAACCCAC
GGCCACCTTGTGAACCTCGTGCCAGGGCTGATGTGCGTCTTCCAGGGCTACTCATCAAAG
GCCTAATCCAACGTTCTGTCTTCAATCTGCAAATCTATGGGGTCTGGGGCTCTTCTGGACCTT
AACTGGGTACTGGCCCTGGGCCAATGCGTCCGCTGGAGCCTTTGCCTCCTTCTACTGGGCCTT
CCACAAGCCCCAGGACATCCCTACCTTCCCCTTAATCTCTGCCTTCATCCGCACACTCCGTTACC
ACACTGGGTCAATTGGCATTGGAGCCCTCATCCTGACCCTTGTGCAGATAGCCCGGGTCATCTTG
GAGTATATTGACCACAAGCTCAGAGGAGTGCAGAACCCTGTAGCCCGCTGCATCATGTGCTGTTT
CAAGTGTGCTCTGGTGTCTGGAAAAATTTATCAAGTTCCTAAACCGCAATGCATACATCATGA
TCGCCATCTACGGGAAGAATTTCTGTGTCTCAGCCAAAAATGCGTTCATGCTACTCATGCGAAAC
ATTGTGAGGGTGGTCTGCTGGACAAAAGTCACAGACCTGCTGCTGTTCTTTGGGAAGCTGCTGGT
GGTCGGAGGCGTGGGGTCTGTCTTCTTTTTTTTCTCCGGTCGCATCCCGGGGCTGGGTAAAG
ACTTTAAGAGCCCCACCTCAACTATTACTGGCTGCCATCATGACCTCCATCCTGGGGGCCTAT
GTCATCGCCAGCGGCTTCTTCAGCGTTTTTCGGCATGTGTGTGGACACGCTCTCCTCTGCTTCCT
GGAAGACCTGGAGCGGAACAACGGCTCCCTGGACCGGCCCTACTACATGTCCAAGAGCCTTCTAA
AGATTCTGGGCAAGAAGAACGAGGCGCCCCGGACAACAAGAAGAGGAAGAAGTGACAGCTCCGG
CCCTGATCCAGGACTGCACCCACCCACCCTCCAGCCATCCAACCTCACTTCGCCTTACAGGT
CTCCATTTTGTGGTAAAAAAGGTTTTAGGCCAGGCGCCGTGGCTCACGCCTGTAATCCAACACT
TTGAGAGGCTGAGGCGGGCGGATCACCTGAGTCAGGAGTTCGAGACCAGCCTGGCCAACATGGTG
AAACCTCCGTCTCTATTAATAAATACAAAAATTAGCCGAGAGTGGTGGCATGCACCTGTATCCCA
GCTACTCGGGAGGCTGAGGCAGGAGAATCGCTTGAACCCGGGAGGCAGAGGTGCAGTGAGCCGA
GATCGCGCCACTGCACTCCAACCTGGGTGACAGACTCTGTCTCCAAAACAAAACAAACAA
AAGATTTTATTAAAGATATTTTGTTAAC

FIGURE 10

RTRGRTRGGCEKVPINTSCNPTAHLVNSSCPGLMCVFQGYSSKGLIQRSVFNLQIYGVLGFLFWTL
NWVLALGQCVLAGAFASFYWAFHKPDIPTFPLISAFIRTLRYHTGSLAFGALILTLVQIARVIL
EYIDHKLRGVQNPVARCIMCCFKCLWCLEKFIKFLNRNAYIMIAIYGKNFCVSAKNAFMLLMRN
IVRVVLDKVTDLLFFGKLLVGGVGVLSEFFFSGRIPGLGKDFKSPHLNYYWLPIMTSILGAY
VIASGFFSVFGMCVDTLFLCFLEDLERNNGSLDRPYMSKSLKILGKKNEAPPDNKKRKK

Important features:

Transmembrane domains:

amino acids 57-80 (type II), 110-126, 215-231, 254-274

N-glycosylation sites.

amino acids 16-20, 27-31, 289-293

Hypothetical YBR002c family proteins.

amino acids 276-288

Ammonium transporters proteins.

amino acids 204-231

N-myristoylation sites.

amino acids 60-66, 78-84

Amidation site.

amino acids 306-310

FIGURE 11

GCCCCGCGCCCGGCGCCGGGCGCCGAAGCCGGGAGCCACCGCCATGGGGGCGCTGCCTGGGAGCCTGC
TCCCTGCTCAGCTGCGCGTCTGCCTCTGCGGCTCTGCCCCCTGCATCCTGTGCAGCTGCTGCCCCGC
CAGCCGCAACTCCACCGTGAGCCGCTCATCTTCACGTTCTTCCTCTTCCTGGGGGTGCTGGTGTCCA
TCATTATGCTGAGCCCCGGCGTGGAGAGTCACTCTACAAGCTGCCCTGGGTGTGTGAGGAGGGGGCC
GGGATCCCCACCGTCTGCAGGGCCACATCGACTGTGGCTCCCTGCTTGGCTACCGCGCTGTCTACCG
CATGTGCTTCGCCACGGCGGCCTTCTTCTTCTTCTTTTACCCTGCTCATGCTCTGCGTGAGCAGCA
GCCGGGACCCCCGGGCTGCCATCCAGAATGGGTTTTGGTTCTTTAAGTTCTTGATCCTGGTGGGCGCTC
ACCGTGGGTGCCTTCTACATCCCTGACGGCTCCTTCACCAACATCTGGTTCTACTTCGGCGTCTGCGG
CTCCTTCCTCTTCATCCTCATCCAGCTGGTGTGCTCATCGACTTTGCGCACTCCTGGAACAGCGGT
GGCTGGGCAAGGCCGAGGAGTGCATTCCCGTGCCTGGTACGCAGGCCTCTTCTTCTTCACTCTCCTC
TTCTACTTGCTGTGATCGCGCCGTGGCGCTGATGTTTATGTACTACACTGAGCCAGCGGCTGCCA
CGAGGGCAAGGTCTTCATCAGCCTCAACCTCACCTTCTGTGTCTGCGTGTCCATCGCTGTCTGCTGC
CCAAGGTCCAGGACGCCAGCCCAACTCGGGTCTGCTGCAGGCCTCGGTTCATCACCTCTACACCATG
TTTGTACCTGGTCAGCCCTATCCAGTATCCCTGAACAGAAATGCAACCCCCATTGCAACCCAGCT
GGGCAACGAGACAGTTGTGGCAGGCCCCGAGGGCTATGAGACCCAGTGGTGGGATGCCCCGAGCATTG
TGGGCCTCATCATCTTCCTCCTGTGCACCTCTTCATCAGTCTGCGCTCCTCAGACCACCGGCAGGT
AACAGCCTGATGCAGACCGAGGAGTCCCCACCTATGCTAGACGCCACACAGCAGCAGCAGCAGGCT
GGCAGCCTGTGAGGGCCGGGCTTTGACAACGAGCAGGACGGCGTCACCTACAGCTACTCCTTCTTCC
ACTTCTGCCTGGTGTGCGCTCACTGCACGTCATGATGACGCTCACCAACTGGTACAAGCCCGGTGAG
ACCCGGAAGATGATCAGCACGTGGACCGCCGTGTGGGTGAAGATCTGTGCCAGCTGGGCAGGGCTGCT
CCTCTACCTGTGGACCTGGTAGCCCCACTCCTCCTGCGCAACCGCGACTTCAGCTTGAGGCAGCCTCA
CAGCCTGCCATCTGGTGCCTCCTGCCACCTGGTGCCTCTCGGCTCGGTGACAGCCAACCTGCCCCCTC
CCCACACCAATCAGCCAGGCTGAGCCCCACCCCTGCCCCAGCTCCAGGACCTGCCCTGAGCCGGGC
CTTCTAGTCGTAGTGCCCTTCAGGGTCCGAGGAGCATCAGGCTCCTGCAGAGCCCCATCCCCCGCCAC
ACCCACACGGTGGAGCTGCCTCTTCCTTCCCTCCTCCTGTTGCCATACTCAGCATCTCGGATGAA
AGGGCTCCCTTGTCTCAGGCTCCACGGGAGCGGGGCTGCTGGAGAGAGCGGGGAACCTCCACCCAG
TGGGGCATCCGGCACTGAAGCCCTGGTGTTCCTGGTCACGTCCCCAGGGGACCCTGCCCCCTTCTCTG
GACTTCGTGCCTTACTGAGTCTCTAAGACTTTTCTAATAAACAAGCCAGTGGGTGTAAAAAAA

FIGURE 12

MGACLGACSLSCASCLCGSAPCILSCCCPASRNSTVSRLIFTFFFLGLVLSIIMLSPGVESQL
YKLPWVCEEGAGIPTVLQGHIDCGSLLGYRAVYRMCFATAAFFFFFFFFTLLMLCVSSSRDPRAAIQ
NGFWFFKFLILVGLTVGAFYIPDGSFTNIWFYFGVVGSLFILIQLVLLIDFAHSWNQRWLKAE
ECDSRAWYAGLFFFTLLFYLLSIAAVALMFMYYTEPSGCHEGKVFISLNLTCVCVSIAAVLPKV
QDAQPNSGLLQASVITLYTMFVTWSALSSIPEQKCNPHLPTQLGNETVVAGPEGYETQWWDAPSI
VGLIIFLLCTLFISLRSSDHRQVNSLMQTEECPPMLDATQQQQQVAACEGRAFDNEQDGVITYSY
SFFHFCLVLASLHVMTLTNWKPGETRMISTWTAVVVKICASWAGLLLYLWTLVAPLLLRNRD
FS

Signal sequence:

amino acids 1-20

Transmembrane domains:

amino acids 40-58, 101-116, 134-150, 162-178, 206-223, 240-257,
272-283, 324-340, 391-406, 428-444

FIGURE 13

CGGGCCAGCCTGGGGCGGCCGGCCAGGAACCCCGTTAAGGTGTCTTCTCTTTAGGGATGGTGA
GGTTGGAAAAAGACTCCTGTAACCTCCTCCAGGATGAACCACCTGCCAGAAGACATGGAGAACG
CTCTCACCGGGAGCCAGAGCTCCCATGCTTCTCTGCGCAATATCCATTCCATCAACCCACACAA
CTCATGGCCAGGATTGAGTCCTATGAAGGAAGGGAAAAGAAAGGCATATCTGATGTCAGGAGGAC
TTTCTGTTTGTGTGTACCTTTGACCTCTTATTCGTAACATTACTGTGGATAATAGAGTTAAATG
TGAATGGAGGCATTGAGAACACATTAGAGAAGGAGGTGATGCAGTATGACTACTATTCTTCATAT
TTTGATATATTTCTTCTGGCAGTTTTTCGATTTAAAGTGTTAATACTTGCATATGCTGTGTGCAG
ACTGCGCCATTGGTGGGCAATAGCGTTGACAACGGCAGTGACCAGTGCCTTTTTACTAGCAAAAG
TGATCCTTTTCAAGCTTTTCTCTCAAGGGGCTTTTGGCTATGTGCTGCCCATCATTTTCATTCATC
CTTGCCCTGGATTGAGACGTGGTTCTTGGATTTCAAAGTGTTACCTCAAGAAGCAGAAGAAGAAAA
CAGACTCCTGATAGTTCAGGATGCTTCAGAGAGGGCAGCACTTATACCTGGTGGTCTTTCTGATG
GTCAGTTTTATTCCCCCTCCTGAATCCGAAGCAGGATCTGAAGAAGCTGAAGAAAAACAGGACAGT
GAGAAACCACCTTTTAGAAGTATGAGTACTACTTTTGTTAAATGTGAAAAACCCTCACAGAAAGTC
ATCGAGGCAAAAAGAGGCAGGCAGTGGAGTCTCCCTGTGCGACAGTAAAGTTGAAATGGTGACGTC
CACTGCTGGCTTTATTGAACAGCTAATAAAGATTTATTTATTGTAATACCTCACAAACGTTGTAC
CATATCCATGCACATTTAGTTGCCCTGCCTGTGGCTGGTAAGGTAATGTCATGATTCATCCTCTCT
TCAGTGAGACTGAGCCTGATGTGTTAACAAATAGGTGAAGAAAGTCTTGTGCTGTATTCCCTAATC
AAAAGACTTAATATATTGAAGTAACACTTTTTTTAGTAAGCAAGATACCTTTTTTATTTCATTCAC
AGAATGGAATTTTTTGTTCATGTCTCAGATTTATTTGTATTCTTTTTTAACACTCTACATT
TCCCTTGTTTTTAACTCATGCACATGTGCTCTTTGTACAGTTTTAAAAAGTGAATAAAATCTG
ACATGTCAATGTGGCTAGTTTTATTTTCTTGTGTTTGCATTATGTGTATGGCCTGAAGTGTTGGA
CTTGCAAAAGGGGAAGAAAGGAATTGCGAATACATGTAAATGTCACCAGACATTTGTATTATTT
TTATCATGAAATCATGTTTTTCTCTGATTGTTCTGAAATGTTCTAAATACTCTTATTTTGAATGC
ACAAAATGACTTAAACCATTATATCATGTTTCCTTTGCGTTCAGCCAATTTCAATTAAATGAA
CTAAATTAAAAA

FIGURE 14

MNHLPEDMENALTGSQSSHASLRNIHSINPTQLMARIESYEGREKKGISDVRRTFCLFVTFDLLF
VTLLWIIELNVNGGIENTLEKEVMQYDYSSYFDIFLLAVFRFKVLILAYAVCRLRHWWAIALTT
AVTSAFLLAKVILSKLFSQGAFGYVLPISFILAWIETWFLDFKVLQPQEAEEENRLLIVQDASER
AALIPGGLSDGQFYSPPESEAGSEEAEEKQDSEKPLLEL

Important features of the protein:

Signal peptide:

amino acids 1-20

Transmembrane domains:

amino acids 54-72, 100-118, 130-144, 146-166

N-myristoylation sites.

amino acids 14-20, 78-84, 79-85, 202-208, 217-223

FIGURE 15

ACTCGAACGCAGTTGCTTCGGGACCCAGGACCCCTCGGGCCCGACCCGCCAGGAAAGACTGAGG
CCGCGGCCTGCCCCGCGCGGCTCCCTGCGCCGCGCGCCTCCCGGGACAGAAGATGTGCTCCAG
GGTCCCTCTGCTGCTGCCGCTGCTCCTGCTACTGGCCCTGGGGCCTGGGGTGACGGGCTGCCCAT
CCGGCTGCCAGTGCAGCCAGCCACAGACAGTCTTCTGCACTGCCCGCCAGGGGACCACGGTGCCC
CGAGACGTGCCACCCGACACGGTGGGGCTGTACGTCTTTGAGAACGGCATCACCATGCTCGACGC
AGGCAGCTTTGCCGGCCTGCCGGGCTGCAGTCTTGACCTGTCACAGAACCAGATCGCCAGCC
TGCCAGCGGGGTCTTCCAGCCACTCGCCAACCTCAGCAACCTGGACCTGACGGCCAACAGGCTG
CATGAAATCACCAATGAGACCTTCCGTGGCCTGCGGCGCCTCGAGCGCCTTACCTGGGCAAGAA
CCGCATCCGCCACATCCAGCCTGGTGCTTTCGACACGCTCGACCGCCTCTGGAGCTCAAGCTGC
AGGACAACGAGCTGCGGGCACTGCCCCGCTGCGCCTGCCCGCCTGCTGCTGCTGGACCTCAGC
CACAAACGCCTCCTGGCCCTGGAGCCCGGCATCTGGACACTGCCAACCTGGAGGCGCTGCGGCT
GGCTGGTCTGGGGCTGCAGCAGCTGGACGAGGGGCTCTTACGCCGCTTGGCGAACCTCCACGACC
TGGATGTGTCCGACAACAGCTGGAGCGAGTGCCACCTGTGATCCGAGGCCTCCGGGGCTGACG
CGCCTGCGGCTGGCCGGCAACACCCGCTTGGCCAGCTGCGGCCCGAGGACCTGGCCGGCTGGC
TGCCCTGCAGGAGCTGGATGTGAGCAACCTAAGCCTGCAGGCGCTGCTGGCGACCTCTCGGGCC
TCTTCCCCCGCCTGCGGCTGCTGGCAGCTGCCCGCAACCCCTTCAACTGCGTGTGCCCTGAGC
TGGTTTGGCCCTGGGTGCGCGAGAGCCACGTCACTGGCCAGCCCTGAGGAGACGCGCTGCCA
CTTCCCCCACAAGACGCTGGCCGCTGCTCCTGGAGCTTGACTACGCCGACTTTGGCTGCCAG
CCACCACCACACAGCCACAGTGCCACCACGAGGCGCGTGGTGCGGGAGCCACAGCCTTGTCT
TCTAGCTTGGCTCCTACCTGGCTTAGCCCCACAGCGCCGGCCACTGAGGCCCGCCGCGCCTC
CACTGCCCCACCGACTGTAGGGCCTGTCCCCAGCCCCAGGACTGCCACCGTCCACCTCGCTCA
ATGGGGGCACATGCCACCTGGGGACACGGCACCTGGCGTGCTTGTGCCCCGAAGGCTTACG
GGCCTGTACTGTGAGAGCCAGATGGGGCAGGGGACACGGCCAGCCCTACACCAGTCACGCCGAG
GCCACCACGGTCCCTGACCTGGGCATCGAGCCGGTGAGCCCCACCTCCCTGCGCGTGGGGCTGC
AGCGCTACCTCCAGGGGAGCTCCGTGCAGCTCAGGAGCCTCCGTCTCACCTATCGCAACCTATCG
GGCCCTGATAAGCGGTGGTGACGCTGCGACTGCCTGCCTCGCTCGCTGAGTACAGGTCACCCA
GCTGCGGCCCCAACGCCACTTACTCCGTCTGTGTGTCATGCCTTTGGGGCCCGGGCGGGTGCCGGAGG
GCGAGGAGGCCTGCGGGGAGGCCCATACACCCCGAGCCGTCCACTCCAACCACGCCCCAGTCACC
CAGGCCCGCGAGGGCAACCTGCCGCTCCTCATTTGCGCCCGCCCTGGCCGCGGTGCTCCTGGCCGC
GCTGGCTGCGGTGGGGGAGCCTACTGTGTGCGCGGGGGCGGCCATGGCAGCAGCGGCTCAGG
ACAAAGGCGAGGTGGGGCCAGGGGCTGGGGCCCTGGAAGTGGAGGGAGTGAAGGTCCCCCTGGAG
CCAGGCCCAAGGCAACAGAGGGCGGTGGAGAGGCCCTGCCAGCGGGTCTGAGTGTGAGGTGCC
ACTCATGGGCTTCCCAGGGCCTGGCCTCCAGTCAACCCTCCACGCAAGCCCTACATCTAAGCCA
GAGAGAGACAGGGCAGCTGGGGCCGGGCTCTCAGCCAGTGAGATGGCCAGCCCCCTCCTGCTGCC
ACACCACGTAAGTTCTCAGTCCCAACCTCGGGGATGTGTGACAGAGGGCTGTGTGACCACAGCT
GGGCCCTGTTCCCTCTGGACCTCGGTCTCCTCATCTGTGAGATGCTGTGGCCAGCTGACGAGCC
CTAACGTCCCCAGAACCGAGTGCCATGAGGACAGTGTCCGCCCTGCCCTCCGCAACGTGCAGTC
CCTGGGCACGGCGGGCCCTGCCATGTGCTGGTAACGCATGCCCTGGGTCTGCTGGGCTCTCCAC
TCCAGGCGGACCTGGGGGCGAGTGAAGGAAGCTCCCGAAAGAGCAGAGGGAGAGCGGGTAGGC
GGCTGTGTGACTCTAGTCTTGGCCCCAGGAAGCAAGGAACAAAAGAACTGGAAAGGAAGATGC
TTTAGGAACATGTTTTGCTTTTTTAAATATATATATTTATAAGAGATCCTTCCCATTATTCT
GGGAAGATGTTTTCAAACCTCAGAGACAAGGACTTTGGTTTTTGTAAAGACAAACGATGATATGAA
GGCCTTTTGTAAAGAAAAATAAAAGATGAAGTGTGAAA

FIGURE 16

MCSRVPLLLPLLLLALGPGVQGCPSGCQCSQPQTVFCTARQGTTPRDPVPPDTVGLYVFENGIT
MLDAGSFAGLPGLQLLDLSQNQIASLPSGVFQPLANLSNLDLTANRLHEITNETFRGLRRLERLY
LGKNRIRHIQPGAFDTLDRLLELKLQDNELRALPPLRLPRLLLLDLSHNSLLALEPGILDTANVE
ALRLAGLGLQQLDEGLFSRLRNLDLDVSDNQLERVPPVIRGLRGLTRLRLAGNTRIAQLRPEDL
AGLAALQELDVSNSLSLQALPGDLSGLFPRLRLAAARNPFNCVCPLSWFGPWVRESHVTLASPEE
TRCHFPPKNAGRLLLELDYADFGCPATTTTATVPTTRPVVREPTALSSSLAPTWLSPTAPATEAP
SPPSTAPPTVGPVPQPDCCPSTCLNGGTCHLGRHHLACLCEGFTGLYCESQMGQTRPSPTP
VTPRPPRSITLGIPEVSPTSRLRVGLQRYLQGSSVQLRSLRLTYRNLSGPDKRLVTLRLPASLAEY
TVTQLRPNATYSVCMFLGPGRVPEGEEACGEAHTPPAVHSNHAPVTQAREGNLPLLIAPALAAV
LLAALAAVGAAYCVRGRAMAAAAQDKGVGPGAGPLELEGVKVPLEPGPKATEGGGEALPSGSE
CEVPLMGFPGLQSPHAKPYI

Important features:

Signal peptide:

amino acids 1-23

Transmembrane domain:

amino acids 579-599

EGF-like domain cysteine pattern signature.

amino acids 430-442

Leucine zipper pattern.

amino acids 197-219, 269-291

N-glycosylation sites.

amino acids 101-105, 117-121, 273-277, 500-504, 528-532

Tyrosine kinase phosphorylation sites.

amino acids 124-131, 337-345

N-myristoylation sites.

amino acids 23-29, 27-33, 70-76, 142-148, 187-193, 348-354,
594-600, 640-646

FIGURE 17

GCAGCGCGAGGCGGCGGTGGTGGCTGAGTCCGTGGTGGCAGAGGCGAAGGCGACAGTCATGCG
GGTCCGGATAGGGCTGACGCTGCTGCTGTGTGCGGTGCTGCTGAGCTTGGCCTCGGCGTCTCGG
ATGAAGAAGGCAGCCAGGATGAATCCTTAGATTCCAAGACTACTTTGACATCAGATGAGTCAGTA
AAGGACCATACTACTGCAGGCAGAGTAGTTGCTGGTCAAATATTTCTTGATTGAGAAGAATCTGA
ATTAGAATCCTCTATTCAAGAAGAGGAAGACAGCCTCAAGAGCCAAGAGGGGAAAGTGTACAG
AAGATATCAGCTTTCTAGAGTCTCCAAATCCAGAAAACAAGGACTATGAAGAGCCAAAGAAAGTA
CGGAAACCAGCTTTGACCGCCATTGAAGGCACAGCACATGGGGAGCCCTGCCACTTCCCTTTTCT
TTTCCTAGATAAGGAGTATGATGAATGTACATCAGATGGGAGGGAAGATGGCAGACTGTGGTGTG
CTACAACCTATGACTACAAAGCAGATGAAAAGTGGGGCTTTTGTGAACTGAAGAAGAGGCTGCT
AAGAGACGGCAGATGCAGGAAGCAGAAATGATGTATCAAACCTGGAATGAAATCCTTAATGGAAG
CAATAAGAAAAGCCAAAAAGAGAAGCATATCGGTATCTCCAAAAGGCAGCAAGCATGAACCATA
CCAAAGCCCTGGAGAGAGTGTATATGCTCTTTTATTTGGTGATTACTTGCCACAGAATATCCAG
GCAGCGAGAGAGATGTTTGAGAAGCTGACTGAGGAAGGCTCTCCCAAGGGACAGACTGCTCTTGG
CTTTCTGTATGCCTCTGGACTTGGTGTAAATCAAGTCAGGCAAAGGCTCTTGATATTATACAT
TTGGAGCTCTTGGGGGCAATCTAATAGCCACATGGTTTTGGTAAGTAGACTTTAGTGGGAAGGCT
AATAATATTAACATCAGAAGAATTTGTGGTTTATAGCGCCACAACCTTTTTCAGCTTTTCATGATC
CAGATTTGCTTGTATTAAGACCAAATATTCAGTTGAACTTCCTTCAAATCTTGTTAATGGATAT
AACACATGGAATCTACATGTAAATGAAAGTTGGTGGAGTCCACAATTTTTCTTTAAATGATTAG
TTTGGCTGATTGCCCCTAAAAAGAGAGATCTGATAAATGGCTCTTTTTAAATTTTCTCTGAGTTG
GAATTGTCAGAATCATTTTTTACATTAGATTATCATAATTTTAAAAATTTTCTTTAGTTTTTCA
AAATTTTGTAAATGGTGGCTATAGAAAAACAACATGAAATATTATACAATATTTTGCAACAATGC
CCTAAGAATTGTTAAATTCATGGAGTTATTTGTGCAGAATGACTCCAGAGAGCTCTACTTTCTG
TTTTTTACTTTTCATGATTGGCTGTCTTCCATTATTCTGGTCATTTATTGCTAGTGACACTGT
GCCTGCTTCCAGTAGTCTCATTTTCCCTATTTTGCTAATTTGTTACTTTTTCTTTGCTAATTTGG
AAGATTAACCTATTTTAAATAAATTATGTCTAAGATTAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 18

MRVRIGLTLLLCVLLSLASASSDEEGSQDESLSKTTLTSDSVKDHTTAGRVVAGQIFLDSESEL
ESSIQEEEDSLKSQEGESVTEDISFLESPNPENKDYEEPKKVRKPALTAIEGTAHGEPCHFPFLDK
EYDECTSDGREDGRLWCATTYDYKADEKWGFCETEEEAARRMQEAEMMYQTGMKILNGSNKKSQKR
EAYRYLQKAASMNHTKALERVSYALLFGDYL PQNIQAAREMF EKLTEEGSPKGQTALGFLYASGLGVN
SSQAKALVYYTFGALGGNLIAHMLVLSRL

Important features:

Signal peptide:

amino acids 1-21

N-glycosylation sites.

amino acids 195-199, 217-221, 272-276

Tyrosine kinase phosphorylation site.

amino acids 220-228

N-myristoylation sites.

amino acids 120-126, 253-259, 268-274, 270-274, 285-291, 289-295

Glycosaminoglycan attachment site.

amino acids 267-271

Microbodies C-terminal targeting signal.

amino acids 299-303

Type II fibronectin collagen-binding domain protein.

amino acids 127-169

Fructose-bisphosphate aldolase class-II protein.

amino acids 101-119

FIGURE 19

AATTCAGATTTTAAAGCCCATTTCTGCAGTGGAATTTTCATGAACTAGCAAGAGGACACCATCTTCTT
GTATTATACAAGAAAGGAGTGTACCTATCACACACAGGGGGAAAAATGCTCTTTTGGGTGCTAGG
CCTCCTAATCCTCTGTGGTTTTCTGTGGACTCGTAAAGGAAAATAAGATTGAAGACATCACTG
ATAAGTACATTTTTATCACTGGATGTGACTCGGGCTTTGGAACTTGGCAGCCAGAACTTTTGAT
AAAAAGGGATTTTCATGTAATCGCTGCCTGTCTGACTGAATCAGGATCAACAGCTTTAAAGGCAGA
AACCTCAGAGAGACTTCGTACTGTGCTTCTGGATGTGACCGACCCAGAGAATGTCAAGAGGACTG
CCCAGTGGGTGAAGAACCAAGTTGGGGAGAAAGGTCTCTGGGGTCTGATCAATAATGCTGGTGT
CCCGCGTGCTGGCTCCCACTGACTGGCTGACACTAGAGGACTACAGAGAACCTATTGAAGTGAA
CCTGTTTGGACTCATCAGTGTGACACTAAATATGCTTCCTTTGGTCAAGAAAGCTCAAGGGAGAG
TTATTAATGTCTCCAGTGTGGAGGTGCCTTGCAATCGTTGGAGGGGGCTATACTCCATCCAAA
TATGCAGTGGAAGTTTCAATGACAGCTTAAGACGGGACATGAAAGCTTTTGGTGTGCACGTCTC
ATGCATTGAACCAGGATTGTTCAAACAAACTTGGCAGATCCAGTAAAGGTAATTGAAAAAAAC
TCGCCATTTGGGAGCAGCTGTCTCCAGACATCAAACAACAATATGGAGAAGGTTACATTGAAAA
AGTCTAGACAAACTGAAAGGCAATAAATCCTATGTGAACATGGACCTCTCTCCGGTGGTAGAGTG
CATGGACCACGCTCTAACAAGTCTCTTCCCTAAGACTCATTATGCCGCTGGAAAAGATGCCAAA
TTTTCTGGATACCTCTGTCTCACATGCCAGCAGCTTTGCAAGACTTTTTATTGTTGAAACAGAAA
GCAGAGCTGGCTAATCCCAAGGCAGTGTGACTCAGCTAACCACAAATGTCTCCTCCAGGCTATGA
AATTGGCCGATTTCAAGAACACATCTCCTTTTCAACCCCATTCCTTATCTGCTCCAACCTGGACT
CATTTAGATCGTGCTTATTTGGATTGCAAAAGGGAGTCCCACCATCGCTGGTGGTATCCCAGGGT
CCCTGCTCAAGTTTTCTTTGAAAAGGAGGGCTGGAATGGTACATCACATAGGCAAGTCTGCCCT
GTATTTAGGCTTTGCCCTGCTTGGTGTGATGTAAGGGAAATTGAAAGACTTGCCCATTCAAAATGA
TCTTTACCGTGGCCTGCCCCATGCTTATGGTCCCAGCATTTACAGTAACTTGTGAATGTTAAGT
ATCATCTCTTATCTAAATATTTAAAGATAAGTCAACCCAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAA

FIGURE 20

MLFWVLGLLILCGFLWTRKGLKIEDITDKYIFITGCDSGFGNLAARTFDKKG FHVIAACLTESG
STALKAETSERLRTVLLDVTDPENVKRTAQWVKNOVGEKGLWGLINNAGVPGVLAPTDWLTLEDY
REPIEVNLFGLISVTLNMLPLVKKAQGRVINVSSVGGRLAIVGGGYTPSKYAVEGFNDSLRRDMK
AFGVHVSCIEPGLFKNLADPVKVIEKKLAIWEQLSPDIKQQYGEGYIEKSLDKLKGKNSYVNMD
LSPVVECMDHALTSLEFPKTHYAAGKDAKIFWIPLSHMPAALQDFLLLKQKAELANPKAV

Important features of the protein:

Signal peptide:

amino acids 1-17

Transmembrane domain:

amino acids 136-152

N-glycosylation sites.

amino acids 161-163, 187-190 and 253-256

Glycosaminoglycan attachment site.

amino acids 39-42

N-myristoylation sites.

amino acids 36-41, 42-47, 108-113, 166-171, 198-203 and 207-212

FIGURE 21

CTGAGGCGGCGGTAGCATGGAGGGGGAGAGTACGTCGGCGGTGCTCTCGGGCTTTGTGCTCGGCG
CACTCGCTTTCCAGCACCTCAACACGGACTCGGACACGGAAGGTTTTCTTCTTGGGGAAGTAAAA
GGTGAAGCCAAGAACAGCATTACTGATTCCCAAATGGATGATGTTGAAGTTGTTTATACAATTGA
CATTTCAGAAATATATTCCATGCTATCAGCTTTTTAGCTTTTATAATTCTTCAGGCGAAGTAAATG
AGCAAGCACTGAAGAAAATATTATCAAATGTCAAAAAGAATGTGGTAGGTTGGTACAAATCCGT
CGTCATTTCAGATCAGATCATGACGTTTAGAGAGAGGCTGCTTCACAAAACCTTGCCAGGAGCATT
TTCAAACCAAGACCTTGTTTTCTGCTATTAACACCAAGTATAATAACAGAAAGCTGCTCTACTC
ATCGACTGGAACATTCCCTATATAAACCTCAAAAAGGACTTTTTTCACAGGGTACCTTTAGTGGTT
GCCAATCTGGGCATGTCTGAACAACTGGGTATATAAACTGTATCAGGTTCCGTGTATGTCCACTGG
TTTTAGCCGAGCAGTACAAACACACAGCTCTAAATTTTTTGAAGAAGATGGATCCTTAAAGGAGG
TACATAAGATAAATGAAATGTATGCTTCATTACAAGAGGAATTAAAGAGTATATGCAAAAAGTG
GAAGACAGTGAACAAGCAGTAGATAAACTAGTAAAGGATGTAAACAGATTAAAACGAGAAATTGA
GAAAAGGAGAGGAGCAGATTTCAGGCAGCAAGAGAGAAGAACATCCAAAAGACCCTCAGGAGA
ACATTTTTCTTTGTCAGGCATTACGGACCTTTTTTCCAAATCTGAATTTCTTCATTTCATGTGTT
ATGTCTTTAAAAAATAGACATGTTTCTAAAAGTAGCTGTAACCTACAACCACCATCTCGATGTAGT
AGACAATCTGACCTTAATGGTAGAACACACTGACATTCCTGAAGCTAGTCCAGCTAGTACACCAC
AAATCATTAAGCATAAAGCCTTAGACTTAGATGACAGATGGCAATTCAAGAGATCTCGGTTGTTA
GATACACAAGACAAACGATCTAAAGCAAATACCTGGTAGTAGTAACCAAGATAAAGCATCCAAAAT
GAGCAGCCCAGAAACAGATGAAGAAATTGAAAAGATGAAGGGTTTTGGTGAATATTCACGGTCTC
CTACATTTGATCCTTTTAACCTTACAAGGAGATTTTTTTATTTGGCTGATGGGTAAAGCCAAAC
ATTTCTATTTGTTTTTACTATGTTGAGCTACTTGACAGTAAGTTCATTTGTTTTTACTATGTTTACC
TGTTTGAGTAATACACAGATAACTCTTAGTGCAATTTACTTCACAAAGTACTTTTTCAAACATCA
GATGCTTTTATTTCCAAACCTTTTTTTCACCTTTCACTAAGTTGTTGAGGGGAAGGCTTACACAG
ACACATTCCTTTAGAATTGGAAAAGTGAGACCAGGCACAGTGGCTCACACCTGTAATCCCAGCACT
TAGGGAAGACAAGTCAGGAGGATTGATTGAAGCTAGGAGTTAGAGACCAGCCTGGGCAACGTATT
GAGACCATGTCTATTAATAAATAAATGGAAGCAAGAATAGCCTTATTTTCAAATATGGAAA
GAAATTTATATGAAAATTTATCTGAGTCATTAAATTTCTCCTTAAGTGATACTTTTTTAGAAGTA
CATTATGGCTAGAGTTGCCAGATAAATGCTGGATATCATGCAATAAATTTGCAAAACATCATCT
AAAATTTAAAAA

FIGURE 22

MEGESTSAVLSGFVLGALAFQHLNTSDTEGFLLGVEVKGEAKNSITDSQMDDVEVVYTIDIQKYI
PCYQLFSFYNSSGEVNEQALKKILSNVKNVVGWYKFRRHSDQIMTFRERLLHKNLQEHFSNQDL
VFLLLTPSIITESCSTHRLEHSLYKPQKGLFHRVPLVVANLGMSEQLGYKTVSGSCMSTGFSSRAV
QTHSSKFFEEEDGSLKEVHKINEMYASLQEELKSICKKVEDSEQAVDKLVKDVNRLKREIEKRRGA
QIQAAAREKNIQKDPQENIFLCQALRTFFPNSEFLHSCVMSLKNRHVSKSSCNYNHHLDVVDNLTL
MVEHTDIPEASPASTPQIIKHKALDLDLRWQFKRSRLDQDKRSKANTGSSNQDKASKMSSPET
DEEIEKMKGFGEYSRSPTF

Important features:

Signal peptide:

amino acids 1-19

N-glycosylation sites.

amino acids 75-79, 322-326

N-myristoylation site.

amino acids 184-154

Growth factor and cytokines receptors family.

amino acids 134-150

FIGURE 23

GGCACAGCCGCGCGGGCGGAGGGCAGAGTCAGCCGAGCCGAGTCCAGCCGAGCAGCGGACCAGCGCAGGGCAGCCCAA
GCAGCGCGCAGCGAACGCCCGCGCCGCCACACCCTCTGCGGTCCCCGCGGCGCTGCCACCCCTCCCTCCTTCCCC
GCGTCCCCGCGCTCGCCGGGCGAGTCAGCTTGCCGGGTTGCGTGCCCGCGGAAACCCGAGGTCACCAGCCGCGCTCT
GCTTCCCTGGGCGCGCGCGCTCCACGCCCTCCTTCTCCCTGGCCCGGCGCTGGCACCGGGGACCGTTGCCTGA
CGCGAGGCCAGCTCTACTTTTGGCCCGCGTCTCCTCGCGCTGCTCGCCTCTTCCACCAACTCCAACCTCTCTCCC
TCCAGCTCCACTCGCTAGTCCCCGACTCCGCCAGCCCTCGGCCGCTGCCGTAGCGCGCTTCCGCTCCGGTCCCAA
GGTGGGAACGCGTCCGCCCGGCGCCGACCATGGCACGGTTGCGCTTGCCCGCGCTTCTCTGCACCCGTGGCAGTGCTC
AGCGCCGCGCTGCTGGCTGCCGAGCTCAAGTCGAAAAGTTGCTCGGAAGTGCGACGCTTTTACGTGTCCAAAGGCTTC
AACAAGACGATGCCCCCTCCACGAGATCAACGGTGATCATTGAAGATCTGTCCCAGGGTTCTACCTGCTGCTCT
CAAGAGATGGAGGAGAAGTACAGCCTGCAAAGTAAAGATGATTTCAAAAGTGTGGTCAGCGAACAGTGCAATCATTG
CAAGCTGTCTTTGCTTACGTTACAAGAAGTTTGAATGAATCTTCAAAGAACTACTTGAAATGCAGAGAAATCCCTG
AATGATATGTTTGTGAAGACATATGGCCATTTATACATGCAAATTTCTGAGCTATTTAAAGATCTCTTCGTAGAGTTG
AAACGTTACTACGTGGTGGGAAATGTGAACCTGGAAGAAATGCTAAATGACTTCTGGGCTCGCCTCTGGAGCGGATG
TTCGCCCTGGTGAACCTCCAGTACCACTTTACAGATGACTATCTGGAATGTGTGAGCAAGTATACGGAGCAGCTGAAG
CCCTTCGGAGATGTCCCTCGCAAATTGAAGCTCCAGGTTACTCGTGCTTTTGTAGCAGCCCGTACTTTGCTCAAGGC
TTAGCGGTTGGGGAGATGTCGTGAGCAAGGTCTCCGTGGTAAACCCACAGCCAGTGATCCCATGCCCTGTTGAAG
ATGATCTACTGCTCCCACTGCCGGGTCTCGTGACTGTGAAGCATGTTACAACCTACTGCTCAAACATCATGAGAGGC
TGTTTGGCCAACCAAGGGGATCTCGATTTTGAATGGAACAATTTATAGATGCTATGCTGATGGTGGCAGAGAGGCTA
GAGGGTCTTTCAACATTGAATCGGTGATGATCCCATGATGTGAAGATTTCTGATGCTATTATGAACATGCAGGAT
AATAGTGTTCAGTGTCTCAGAAGGTTTTCAGGGATGTGGACCCCCCAAGCCCTCCAGCTGGACGAATTTCTCGT
TCCATCTCTGAAAGTGCCCTTCAGTGCTCGCTTCAGACCACATCACCCCGAGGAACGCCCAACCACAGCAGCTGGCACT
AGTTTGGACCGACTGGTTACTGATGTCAAGGAGAACTGAAACAGGCCAAGAAATTTGGTCTCCCTTCAGCAAC
GTTTGCAACGATGAGAGGATGGCTGCAGGAAACGGCAATGAGGATGACTGTTGGAATGGGAAGGCAAAAGCAGGTAC
CTGTTTGCACTGACAGGAAATGGATTAGCCAACCGGGCAACAACCCAGAGGTCCAGGTTGACACCAGCAAACAGAC
ATACTGATCCTTCGTCAAATCATGGCTCTTCGAGTGATGACCAGCAAGATGAAGAATGCATACAATGGGAACGACGTG
GACTTCTTTGATATCAGTGATGAAAGTAGTGGAGAAGGAAGTGAAGTGGCTGTGAGTATCAGCAGTGCCCTTCAGAG
TTTGACTACAATGCCACTGACCATGCTGGGAAGAGTGCCAATGAGAAAGCCGACAGTGCTGGTGTCCGTCTGGGGCA
CAGGCCTACCTCCTCACTGTCTTCTGCATCTTGTTCTCGGTTATGCAGAGAGTGGAGATTAATTCTCAAACCTCTGAG
AAAAAGTGTTCATCAAAAAGTTAAAGGCACCAAGTTATCACTTTTCTACCATCCTAGTGACTTTTGCTTTTAAATGAA
TGGACAACAATGTACAGTTTTTACTATGTGGCCACTGGTTTAAAGAGTGCTGACTTTGTTTTCTCATTGAGTTTGGG
AGGAAAAGGACTGTGCATTGAGTTGGTTCTGCTCCCCAAACCATGTTAAACGTGGCTAACAGTGATGTTACAGAA
CTATAGTTAGTTGTGCAATTTGTGATTTTATCACTCTATTATTGTTTGTATGTTTTTCTCATTTCGTTTGTGGGT
TTTTTTTCCAACGTGATCTCGCCTTGTTTCTTACAAGCAAACAGGGTCCCTTCTTGGCACGTAACATGTACGTATT
TCTGAAATATTAAATAGCTGTACAGAAGCAGGTTTTATTATCATGTTATCTTATTAAGAAAAAGCCCAAAAGC

FIGURE 24

MARFGLPALLCTLAVLSAALLAELKSKSCSEVRRLYVSKGFNKNDAPLHEINGDHLKICPQGST
CCSQEMEEKYSLQSKDDFKSVVSEQCNHLQAVFASRYKKFDEFFKELLENAEKS LNDMFVKTYGH
LYMQNSELFKDLFVELKRYVVG NVNLEEMLNDFWARLLERMFRLVNSQYHFTDEYLECVSKYTE
QLKPFQDVPRKLLQVTRAFVAARTFAQGLAVAGDVVSKSVVNPTAQCTHALLKMIYCSHCRGL
VTVKPCYNYCSNIMRGCLANQGDLD FEWNNFIDAML MVAERLEGPFNIESVMDPIDVKISDAIMN
MQDNSVQVSQKVFQCGPPKPLPAGRISR SISESAFSARFRPHHPEERPTTAAGTSLDRLVTDVK
EKLKQAKKFWSSSLPSNVCNDERMAAGNGNEDDCWNGKGKSRYLFAVTGNGLANQGNNEVQVDT S
KPDILILRQIMALRVMTSKMKNAYNGNDVDFDISDESSGEGSGSGCEYQQCPSEFDYNATDHAG
KSANEKADSAGVRPGAQAYLLTVFCILFLVMQREWR

Important features:

Signal peptide:

amino acids 1-22

ATP/GTP-binding site motif A (P-loop).

amino acids 515-524

N-glycosylation site.

amino acids 514-518

Glycosaminoglycan attachment sites.

amino acids 494-498, 498-502

N-myristoylation sites.

amino acids 63-69, 224-230, 276-282, 438-444, 497-503, 531-537

Glypicans proteins.

amino acids 54-75, 105-157, 238-280, 309-346, 423-460, 468-506

FIGURE 25

CTCGCCCTCAAATGGGAACGCTGGCCTGGGACTAAAGCATAGACCACCAGGCTGAGTATCCTGAC
CTGAGTCATCCCCAGGGATCAGGAGCCTCCAGCAGGGAACCTTCCATTATATTCTTCAAGCAACT
TACAGCTGCACCGACAGTTGCGATGAAAGTTCTAATCTCTTCCCTCCTCCTGTTGCTGCCACTAA
TGCTGATGTCCATGGTCTCTAGCAGCCTGAATCCAGGGGTCGCCAGAGGCCACAGGGACCGAGGC
CAGGCTTCTAGGAGATGGCTCCAGGAAGGCGGCCAAGAATGTGAGTGCAAAGATTGGTTCTGAG
AGCCCCGAGAAGAAAATTCATGACAGTGTCTGGGCTGCCAAGAAGCAGTGCCCTGTGATCATT
TCAAGGGCAATGTGAAGAAAACAAGACACCAAAGGCACCACAGAAAGCCAAACAAGCATTCCAGA
GCCTGCCAGCAATTTCTCAAACAATGTCAGCTAAGAAGCTTTGCTCTGCCTTTGTAGGAGCTCTG
AGCGCCCACTCTTCCAATTAAACATTCTCAGCCAAGAAGACAGTGAGCACACCTACCAGACACTC
TTCTTCTCCCACTACTCTCCCACTGTACCCACCCCTAAATCATTCCAGTGCTCTCAAAAAGCA
TGTTTTTCAAGATCATTTTGTGTTGCTCTCTCTAGTGTCTTCTTCTCTCGTCAGTCTTAGCCT
GTGCCCTCCCCTTACCCAGGCTTAGGCTTAATTACCTGAAAGATTCCAGGAAACTGTAGCTTCCT
AGCTAGTGTCAATTAACCTTAAATGCAATCAGGAAAGTAGCAAACAGAAGTCAATAAATATTTTT
AAATGTCAAAAAAAAAAAAAAAAAA

FIGURE 26

MKVLISLLLLLLPLMLMSMVSSSLNPGVARGHRDRGQASRRWLQEGGQECECKDWFLRAPRRKFM
TVSGLPKKQPCDHFKGNVKKTRHQRHHRKPNKHSRACQQFLKQCQLRSFALPL

Important features:

Signal peptide:

amino acids 1-22

N-myristoylation sites.

amino acids 27-33, 46-52

FIGURE 27

GGACGCCAGCGCCTGCAGAGGCTGAGCAGGGAAAAAGCCAGTGCCCCAGCGGAAGCACAGCTCAG
AGCTGGTCTGCCATGGACATCCTGGTCCCCTCCTGCAGCTGCTGGTGCTGCTTCTTACCCCTGCC
CCTGCACCTCATGGCTCTGCTGGGCTGCTGGCAGCCCCTGTGCAAAAGCTACTTCCCCTACCTGA
TGGCCGTGCTGACTCCCAAGAGCAACCGCAAGATGGAGAGCAAGAAACGGGAGCTCTTCAGCCAG
ATAAAGGGGCTTACAGGAGCCTCCGGGAAAGTGGCCCTACTGGAGCTGGGCTGCGGAACCGGAGC
CAACTTTCAGTTCTACCCACCGGCTGCAGGGTCACCTGCCTAGACCCAAATCCCCTTTGAGA
AGTTCCTGACAAAGAGCATGGCTGAGAACAGGCACCTCCAATATGAGCGGTTTGTGGTGGCTCCT
GGAGAGGACATGAGACAGCTGGCTGATGGCTCCATGGATGTGGTGGTCTGCACTCTGGTGTGTG
CTCTGTGCAGAGCCCAAGGAAGGTCCTGCAGGAGGTCCGGAGAGTACTGAGACCGGGAGGTGTGC
TCTTTTCTGGGAGCATGTGGCAGAACCATATGGAAGCTGGGCCTTCATGTGGCAGCAAGTTTTTC
GAGCCCACCTGGAACACATTGGGGATGGCTGCTGCCTCACCAGAGAGACCTGGAAGGATCTTGA
GAACGCCCAGTTCTCCGAAATCCAATGGAACGACAGCCCCCTCCCTTGAAGTGGCTACCTGTTG
GGCCCCACATCATGGGAAAGGCTGTCAAACAATCTTTCCCAAGCTCCAAGGCACTCATTGCTCC
TTCCCCAGCCTCCAATTAGAACAGCCACCCACCAGCCTATCTATCTTCCACTGAGAGGGACCTA
GCAGAATGAGAGAAGACATTGATGTACCACCTACTAGTCCCTCTCTCCCCAACCTCTGCCAGGGC
AATCTCTAACTTCAATCCCGCCTTCGACAGTGAAAAAGCTCTACTTCTACGCTGACCCAGGGAGG
AAACACTAGGACCTGTTGTATCCTCAACTGCAAGTTTCTGGACTAGTCTCCCAACGTTTGCCTC
CCAATGTTGTCCCTTTCTTCGTTCCCATGGTAAAGCTCCTCTCGCTTTCTCCTGAGGCTACAC
CCATGCGTCTCTAGGAAGTGGTCACAAAAGTCATGGTGCCTGCATCCCTGCCAAGCCCCCTGAC
CCTCTCTCCCCACTACCACCTTCTTCCTGAGCTGGGGGCACCAGGGAGAATCAGAGATGCTGGGG
ATGCCAGAGCAAGACTCAAAGAGGCAGAGGTTTTGTTCTCAAATATTTTTTAATAAATAGACGAA
ACCACG

FIGURE 28

MDILVPLLQLLVLLLTPLPLHLMALLGCWQPLCKSYFPYLMAVLTPKSNRMESKKRELFSSQIKGL
TGASGKVALLELGCCTGANFQFYPPGCRVTCCLDPNPHFEKFLTKSMAENRHLQYERFVVAPGEDM
RQLADGSMDVVVCTLVLCVQSPRKVLQEVRRVLRPGGVLFWEHVAEPYGSWAFMWQQVFTEPTW
KHIGDGCCLTRETWKDLENAQFSEIQMERQPPPLKWLPGPHIMGKAVKQSFSSKALICSFPSL
QLEQATHQPIYLPRLGT

Important features:

Signal peptide:

amino acids 1-23

Leucine zipper pattern.

amino acids 10-32

N-myristoylation sites.

amino acids 64-70, 78-84, 80-86, 91-97, 201-207

FIGURE 29

CAATGTTTGCTATCCACCTCCCCAAGCCCCTTTACCTATGCTGCTGCTAACGCTGCTGCTGCT
GCTGCTGCTGCTTAAAGGCTCATGCTTGGAGTGGGGACTGGTCGGTGGCCAGAAAGTCTCTTCTG
CCACTGACGCCCCCATCAGGGATTGGGCCTTCTTTCCCCCTTCCTTCTGTGTCTCCTGCCTCAT
CGGCCTGCCATGACCTGCAGCCAAGCCCAGCCCCGTGGGGAAGGGGAGAAAGTGGGGGATGGCTA
AGAAAGCTGGGAGATAGGGAACAGAAGAGGGTAGTGGGTGGGCTAGGGGGGCTGCCTTATTTAAA
GTGGTTGTTTATGATTCTTATACTAATTTATACAAAGATATTAAGGCCCTGTTTATTAAAGAAATT
GTTCCCTTCCCCTGTGTTCAATGTTTGTAAGATTGTTCTGTGTAAATATGTCTTTATAATAAAC
AGTTAAAAGCTGAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 30

MLLLTLLLLLLLLKGSCLWGLVGAQKVSSATDAPIRDWAFFPPSFLCLLPAMTCSQAQPRG
EGEKVGDG

Important features:

Signal peptide:

amino acids 1-15

Growth factor and cytokines receptors family:

amino acids 3-18

APP ID=10063569

FIGURE 31

GTTTGAATTCCTTCAACTATACCCACAGTCCAAAAGCAGACTCACTGTGTCCAGGCTACCAGTT
CCTCCAAGCAAGTCATTTCCCTTATTTAACCGATGTGTCCCTCAAACACCTGAGTGCTACTCCCT
ATTTGCATCTGTTTGGATAAATGATGTTGACACCCCTCCACCGAATTCTAAGTGAATCATGTCGG
GAAGAGATACAATCCTTGGCCTGTGTATCCTCGCATTAGCCTTGTCTTTGGCCATGATGTTTACC
TTCAGATTCATCACCACCCTTCTGGTTCACATTTTCATTTTCATTGTTATTTTGGGATTGTTGTT
TGTCTGCGGTGTTTTATGGTGGCTGTATTATGACTATACCAACGACCTCAGCATAGAATTGGACA
CAGAAAGGGAAAATATGAAGTGCGTGCTGGGGTTTGCTATCGTATCCACAGGCATCACGGCAGTG
CTGCTCGTCTTGATTTTGTCTCAGAAAGAGAATAAAATTGACAGTTGAGCTTTTCCAAATCAC
AAATAAAGCCATCAGCAGTGCTCCCTTCTGCTGTTCCAGCCACTGTGGACATTGCCATCCTCA
TTTTCTTCTGGGTCTCTGGGTGGCTGTGCTGCTGAGCCTGGGAACTGCAGGAGCTGCCAGGTT
ATGGAAGGCGGCCAAGTGGAATATAAGCCCCCTTCGGGCATTCCGTACATGTGGTCGTACCATT
AATTGGCCTCATCTGGACTAGTGAATTCATCCTTGCGTGCCAGCAAATGACTATAGCTGGGGCAG
TGGTTACTTGTTATTTCAACAGAAGTAAAAATGATCCTCCTGATCATCCCATCCTTTTCGTCTCTC
TCCATTCTCTTCTTCTACCATCAAGGAACCGTTGTGAAAGGGTCATTTTTAATCTCTGTGGTGAG
GATTCCGAGAATCATTGTCTATGTACATGCAAAACGCACTGAAAGAACAGCAGCATGGTGCATTGT
CCAGGTACCTGTTCCGATGCTGCTACTGCTGTTTCTGGTGTCTTGACAAATACCTGCTCCATCTC
AACCAGAATGCATATACTACAACGCTATTAATGGGACAGATTCTGTACATCAGCAAAAGATGC
ATTCAAAATCTTGTCGAAGAACTCAAGTCACTTTACATCTATTAAGTCTTTGGAGACTTCATAA
TTTTTCTAGGAAAGGTGTTAGTGGTGTGTTTCACTGTTTTTGGAGGACTCATGGCTTTTAACTAC
AATCGGGCATTCCAGGTGTGGGCAGTCCCTCTGTTATTGGTAGCTTTTTTGCCTACTTAGTAGC
CCATAGTTTTTTATCTGTGTTTGAAACTGTGCTGGATGCATTTTCTGTGTTTTGCTGTTGATC
TGGAACAAATGATGGATCGTCAGAAAAGCCCTACTTTATGGATCAAGAATTTCTGAGTTTCGTA
AAAAGGAGCAACAAATTAACAATGCAAGGGCACAGCAGGACAAGCACTCATTAAGGAATGAGGA
GGGAACAGAACTCCAGGCCATTGTGAGATAGATACCCATTTAGGTATCTGTACCTGGAAAACATT
TCCTTCTAAGAGCCATTACAGAATAGAAGATGAGACCACTAGAGAAAAGTTAGTGAATTTTTTT
TTAAAGACCTAATAAACCTATTCTTCTCTCAAAA

FIGURE 32

MSGRDTILGLCILALALSLAMMFTFRFITTTLLVHIFISLVILGLLFVCGVLWWLYDYDNDLSIE
LQTERENMKCVLGFAIVSTGITAVLLVLIFVLRKRIKLTVELFQITNKAISSAPFLLFQPLWTFA
ILIFFWVLWVAVLLSLGTAGAAQVMEGGQVEYKPLSGIRYMWSYHLIGLIWTSEFILACQOMTIA
GAVVTCYFNRSKNPPDPHPILSSLSILFFYHQGTVVKGSFLISVVRIPRIIVMYMQNALKEQQHG
ALSRYLFRCCYCCFWCLDKYLLHLNQAYTTTAINGTDFCTSAKDAFKILSKNSSHFTSINCFGD
FIIIFLGKVLVVCFTVFGGLMAFNYNRAFQVWAVPLLLVAFFAYLVAHSFSLVFETVLDALFLCFA
VDLETNDGSSEKPYFMDQEFLSFVKRSNKLNARAQQDKHSLRNEEGTELQAIVR

Important features:

Signal peptide:

amino acids 1-20

Putative transmembrane domains:

amino acids 35-54, 75-97, 126-146, 185-204, 333-350, 352-371

N-glycosylation sites.

amino acids 204-208, 295-299, 313-317

N-myristoylation sites.

amino acids 147-153, 178-184, 196-202, 296-275, 342-348

FIGURE 33

GTTCGATTAGCTCCTCTGAGAAGAAGAGAAAAGGTTCTTGGACCTCTCCCTGTTTCTTCTTAGA
ATAATTTGTATGGGATTTGTGATGCAGGAAAGCCTAAGGGAAAAAGAATATTCATTCTGTGTGGT
GAAAATTTTTGAAAAAAAATTGCCTTCTTCAAACAAGGGTGTCAATTCTGATATTTATGAGGAC
TGTTGTTCTCACTATGAAGGCATCTGTTATTGAAATGTTCCCTGTTTTGCTGGTGAAGTAC
ATTCAAACAAAGAAACGGCAAAGAAGATTAAAGGCCCAAGTCACTGTGCCTCAGATCAACTGC
GATGTCAAAGCCGGAAAGATCATCGATCCTGAGTTCATTGTGAAATGTCCAGCAGGATGCCAAGA
CCCCAAATACCATGTTTATGGCACTGACGTGTATGCATCCTACTCCAGTGTGTGTGGCGCTGCCG
TACACAGTGGTGTGCTTGATAATTCAGGAGGGAAAATACTTGTTCGGAAGGTTGCTGGACAGTCT
GGTTACAAAGGGAGTTATTCCAACGGTGTCCAATCGTTATCCCTACCACGATGGAGAGAATCCTT
TATCGTCTTAGAAAGTAAACCCAAAAAGGGTGTAACTACCCATCAGCTCTTACATACTCATCAT
CGAAAAGTCCAGCTGCCCAAGCAGGTGAGACCACAAAGCCTATCAGAGGCCACCTATTCCAGGG
ACAACCTGCACAGCCGGTCACTCTGATGCAGCTTCTGGCTGTCACTGTAGCTGTGGCCACCCCCAC
CACCTTGCCAAGGCCATCCCCTTCTGTCTTCTACCACAGCATCCCAGACCACAATCAGTGG
GCCACAGGAGCCAGGAGATGGATCTCTGGTCCACTGCCACCTACACAAGCAGCCAAAACAGGCC
AGAGCTGATCCAGGTATCCAAAGGCAAGATCCTTCAGGAGCTGCCTTCCAGAAACCTGTTGGAGC
GGATGTGAGCCTGGGACTTGTTCAAAAGAAGAATTGAGCACACAGTCTTTGGAGCCAGTATCCC
TGGGAGATCCAAACTGCAAAATTGACTTGTCTGTTTTAATTGATGGGAGCACCAGCATTGGCAAA
CGGCGATTCCGAATCCAGAAGCAGCTCCTGGCTGATGTTGCCCAAGCTCTTGACATTGGCCCTGC
CGGTCCACTGATGGGTGTTGTCCAGTATGGAGACAACCCTGCTACTCACTTTAACCTCAAGACAC
ACACGAATCTCGAGATCTGAAGACAGCCATAGAGAAAATTACTCAGAGAGGAGGACTTTCTAAT
GTAGGTGCGGCCATCTCCTTTGTGACCAAGAACTTCTTTTCCAAAGCCAATGGAAACAGAAGCGG
GGCTCCCAATGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGT
GACTTGGGAGAGAGTCAGGAATCAACATTTTCTTCATCACCATTGAAGGTGCTGCTGAAAATGAG
AAGCAGTATGTGGTGGAGCCCAACTTTGCAACAAAGGCCGTGTCAGAACAAACGGCTTCTACTC
GCTCCACGTGCAGAGCTGGTTTTGGCCTCCACAAGACCCTGCAGCCTCTGGTGAAGCGGGTCTGCG
ACACTGACCGCCTGGCCTGCAGCAAGACCTGCTTGAAGTCCGCTGACATTGGCTTCGTATCGAC
GGCTCCAGCAGTGTGGGGACGGGCACTTCCGCACCGTCCCTCAGTTTGTGACCAACCTCACAA
AGAGTTTGAGATTTCCGACACGGACACGCGCATCGGGGCCGTGCAGTACACCTACGAACAGCGGC
TGGAGTTTGGGTTCGACAAGTACAGCAGCAAGCCTGACATCCTCAACGCCATCAAGAGGTGGGC
TACTGGAGTGGTGGCACCAGCACGGGGCTGCCATCAACTTCGCCCTGGAGCAGCTCTTCAAGAA
GTCCAAGCCCAACAAGAGGAAGTTAATGATCCTCATACCGACGGGAGGTCTACGACGACGTCC
GGATCCCAGCCATGGCTGCCATCTGAAGGGAGTGATCACCTATGCGATAGGCGTTGCCTGGGCT
GCCCAAGAGGAGCTAGAAGTCATTGCCACTCACCCGCCAGAGACCACTCCTTCTTTGTGGACGA
GTTTGTACAACCTCCATCAGTATGTCCCAAGGATCATCCAGAACATTTGTACAGAGTTCAACTCAC
AGCCTCGGAACGAAATTCAGAGCAGGCAGAGCACCAGCAAGTGCTGCTTTACTAAGTACGTGTT
GGACCACCCACCGCTTAATGGGGCAGCACGGTGCATCAAGTCTTGGGCAGGGCATGGAGAAAC
AAATGTCTTGTATTATTCTTTGCCATCATGCTTTTTCATATTCCAAAACCTGGAGTTACAAAGA
TGATCACAAACGTATAGAATGAGCCAAAAGGTACATCATGTTGAGGGTGTCTGGAGATTTTACAT
TTTGACAATTGTTTTCAAAATAAATGTTCCGAATACAGTGCAGCCCTTACGACAGGCTTACGTAG
AGCTTTTGTGAGATTTTAAAGTTGTTATTTCTGATTTGAACTCTGTAACCCTCAGCAAGTTTCAT
TTTTGTGATGACAATGTAGGAATTGCTGAATTAATGTTTAGAAGGATGAAAAATAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAG

FIGURE 34

MRTVVLTMKASVIEMFLVLLVTGVHSNKETAKKIKRPKFTVPQINCDVKAGKIIDPEFIVKCPAG
CQDPKYHVGTDVYASYSSVCGAAVHSGVLDNSGGKILVRKVAGQSGYKGSYSNGVQSLSLPRWR
ESFIVLESKPKKGVTPSALTYSSSKSPAAQAGETTKAYQRPPIPGTTAQPVTLMQLLAVTVAVA
TPTTLPRPSPSAASTTSIPRPQSVGHRSEQEMDLWSTATYTSSQNRPRADPGIQRQDPSGAAFQKP
VGADVSLGLVPKEELSTQSLEPVSLGDPNCKIDLSFLIDGSTSIGKRRFRIQKQLLADVAQALDI
GPAGPLMGVVQYGDNPATHFNLKTHTNDRDLKTAIEKITQRGGLSNVGRAISFVTKNFFSKANGN
RSGAPNVVVVMVDGWPTDKVEEASRLARESGINIFFITIEGAAENKQYVVEPNFANKAVCRTNG
FYSLHVQSWFGLHKTLOPLVKRVCDDRLACSKTCLNSADIGFVIDGSSSVGTGNFRTVLQFVTN
LTKEFEISDTRIGAVQYTYEQRLEFGFDKYSSKPDILNAIKRVGYWGGTSTGAAINFALEQL
FKKSKPNKRKLMILITDGRSYDDVRIPAMAAHLKGVITYAIGVAWAAQEELEVIATHPARHDSFF
VDEFDNLHQYVPRIIQNICTEFNSQPRN

Important features:

Signal peptide:

amino acids 1-26

Transmembrane domain:

amino acids 181-200

N-glycosylation sites.

amino acids 390-394, 520-524

N-myristoylation sites.

amino acids 23-29, 93-99, 115-121, 262-268, 367-373, 389-395,
431-437, 466-472, 509-515, 570-576, 571-577, 575-581, 627-633

Amidation site.

amino acids 304-308

FIGURE 35

CCGAGCACAGGAGATTGCCTGCGTTTAGGAGGTGGCTGCGTTGTGGGAAAAGCTATCAAGGAAGAAATTGC
CAAACCATGTCTTTTTTCTGTTTTCAGAGTAGTTCACAACAGATCTGAGTGTTTTAATTAAGCATGGAAT
ACAGAAAACAACAAAAAAGCTTAAGCTTTAATTTTCATCTGGAATCCACAGTTTCTTAGCTCCCTGGACCC
GGTTGACCTGTTGGCTCTTCCCCTGGCTGCTCTATCACGTGGTGTCTCCGACTACTCACCCTGAGTGTA
AAGAACCCTTCGGCTCGCGTGCTTCTGAGCTGCTGTGGATGGCCTCGGCTCTCTGGACTGTCTTCCGAGTA
GGATGTCACCTGAGATCCCTCAAATGGAGCCTCCTGCTGCTGTCACTCCTGAGTTTCTTTGTGATGTGGTAC
CTCAGCCTTCCCCACTACAATGTGATAGAACGCGTGAACCTGGATGTACTTCTATGAGTATGAGCCGATTTA
CAGACAAGACTTTCACTTCACACTTCGAGAGCATTCAAACCTGCTCTCATCAAAATCCATTTCTGGTCATT
TGGTGACCTCCCACCTTCAGATGTGAAAGCCAGGCAGGCCATTAGAGTTACTTGGGGTGAAAAAAGTCT
TGGTGGGGATATGAGGTTCTTACATTTTCTTATTAGGCCAAGAGGCTGAAAAGGAAGACAAATGTGGC
ATTGTCTTAGAGGATGAACACCTTCTTTATGGTGACATAATCCGACAAGATTTTGTAGACACATATAATA
ACCTGACCTTGAAAACCATATGGCATTCAAGTGGGTAAGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGT
AAGACAGACACTGATGTTTTCATCAATACTGGCAATTTAGTGAAGTATCTTTTAAACCTAAACCACTCAGA
GAAGTTTTTCACAGGTATCCTCTAATTGATAATTATTCCTATAGAGGATTTTACCAAAAAACCATATTT
CTTACCAGGAGTATCCTTTCAAGGTGTTCCTCCATACTGCAGTGGGTGGGTGGTGGTGGTGGTGGTGGT
TTGGTGCCCAAGGATCTATGAAATGATGGGTACGTAACCAACCATCAAGTTTGAAGATGTTTATGTCCGGAT
CTGTTTGAATTTATTAAGTGAACATTATATTCAGAGACACAAATCTTTCTTCTATATAGAATCC
ATTTGGATGTCTGTCAACTGAGACGTGTGATTGCAGCCCATGGCTTTTCTTCAAGGAGATCATCACTTTT
TGGCAGGTGATGCTAAGGAACACCACATGCCATTATTAAGTTCACATTCTACAAAAAGCCTAGAAGGACAG
GATACCTTGTGAAAGTGTTAAATAAGTAGGTACTGTGGAATTCATGGGAGGTCAAGTGTGCTGGCTT
ACACTGAACTGAACTCATGAAAAACCCAGACTGGAGACTGGAGGGTTACACTTGTGATTTATAGTCAGG
CCCTTCAAAGATGATATGTGGAGGAATTAATATATAAGGAATTGGAGGTTTTTGCTAAAGAAATTAATAGG
ACCAACAATTTGGACATGTCATTCTGTAGACTAGAATTTCTTAAAGGGTGTACTGAGTTATAAGCTCA
CTAGGCTGTAAAAACAAACAATGTAGAGTTTATTTATTGAACAATGTAGTCACTTGAAGGTTTTGTGTA
TATCTTATGTGGATTACCAATTTAAAAATATATGTAGTTCTGTGTCAAAAACTTCTCACTGAAGTTATA
CTGAACAAAATTTTACCTGTTTTTGGTCATTTATAAAGTACTTCAAGATGTTGCAGTATTTACAGTTATT
ATTATTTAAATTAAGTCAACTTTGTGTTTTTAAATGTTTGAAGATTTCAATACAAGATAAAAGGATAG
TGAATCATTCCTTACATGCAACATTTCCAGTTACTTAACTGATCAGTTTATTATTGATACATCACTCCA
TTAATGTAAAGTCATAGGTCAATTATGCATATCAGTAATCTCTTGGACTTTGTAAATATTTTACTGTGGT
AATATAGAGAAGATTAAAGCAAGAAATCTGAAAA

FIGURE 36

MASALWTVLPSRMSLRSLKWSLLLLSLLSFFVMWYLSLPHYNVIERVNWMYFYEYEPPIYRQDFHF
TLREHSNCSHQNPFLVILVTSHPSDVKARQAIRVTWGEKKSWWGYEVLTFLLGQAEKEDKMLA
LSLEDEHLLYGDIIRQDFLDTYNNLTTLKTIMAFRWVTEFCPNAKYVMKTDTDVFINTGNLVKYL
NLNHSEKFFTGYPLIDNYSYRGFYQKTHISYQYEPFKVFPYCSGLGYIMSRDLVPRIYEMMGHV
KPIKFEDVYVGICLNLKVNHIHPEDTNLFFLYRIHLDVCQLRRVIAAHGFSSKEIITFWQVMLR
NTTCHY

Important features:

Type II transmembrane domain:

amino acids 20-39

N-glycosylation sites.

amino acids 72-76, 154-158, 198-202, 212-216, 326-330

Glycosaminoglycan attachment site.

amino acids 239-243

Ly-6 / u-PAR domain proteins.

amino acids 23-37

N-myristoylation site.

amino acids 271-277

FIGURE 37

CGCTCGGGCACCAGCCGCGGCAAGGATCGAGCTGGGTTGCTGGACGCAGTTGGGGCTCACTTTTCTTCAGCTCCTTCTCATC
TCGTCCTTGCCAAGAGAGTACACAGTCATTAAATGAAGCCTGCCCTGGAGCAGAGTGGAAATATCATGTGTCGGGAGTGTGTG
AATATGATCAGATTGAGTGCCTGCCCCGAAAGAGGGAAGTCGTGGGTTATACCATCCCTTGCTGCAGGAATGAGGAGAA
TGAGTGTGACTCCTGCCTGATCCACCCAGGTTGTACCATCTTTGAAACTGCAAGAGCTGCCGAAATGGCTCATGGGGGGT
ACCTTGGATGACTTCTATGTGAAGGGGTTCTACTGTGCAGAGTGCCGAGCAGGCTGGTACGGAGGAGACTGCATGCATGTG
GCCAGGTTCTGCAGAGCCCCAAAGGGTCAGATTTTGTGGAAAGCTATCCCTAAATGCTCACTGTGAATGGACCATTTCATGC
TAAACCTGGGTTTGTATCCAACATAAGATTGTCTGAGTCTGGAGTTGACTACATGTGCCAGTATGACTATGTTGAG
GTTTCGTGATGGAGACAACCGCATGGCCAGATCATCAAGCGTGTCTGTGGCAACGAGCGGCCAGCTCCTATCCAGAGCATAG
GATCCTCACTCCACGTCCTCTTCCACTCCGATGGCTCCAAGAATTTTGACGGTTTCCATGCCATTTATGAGGAGATCACAGC
ATGCTCCTCATCCCTTGTTTCCATGACGGCACGTGCGTCTTGAAGAGCTGGATCTTACAAGTGTGCTGCTTGGCAGGC
TATACTGGGCGAGCGTGTGAAAATCTCCTTGAAGAAAGAACTGCTCAGACCTGGGGGGCCAGTCAATGGGTACCAGAAAA
TAACAGGGGGCCCTGGGCTTATCAACGGACGCCATGCTAAATTTGGCACCCTGGTGTCTTTCTTTTGAACAACTCCTATGT
TCTTAGTGGCAATGAGAAAAGAACTTGCCAGCAGAAATGGAGAGTGGTCAGGGAAACAGCCCATCTGCATAAAAGCCTGCCGA
GAACCAAGATTTAGACCTGGTGAGAGGAGAGTCTTCCGATGCAGGTTCAAGGGAGACACCATTACACAGCTAT
ACTCAGCGGCTTTCAGCAAGCAGAACTGCAGAGTGCCCTACCAAGAAGCAGCCCTTCCCTTTGGAGATCTGCCCATGGG
ATACCAACATCTGCATACCCAGCTCCAGTATGAGTGCATCTCACCTTCTACCGCCGCTGGGCGAGCAGCAGGAGGACATGT
CTGAGGACTGGGAAGTGGAGTGGCGGGCACCATCTGCATCCCTATCTGCGGGAAAATGAGAACATCACTGCTCCAAAGA
CCCAAGGGTTGCGCTGGCCGTGGCAGGCAGCCATCTACAGGAGGACCAGCGGGGTGCATGACGGCAGCCTACACAAGGGAGC
GTGGTTCTAGTCTGCAGCGGTGCCCTGGTGAATGAGCGCACTGTGGTGGTGGCTGCCACTGTGTTACTGACCTGGGGAAG
GTCACCATGATCAAGACAGCAGACCTGAAAGTTGTTTTGGGGAAATTTACCGGGATGATGACCGGGATGAGAAGACCATCC
AGAGCCTACAGATTTCTGCTATCATTTGCTATCCCACTATGACCCCATCTGCTTGTGCTGACATCGCCATCCTGAAGCT
CCTAGACAAGGCCCGTATCAGCACCAGTCCAGCCCATCTGCCCTCGCTGCCAGTCCGGATCTCAGCACTTCTTCCAGGAG
TCCCACATCACTGTGGCTGGCTGGAATGTCTTGGCAGAGTGAAGAGCCCTGGCTTCAAGAAGACACACTGCGCTCTGGGG
TGGTCAGTGTGGTGGACTCGCTGCTGTGTGAGGAGCAGCATGAGGACCATGGCATCCAGTGAAGTGTCACTGATAACATGTT
CTGTGCCAGCTGGGAACCCACTGCCCTTCTGATATCTGCCTGCAGAGACAGGAGGCATCGCGGCTGTGTCCTTCCCGGA
CGAGCATCTCTGAGCCACGCTGGCATCTGATGGGACTGGTCAGCTGGAGCTATGATAAAACATGCAGCCACAGGCTCTCCA
CTGCTTTCACCAAGGTGCTGCTTTTAAAGACTGGATTGAAAGAAATATGAAATGAACCATGCTCATGCACTCCTTGAAG
TGTTTCTGTATATCCGTCTGTACGTGTGTCATTGCGTGAAGCAGTGTGGGCTGAAGTGTGATTGGCTGTGAAGTGGCT
GTGCCAGGGCTTCTGACTTCAGGGACAAAACCTCAGTGAAGGGTGAAGTACCTCCATTGCTGGTAGGCTGATGCCGCTCCA
CTACTAGGACAGCCAATTGGAAGATGCCAGGGCTTGCAAGAAGTAAGTTTCTTCAAGAAGACCATATACAAAACCTCTCCA
CTCCACTGACCTGGTGGTCTTCCCAACTTTCAGTTATACGAATGCCATCAGCTTGACAGGGAGATCTGGGCTTCATGAG
GCCCTTTTGAGGCTCTCAAGTCTAGAGAGCTGCCGTGGGACAGCCAGGGCAGCAGCTGGGATGTGGTGCATGCCTT
TGTTACATGGCCACAGTACAGTCTGGTCTTTTCTTCCCATCTCTGTACACATTTTAAATAAATAAGGGTGGCTTCT
GAAC TACAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 38

MELGCWTQLGLTFLQLLLISSLPREYTVINEACPGAENIMCRECCEYDQIECVCPGKREVVGYYT
IPCCRNEENECDSCLIHPGCTIFENCKSCRNGSWGGTLDDEFYVKGFYCAECRAGWYGGDCMRCGQ
VLRAPKGQILLESYPLNAHCEWTIHAKPGFVIQLRFVMLSLEFDYMCQYDYVEVRDGDNRDGOII
KRVCGNERPAPIQSIGSSLHVLFSHSDGSKNFDGFHAIYEEITACSSSPCFHDGTCVLDKAGSYKC
ACLAGYTGQRCENLLEERNCSDPGGPVNGYQKITGGPGLINGRHAKIGTVVSFFCNNSYVLSGNE
KRTCQQNGEWSGKQPICIKACREPKISDLVRRRVLPQVQSRETPLHQLYSAAFSKQKLQSAPTK
KPALPFGDLPMGYQHLHTQLQYECISPFYRRLGSSRRTCLRTGKWSGRAPSCIPICGKIENITAP
KTQGLRWPWQAAYRRTSGVHDGSLHKGAWFLVCSGALVNERTVVVAHCVTDLGKVTMIKTADL
KVVLGKFYRDDDRDEKTIQSLQISAILHPNYDPILLDADIAILKLLDKARISTRVQPICLAASR
DLSTSFAQESHITVAGWNVLADVRSPGFKNDTLRSGVVSVDSSLCEEQHEDHGIPVSVTDNMFCA
SWEPTAPSDICTAETGGIAAVSFPGRASPEPRWHLMLVSWSYDKTCSHRLSTAFTKVLFPKDWI
ERNMK

Important features of the protein:

Signal peptide:

amino acids 1-23

EGF-like domain cysteine pattern signature.

amino acids 260-272

N-glycosylation sites.

amino acids 96-100, 279-283, 316-320, 451-455, 614-618

N-myristoylation sites.

amino acids 35-41, 97-103, 256-262, 284-290, 298-304, 308-314,
474-480, 491-497, 638-644, 666-672

Amidation site.

amino acids 56-60

Serine proteases, trypsin family..

amino acids 489-506

CUB domain proteins profile.

amino acids 150-167

FIGURE 40

MKALLLLVLPWLS PANYIDNVGNLHFLYSELCKGASHYGLTKDRKRRSQDGPCDGCASLTATAPS
PEVSAAATISLMTDEPLDNPAYVSSAEDGQPAISPVDSGRSNRTRARPFERSTIRSRSFKKINR
ALSVLRRTKSGSAVANHADQGRENSENTTAPEVFPRLYHLIPDGEITSIKINRVDPSSELSIRLV
GGSETPLVHIIIQHIYRDGVIARDGRLLPGDIILKVNMDISNVPHNYAVRLLRQPCQVLWLTVM
REQKFRSRNNGQAPDAYRPRDDSFHVILNKSSPEEQLGIKLVRKVDEPGVFI FNVLDGGVAYRHG
QLEENDRVLAINGHDLRYGSPESAHLIQASERRVHLVVSQRQVRSPDIFQEAGWNSNGSWSPG
PGRSNTPKPLHPTITCHEKVNIQKDPGESLGMTVAGGASHREWDLPIYVISVEPGGVISRDGR
IKTGDILLNVDGVELTEVSRSEAVALLKRTSSSIVLKALEVKEYEPQEDCSSPAALDSNHNMAPP
SDWSPSWVMWLELPRCLYNCKDIVLRRNTAGSLGFCIVGGYEEYNGNKPFFIKSIVEGTPAYNDG
RIRCGDILLAVNGRSTSGMIHACLARLLKELKGRITLTIVSWPGTFL

Important features:

Signal peptide:

amino acids 1-15

N-glycosylation sites.

amino acids 108-112, 157-161, 289-293, 384-388

Tyrosine kinase phosphorylation sites.

amino acids 433-441, 492-500

N-myristoylation sites.

amino acids 51-57, 141-147, 233-239, 344-350, 423-429, 447-453,
467-473, 603-609

FIGURE 41

ACCAGGCATTGTATCTTCAGTTGTCATCAAGTTCGCAATCAGATTGAAAAAGCTCAACTTGAAGCTTT
CTTGCCTGCAGTGAAGCAGAGAGATAGATATTATTACGTAATAAAAAACATGGGCTTCAACCTGACT
TTCCACCTTTCTACAAATTCCGATTACTGTTGCTGTTGACTTTGTGCCTGACAGTGGTTGGGTGGGC
CACCAGTAACACTTTCGTGGGTGCCATTCAAGAGATTCTTAAAGCAAAGGAGTTCATGGCTAATTTCC
ATAAGACCTCATTTTGGGGAAGGGAAAACTCTGACTAATGAAGCATCCACGAAGAAGGTAGAAGTCT
GACAACTGTCCTTCTGTGTCTCCTTACCTCAGAGGCCAGAGCAAGCTCATTTTCAAACCAGATCTCAC
TTTGGGAAGAGGTACAGGCAGAAAAATCCCAAAGTGTCCAGAGGCCGGTATCGCCCTCAGGAATGTAAAG
CTTTACAGAGGGTGCCTATCCTCGTTCCTCCCGGAACAGAGAGAAACACCTGATGTACCTGCTGGAA
CATCTGCATCCCTTCTGCAGAGGCAGCAGCTGGATTATGGCATCTACGTCATCCACAGGCTGAAGG
TAAAAAGTTTAATCGAGCCAAACTCTTGAATGTGGGCTATCTAGAAGCCCTCAAGGAAGAAAATTTGGG
ACTGCTTTATATTCCACGATGTGGACCTGGTACCCGAGAATGACTTTAACCTTTACAAGTGTGAGGAG
CATCCAAGCATCTGGTGGTTGGCAGGAACAGCACTGGGTACAGGTTACGTTACAGTGGATATTTTGG
GGGTGTTACTGCCCTAAGCAGAGAGCAGTTTTTCAAGGTGAATGGATTCTCTAACAACACTACTGGGGAT
GGGGAGGCGAAGACGATGACCTCAGACTCAGGGTTGAGCTCCAAAGAATGAAAATTTCCCGGCCCTG
CCTGAAGTGGGTAAATATACAATGGTCTTCCACACTAGAGACAAAGGCAATGAGGTGAACGCAGAACG
GATGAAGCTCTTACACCAAGTGTCCAGAGTCTGGAGAACAGATGGGTTGAGTAGTTGTTCTTATAAAT
TAGTATCTGTGGAACACAATCCTTTATATATCAACATCACAGTGGATTTCTGGTTTGGTGCAATGACCC
TGGATCTTTTGGTGATGTTTGAAGAACTGATTCTTTGTTTGCAATAATTTTGGCCTAGAGACTTCAA
ATAGTAGCACACATTAAGAACCTGTTACAGCTCATTGTTGAGCTGAATTTTCTTTTGTATTTTCT
TAGCAGAGCTCCTGGTGATGTAGAGTATAAAACAGTTGTAACAAGACAGCTTCTTAGTCATTTTGAT
CATGAGGGTTAAATATTGTAATATGGTACTTTGAAGGACTTTATATAAAAGGATGACTCAAAGGATAA
AATGAACGCTATTTGAGGACTCTGGTTGAAGGAGATTTATTTAAATTTGAAGTAATATATATATGGGAT
AAAAGGCCACAGGAAATAAGACTGCTGAATGTCTGAGAGAACCAGAGTTGTTCTCGTCCAAGGTAGAA
AGGTACGAAGATACAATACTGTTATTCTTTATCCTGTACAATCATCTGTGAAGTGGTGGTGTCAGGT
GAGAAGGCGTCCACAAAAGAGGGGAGAAAAGGCGACGAATCAGGACACAGTGAAGTGGGAATGAAGA
GGTAGCAGGAGGGTGGAGTGTCCGGTGCAAAGGCAGCAGTAGCTGAGCTGGTTGCAGGTGCTGATAGC
CTTCAGGGGAGGACCTGCCAGGTATGCCTTCCAGTGATGCCACCAGAGAATACATTCTCTATTAGT
TTTTAAAGAGTTTTTGTAAAATGATTTTGTACAAGTAGGATATGAATTAGCAGTTTACAAGTTTACAT
ATTAATAATAATAATATGTCTATCAAATACCTCTGTAGTAAAATGTGAAAAGCAAAA

FIGURE 42

MGFNLTFFHLSYKFRLLLLLTCLTVVGWATSNYFVGAIQEIPKAKEFMANFHKTLILGKGKTLTN
EASTKKVELDNCPSVSPYLRGQSKLIFKPDLTLEEVQAENPKVSRGRYPQECKALQRVAILVPH
RNREKHLMYLLEHLHPFLQRQQLDYGIYVIHQAEKKFNRAKLLNVGYLEALKEENWDCFIHFDV
DLVPENDFNLYKCEEHPKHLVGRNSTGYRLRYSGYFGGVTALSREQFFKVNGFSNNYWGWWGGED
DDLRLRVELQRMKISRPLPEVGKYTMVFHTRDKGNEVNAERMKLLHQVSRVWRTDGLSSCSYKLV
SVEHNPLYINITVDFWFGA

Important features:

Signal peptide:

amino acids 1-27

N-glycosylation sites.

amino acids 4-8, 220-224, 335-339

Xylose isomerase proteins.

amino acids 191-202

FIGURE 43

GCTCAAGACCCAGCAGTGGGACAGCCAGACAGACGGCACGATGGCACTGAGCTCCCAGATCTGGG
CCGCTTGCCCTCCTGCTCCTCCTCCTCGCCAGCCTGACCAGTGGCTCTGTTTTCCCAACAG
ACGGGACAACCTTGCAGAGCTGCAACCCAGGACAGAGCTGGAGCCAGGGCCAGCTGGATGCCCCAT
GTTCCAGAGGCGAAGGAGGCGAGACACCCACTTCCCCATCTGCATTTTCTGCTGCGGCTGCTGTC
ATCGATCAAAGTGTGGGATGTGCTGCAAGACGTAGAACCTACCTGCCCTGCCCCCGTCCCCTCCC
TTCCTTATTTATTCCTGCTGCCCCAGAACATAGGTCTTGAATAAAATGGCTGGTTCTTTTGT
TCCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 44

MALSSQIWAACLLLLLLLLSLTSGSVFPQQTGQLAELQPQDRAGARASWMPMFQRRRRRDTHFFI
CIFCCGCCHRSKCGMCCKT

Important features:

Signal peptide:

amino acids 1-24

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 58-59

N-myristoylation site.

amino acids 44-50

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 1-12

FIGURE 45

GTGGCTTCATTTTCAGTGGCTGACTTCCAGAGAGCAATATGGCTGGTTCCCCAACATGCCTCACCC
TCATCTATATCCTTTGGCAGCTCACAGGGTCAGCAGCCTCTGGACCCGTGAAAGAGCTGGTCGGT
TCCGTTGGTGGGGCCGTGACTTTCCCCCTGAAGTCCAAAGTAAAGCAAGTTGACTCTATTGTCTG
GACCTTCAACACAACCCCTCTTGTCAACATACAGCCAGAAGGGGGCACTATCATAGTGACCCAAA
ATCGTAATAGGGAGAGAGTAGACTTCCCAGATGGAGGCTACTCCCTGAAGCTCAGCAAAGTGAAG
AAGAATGACTCAGGGATCTACTATGTGGGGATATACAGCTCATCACTCCAGCAGCCCTCCACCCA
GGAGTACGTGCTGCATGTCTACGAGCACCTGTCAAAGCCTAAAGTCACCATGGGTCTGCAGAGCA
ATAAGAATGGCACCTGTGTGACCAATCTGACATGCTGCATGGAACATGGGGAAGAGGATGTGATT
TATACCTGGAAGGCCCTGGGGCAAGCAGCCAATGAGTCCCATAATGGGTCCATCCTCCCCATCTC
CTGGAGATGGGGAGAAAGTGATATGACCTTCATCTGCGTTGCCAGGAACCTGTGAGCAGAAACT
TCTCAAGCCCCATCCTTGCCAGGAAGCTCTGTGAAGGTGCTGCTGATGACCCAGATTCTTCCATG
GTCCTCCTGTGTCTCCTGTTGGTGCCCTCCTGCTCAGTCTCTTTGTACTGGGGCTATTTCTTTG
GTTTCTGAAGAGAGAGAGACAAGAAGAGTACATTGAAGAGAAGAAGAGAGTGGACATTTGTCGGG
AAACTCCTAACATATGCCCCCATTTCTGGAGAGAACACAGAGTACGACACAATCCCTCACACTAAT
AGAACAATCCTAAAGGAAGATCCAGCAAATACGGTTTACTCCACTGTGGAAATACCGAAAAAGAT
GGAAATCCCCACTCACTGCTCACGATGCCAGACACACCAAGGCTATTTGCCTATGAGAATGTTA
TCTAGACAGCAGTGCCTCCCCTAAGTCTCTGCTCA

FIGURE 46

MAGSPTCLTLIIYLWQLTGSAAAGPVKELVGSVGGAVTFPLKSKVKQVDSIVWTFNTTPLVTIQP
EGGTIIIVTQNRNRERVDFFPDGGYSLKLSKLKKNDSGIYYVGIYSSSLQQPSTQEYVLHVYEHLSK
PKVTMGLQSNKNGTCVTNLTCCMEHGEEDVIYTWKALGQAANESHNGSILPISWRWGESDMTFIC
VARNPVSRNFSSPILARKLCEGAADDPDSSMVLLCLLLVPLLLSLFVLGLFLWFLKRERQEEYIE
EKKRVDICRETPNICPHSGENTHEYDTIPHTNRTILKEDPANTVYSTVEIPKKMENPHSLLTMPDT
PRLFAYENVI

Important features:

Signal peptide:

amino acids 1-22

Transmembrane domain:

amino acids 224-250

Leucine zipper pattern.

amino acids 229-251

N-glycosylation sites.

amino acids 98-102, 142-146, 148-152, 172-176, 176-180, 204-208,
291-295

FIGURE 47

GGCTCGAGCGTTTCTGAGCCAGGGGTGACCATGACCTGCTGCGAAGGATGGACATCCTGCAATGG
ATTCAGCCTGCTGGTTCTACTGCTGTTAGGAGTAGTTCTCAATGCGATACCTCTAATTGTCAGCT
TAGTTGAGGAAGACCAATTTTCTCAAACCCCATCTCTTGCTTTGAGTGGTGGTTCAGGAATT
ATAGGAGCAGGTCTGATGGCCATTCCAGCAACAACAATGTCCTTGACAGCAAGAAAAAGAGCGTG
CTGCAACAACAGAACTGGAATGTTTCTTTCATCATTTTTCAGTGTGATCACAGTCATTGGTGCTC
TGTATTGCATGCTGATATCCATCCAGGCTCTCTTAAAGGTCTCTCATGTGTAATTCTCCAAGC
AACAGTAATGCCAATTGTGAATTTTCATTGAAAAACATCAGTGACATTCATCCAGAATCCTTCAA
CTTGCACTGGTTTTTCAATGACTCTTGTGCACCTCCTACTGGTTTTCAATAAACCCACCAGTAACG
ACACCATGGCGAGTGGCTGGAGAGCATCTAGTTTCCACTTCGATTCTGAAGAAAACAAACATAGG
CTTATCCACTTCTCAGTATTTTATAGGTCTATTGCTTGTGGAATTCTGGAGGTCTGTTGGGCT
CAGTCAGATAGTCATCGGTTTCTTGGCTGTCTGTGTGGAGTCTCTAAGCGAAGAAGTCAAATTG
TGTAGTTTAATGGGAATAAAATGTAAGTATCAGTAGTTTGAAAAAAAAA

FIGURE 48

MTCCEGWTSCNGFSLLVLLLLGVVLNAIPLIVSLVEEDQFSQNPISCFEWWFPGIIGAGLMAIPA
TTMSLTARKRACCNRTGMFLSSFFSVITVIGALYCMLISIQALLKGPLMCNSPSNSNANCEFSL
KNISDIHPESFNLQWFFNDSCAPPTGFNKPTSNDTMASGWRASSFHFDEENKRLIHFSVFLGL
LLVGILEVLFGLSQIVIGFLGCLCGVSKRRSQIV

Important features:

Transmembrane domains:

amino acids 10-31 (type II), 50-72, 87-110, 191-213

N-glycosylation sites.

amino acids 80-84, 132-136, 148-152, 163-167

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 223-227

N-myristoylation sites.

amino acids 22-28, 54-60, 83-89, 97-103, 216-222

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 207-218

TNFR/NGFR family cysteine-rich region protein.

amino acids 4-12

FIGURE 49

ATCCGTTCTCTGCGCTGCCAGCTCAGGTGAGCCCTCGCCAAGGTGACCTCGCAGGACACTGGTGA
AGGAGCAGTGAGGAACCTGCAGAGTCACACAGTTGCTGACCAATTGAGCTGTGAGCCTGGAGCAG
ATCCGTGGGCTGCAGACCCCCGCCCCAGTGCCTCTCCCCCTGCAGCCCTGCCCTCGAACTGTGA
CATGGGAGAGAGTGACCCTGGCCCTTCTCCTACTGGCAGGCCTGACTGCCTTGAAGCCAATGACC
CATTTGCCAATAAAGACGATCCCTTCTACTATGACTGGAAAAACCTGCAGCTGAGCGGACTGATC
TGCGGAGGGGCTCCTGGCCATTGCTGGGATCGCGGCAGTTCTGAGTGGCAAATGCAAATACAAGAG
CAGCCAGAAGCAGCACAGTCCTGTACCTGAGAAGGCCATCCCACTCATCACTCCAGGCTCTGCCA
CTACTTGCTTGAGCACAGGACTGGCCTCCAGGGATGGCCTGAAGCCTAACACTGGCCCCCAGCACC
TCCTCCCCTGGGAGGCCTTATCCTCAAGGAAGGACTTCTCTCCAAGGGCAGGCTGTTAGGCCCCCT
TTCTGATCAGGAGGCTTCTTTATGAATTAAACTCGCCCCACCACCCCTCA

FIGURE 50

MERVTLALLLLAGLTALEANDPFANKDDPFYYDWKNLQLSGLICGGLLAIAAGIAAVLSGKCKYKS
SQKQHSVPVEKAIPILITPGSATTC

Important features:

Signal peptide:

amino acids 1-16

Transmembrane domain:

amino acids 36-59

N-myristoylation sites.

amino acids 41-47, 45-51, 84-90

Extracellular proteins SCP/Tpx-1/Ag5/PR-1/Sc7.

amino acids 54-67

FIGURE 51

GTGGACTCTGAGAAGCCCAGGCAGTTGAGGACAGGAGAGAGAAGGCTGCAGACCCAGAGGGAGGG
AGGACAGGGAGTCGGAAGGAGGAGGACAGAGGAGGGCACAGAGACGCAGAGCAAGGGCGGCAAGG
AGGAGACCCCTGGTGGGAGGAAGACACTCTGGAGAGAGAGGGGGCTGGGCAGAGATGAAGTTCCAG
GGGCCCTGGCCTGCCTCCTGCTGGCCCTCTGCCTGGGCAGTGGGGAGGCTGGCCCCCTGCAGAG
CGGAGAGGAAAGCACTGGGACAAATATTGGGGAGGCCCTTGACATGGCCTGGGAGACGCCCTGA
GCGAAGGGGTGGGAAAGGCCATTGGCAAAGAGGCCGGAGGGGCAGCTGGCTCTAAAGTCAGTGAG
GCCCTTGGCCAAGGGACCAGAGAAGCAGTTGGCACTGGAGTCAGGCAGGTTCCAGGCTTTGGCGC
AGCAGATGCTTTGGGCAACAGGGTCGGGGAAGCAGCCCATGCTCTGGGAAACACTGGGCACGAGA
TTGGCAGACAGGCAGAAGATGTCATTCGACACGGAGCAGATGCTGTCCGCGGCTCCTGGCAGGGG
GTGCCTGGCCACAGTGGTGCTTGGGAACTTCTGGAGGCCATGGCATCTTTGGCTCTCAAGGTGG
CCTTGGAGGCCAGGGCCAGGGCAATCCTGGAGGTCTGGGGACTCCGTGGGTCCACGGATACCCCG
GAAACTCAGCAGGCAGCTTTGGAATGAATCCTCAGGGAGCTCCCTGGGGTCAAGGAGGCAATGGA
GGGCCACCAAACCTTTGGGACCAACACTCAGGGAGCTGTGGCCCAGCCTGGCTATGGTTCAGTGAG
AGCCAGCAACCAGAATGAAGGGTGCACGAATCCCCACCATCTGGCTCAGGTGGAGGCTCCAGCA
ACTCTGGGGGAGGCAGCGGCTCACAGTCGGGCAGCAGTGGCAGTGGCAGCAATGGTGACAACAAC
AATGGCAGCAGCAGTGGTGGCAGCAGCAGTGGCAGCAGCAGTGGCAGCAGCAGTGGCGGCAGCAG
TGGCGGCAGCAGTGGTGGCAGCAGTGGCAACAGTGGTGGCAGCAGAGGTGACAGCGGCAGTGAGT
CCTCCTGGGGATCCAGCACCGGCTCCTCCTCCGCAACCACGGTGGGAGCGGCGGAGGAAATGGA
CATAAACCCGGGTGTGAAAAGCCAGGGAATGAAGCCCGGGGAGCGGGGAATCTGGGATTCAGGG
CTTCAGAGGACAGGGAGTTTCCAGCAACATGAGGGAAATAAGCAAAGAGGGCAATCGCCTCCTTG
GAGGCTCTGGAGACAATTATCGGGGGCAAGGGTCGAGCTGGGGCAGTGGAGGAGGTGACGCTGTT
GGTGGAGTCAATACTGTGAACTCTGAGACGTCTCCTGGGATGTTTAACTTTGACACTTTCTGGAA
GAATTTTAAATCCAAGCTGGGTTTCATCAACTGGGATGCCATAAACAAGGACCAGAGAAGCTCTC
GCATCCCGTGAACCTCCAGACAAGGAGCCACCAGATTGGATGGGAGCCCCCAGCTCCCTCCTTAA
AACACCACCTCTCATCTACTAATCTCAGCCCTTGCCCTTGAATAAACCTTAGCTGCCCCACAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

[illegible]

Signal peptide:
amino acids 1-21

Glycosaminoglycan attachment site.

amino acids 235-239, 237-241, 244-248, 255-259, 324-328, 388-392

N-myristoylation site.

| | | | | | | | |
|--------------------|----------|----------|----------|----------|----------|----------|--------|
| amino acids 17-23, | 32-38, | 42-48, | 50-56, | 60-66, | 61-67, | 64-70, | 74-80, |
| 90-96, | 96-102, | 130-136, | 140-146, | 149-155, | 152-158, | 155-161, | |
| 159-165, | 163-169, | 178-184, | 190-196, | 194-200, | 199-205, | 218-224, | |
| 236-242, | 238-244, | 239-245, | 240-246, | 245-251, | 246-252, | 249-252, | |
| 253-259, | 256-262, | 266-272, | 270-276, | 271-277, | 275-281, | 279-285, | |
| 283-289, | 284-290, | 287-293, | 288-294, | 291-297, | 292-298, | 295-301, | |
| 298-304, | 305-311, | 311-317, | 315-321, | 319-325, | 322-328, | 323-329, | |
| 325-331, | 343-349, | 354-360, | 356-362, | 374-380, | 381-387, | 383-389, | |
| 387-393, | 389-395, | 395-401 | | | | | |

APP ID=10063569

FIGURE 53

GGAGAAGAGGTTGTGTGGGACAAGCTGCTCCCGACAGAAGGATGTCGCTGCTGAGCCTGCCCTGG
CTGGGCCTCAGACCGGTGGCAATGTCCCATGGCTACTCCTGCTGCTGGTTGTGGGCTCCTGGCT
ACTCGCCCGCATCTGGCTTGGACCTATGCCCTTCTATAACAAGTCCCGCCGGCTCCAGTGTTTCC
CACAGCCCCAAAACGGAAGTGGTTTTGGGGTCACCTGGGCCTGATCACTCCTACAGAGGAGGGC
TTGAAGGACTCGACCCAGATGTCGGCCACCTATTCCCAGGGCTTTACGGTATGGCTGGGTCCCAT
CATCCCTTCATCGTTTTATGCCACCTGACACCATCCGGTCTATACCAATGCCTCAGCTGCCA
TTGCACCCAAGGATAATCTCTTCATCAGGTTCTGAAGCCCTGGCTGGGAGAAGGGATACTGCTG
AGTGGCGGTGACAAGTGGAGCCGCCACCGTCGGATGCTGACGCCCGCCTTCCATTTCAACATCCT
GAAGTCTATATAACGATCTTCAACAAGAGTGAAACATCATGCTTGACAAGTGGCAGCACCTGG
CCTCAGAGGGCAGCAGTCGTCTGGACATGTTTGGACACATCAGCCTCATGACCTTGGACAGTCTA
CAGAAATGCATCTTCAGCTTTGACAGCCATTGTCAGGAGAGGCCCAGTGAATATATTGCCACCAT
CTTGAGCTCAGTGCCCTTGTAGAGAAAAGAAGCCAGCATATCCTCCAGCACATGGACTTTCTGT
ATTACCTCTCCCATGACGGGCGGCGCTTCCACAGGGCCTGCCGCTGGTGATGACTTCACAGAC
GCTGTCTATCCGGGAGCGGCGTCGCACCCCTCCCCTCAGGGTATTGATGATTTTTTCAAAGACAA
AGCCAAGTCCAAGACTTTGGATTTTCATTGATGTGCTTCTGCTGAGCAAGGATGAAGATGGGAAGG
CATTGTCAGATGAGGATATAAGAGCAGAGGCTGACACCTTCATGTTTGGAGGCCATGACACCACG
GCCAGTGGCCTCTCCTGGGTCTGTACAACCTTGCGAGGCACCCAGAATACCAGGAGCGCTGCCG
ACAGGAGGTGCAAGAGCTTCTGAAGGACCGCGATCCTAAGAGATTGAATGGGACGACCTGGCCC
AGCTGCCCTTCTGACCATGTGCGTGAAGGAGAGCCTGAGGTTACATCCCCCAGCTCCCTTCATC
TCCCGATGCTGCACCCAGGACATTGTTCTCCAGATGGCCGAGTCATCCCCAAAGGCATTACCTG
CCTCATCGATATTATAGGGGTCCATCACAACCAACTGTGTGGCCGGATCCTGAGGTCTACGACC
CCTTCCGCTTTGACCCAGAGAACAGCAAGGGGAGGTACCTCTGGCTTTTATTCTTTCTCCGCA
GGGCCCAGGAAGTGCATCGGGCAGGCGTTCGCCATGGCGGAGATGAAAGTGGTCCTGGCGTTGAT
GCTGCTGCACTTCCGGTTCCTGCCAGACCACACTGAGCCCCGAGGAAGCTGGAATTGATCATGC
GCGCCGAGGGCGGGCTTTGGCTGCGGGTGGAGCCCTGAATGTAGGCTTGCACTGACTTTCTGAC
CCATCCACCTGTTTTTTTGCAGATTGTCTATGAATAAACGGTGCTGTCAAA

FIGURE 54

MSLLSLPWLGLRPVAMSPWLLLLLVGWSLLARILAWTYAFYNNCRRRLQCFQPCKRNWFWGHLG
LITPTEEGLKDSTQMSATYSQGFTVWLGPPIPFIVLCHPDTIRSITNASAAIAPKDNLFIRFLKP
WLGEIGILLSGGDKWSRHRRLTPAFHFNILKSYITIFNKSANIMLDKWQHLASEGSSRLDMFEHI
SLMTLDSLQKCIFSFDSHCQERPSEYIATILELSALVEKRSQHILQHMDFLYYLSHDGRRFHRAC
RLVHDFTDVIRERRRRLPTQGIDDFKDKAKSKTLDLDFIDVLLLSKDEDGKALSDEDIRAEADTF
MFGGHDTTASGLSWVLYNLARHPEYQERCQEVQELLKDRDPKEIEWDDLAQLPFLTMCVKESLR
LHPPAPFISRCCTQDIVLPDGRVIPKGITCLIDIIGVHHNPTVWPDPEVYDPFRFPENSKGRSP
LAFIPFSAGPRNCIGQAFAMAEMKVVLALMLLHFRFLPDHTEPRRKLELIMRAEGGLWLRVEPLN
VGLQ

Important features:

Transmembrane domains:

amino acids 13-32 (type II), 77-102

Cytochrome P450 cysteine heme-iron ligand signature.

amino acids 461-471

N-glycosylation sites.

amino acids 112-116, 168-172

FIGURE 55

ATCGCATCAATTGGGAGTACCATCTTCCTCATGGGACCAGTGAAACAGCTGAAGCGAATGTTTGA
GCCTACTCGTTTGATTGCAACTATCATGGTGCTGTTGTGTTTTGCACTTACCCTGTGTTCTGCCT
TTTGGTGGCATAACAAGGGACTTGCACTTATCTTCTGCATTTTGCAGTCTTTGGCATTGACGTGG
TACAGCCTTTCCTTCATACCATTGCAAGGGATGCTGTGAAGAAGTGTGTTGCCGTGTGCTTGC
ATAATTTCATGGCCAGTTTTATGAAGCTTTGGAAGGCACATGGACAGAAGCTGGTGGACAGTTTT
GTAACATCTTCGAAACCTCTGTCTTACAGACATGTGCCTTTTATCTTGCAAGCAATGTGTTGCTT
GTGATTGCAACATTTGAGGGTTACTTTTGAAGCAACAATACATTCTCGAACCTGAATGTCAGTA
GCACAGGATGAGAAGTGGGTTCTGTATCTTGTGGAGTGGAATCTTCCTCATGTACCTGTTTCCTC
TCTGGATGTTGTCCCACTGAATTCCCATGAATACAAACCTATTCAGCAACAGCAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 56

MGPVKQLKRMFEPTRLIATIMVLLCFALTLCSAFVWHNKGLALIFCILQSLALTWYSLSFIPFAR
DAVKKCFVCLA

Important features:

Signal peptide:

amino acids 1-33

Type II fibronectin collagen-binding domain protein.

amino acids 30-72

FIGURE 57

CGGCTCGAGCTCGAGCCGAATCGGCTCGAGGGGAGTGGAGCAGCCAGCAGGCGCCCAACATGCTCTGTCTGTGCCTG
TACGTGCCGGTTCATCGGGGAAGCCAGACCGAGTTCAGTACTTTGAGTCGAAGGGGCTCCCTGCCGAGCTGAAGTCC
ATTTTCAAGCTCAGTGTCTTATCCCCCTCCAGGAATTCTCCACCTACCGCCAGTGGAGCAGAAAAATGTACAAGCT
GGAGATAAGGACCTTGATGGGCAGCTAGACTTTGAAGAATTTGTCCATTATCTCCAAGATCATGAGAAGAAGCTGAGG
CTGGTGTTTAAGATTTTGGACAAAAAAGATGATGGACGCATTGACGCGCAGGAGATCATGCAGTCCCTCGGGACTTG
GGAGTCAAGATATCTGAACAGCAGGCAGAAAAAATCTCAAGAGCATGGATAAAAAACGGCAGCATGACCATCGACTGG
AACGAGTGGAGAGACTACACCTCCTCCACCCCGTGGAAAAACATCCCCGAGATCATCTCTACTGGAAGCATCCAG
ATCTTTGATGTGGGTGAGAATCTAACGGTCCCGGATGAGTTACAGTGGAGGAGAGGCAGACGGGGATGTGGTGGAGA
CACCTGGTGGCAGGAGGTGGGGCAGGGGCCGTATCCAGAACCTGCACGGCCCCCTGGACAGGCTCAAGGTGCTCATG
CAGGTCCATGCCTCCCGCAGCAACAACATGGGCATCGTTGGTGGCTTCACTCAGATGATTGAGAAGGAGGGGCCAGG
TCACTCTGGCGGGGCAATGGCATCAACGTCTCTCAAAATTGCCCGGAATCAGCCATCAAAATTCATGGCCTATGAGCAG
ATCAAGCGCCTTGTGGTAGTGACAGGAGACTCTGAGGATTCACGAGAGGCTTGTGGCAGGCTCCTTGGCAGGGGCC
ATCGCCAGAGCAGCATCTACCAATGGAGTCTCTGAAGACCCGGATGGCGCTGCGGAAGACAGGCCAGTACTCAGGA
ATGCTGGACTGCGCCAGGAGGATCTGGCCAGAGAGGGGTGGCCGCTTCTACAAAGGCTATGTCCCCAAGCATGCTG
GGCATCATCCCTATGCCGGCATGCACCTTGCAGTCTACGAGACGCTCAAGAATGCCTGGCTGCAGCACTATGCAGTG
AACAGCGGGGACCCGGCGCTGTTTGTCTCTGGCCTGTGGCACCATGTCCAGTACCTGTGGCCAGCTGGCCAGCTAC
CCCCTGGCCCTAGTCAGGACCCGGATGCAGGCGCAAGCCTCTATTGAGGGCGCTCCGGAGGTGACCATGAGCAGCCTC
TTCAAACATATCCTGCGGACCCGAGGGGGCCTTCCGGCTGTACAGGGGGCTGGCCCCCAACTTCATGAAGGTCTATCCCA
GCTGTGAGCATCAGTACGTGGTCTACGAGAACCTGAAGATCACCTGGGCGTGCAGTCCGGGTGACGGGGGAGGGC
CGCCCGGAGTGGACTCGCTGATCCTGGGCGCAGCCTGGGGTGTGCAGCCATCTCATTCTGTGAATGTGCCAACACT
AAGCTGTCTCGAGCCAAGCTGTGAAAACCCCTAGACGCACCCGAGGGAGGGTGGGGAGAGCTGGCAGGCCAGGGCTT
GTCCTGCTGACCCAGCAGACCCTCCTGTTGGTCCAGCGAAGACCACAGGCATTCTTAGGGTCCAGGGTGCAGCAGG
CTCCGGGCTCAGATGTGTAAAGCAGGACATTTTCTGCAGTGCCTGCCAATAGTGAGCTTGGAGCCTGGAGGCGGGCT
TAGTTCCTCCATTTTACCCTTGCAGCCAGCTGTTGGCCACGGCCCCCTGCCCTCTGGTCTGCCGTGCATCTCCCTGTGC
CCTCTTGTCTGCTGCTGCTGTGAGTAAGGTGGGAGGAGGGCTACAGCCACATCCACCCCCCTCGTCCAATCCC
ATAATCCATGATGAAGGTGAGGTACGTGGCCTCCAGGCCCTGACTTCCCAACCTACAGCATTGACGCCAAGTGGC
TGTGAAGGAAGAGGAAGGATCTGGCCTTGTGGTCACTGGCATCTGAGCCCTGCTGATGGCTGGGGCTCTCGGGCATG
CTTGGGAGTGACAGGGGCTCGGGCTGCTTGGCTGGCTGCACAGAAAGCAAGTGTGGGGCTCATGGTCTCTGAGCT
GGCCTGGACCTGTGAGGATGGGCCCCACCTCAGAACCAACTCACTGTCCCACTGTGGCATGAGGGCAGTGGAGCA
CCATGTTTGGAGGCGAAGGGCAGAGCGTTTGTGTCTTGGGGAGGGAAGGAAAGGTGTTGGAGGCTTAATATATGG
ACTGTTGGGAAAAGGGTTTTGTCCAGAAAGGACAGCCGGACAAATGAGCGACTTCTGTGCTTCCAGAGGAAGACGAGG
GAGCAGGAGCTTGGCTGACTGCTCAGAGTCTGTTCTGACGCCCTGGGGGTTCTGTCTCAACCCAGCAGGGGCGCAGC
GGGACAGCCCCACATTCACCTTGTGTCACTGCTTGGAACTATTTATTTTGTATTTTGAACAGAGTTATGTCTT
AACTATTTTATAGATTTGTTAATTAATAGCTTGTCAATTTCAAGTTCATTTTATTTATATTTATGTTTATGTTT
GATTGTACCTTCCCAAGCCCGCCAGTGGGATGGGAGGAGGAGAAGGGGGCCTTGGGCCGCTGCAGTCACTCT
GTCCAGAGAAATTCCTTTTGGGACTGGAGGCAGAAAGCGGCCAGAGGCAGCAGCCCTGGCTCTTCTTTTGGCAG
GTTGGGGAAGGGCTTCCCCCAGCCTTAGGATTTAGGGTTGACTGGGGGCTGGAGAGAGAGGGAGGAACCTCAAT
AACCTTGAAGGTGGAATCCAGTTATTTCTGCGCTGCGAGGGTTCTTTATTTCACTCTTTTCTGAATGTCAAGGCAG
TGAGGTGCTCTCACTGTGAATTTGTGGTGGGGGGGCTGGAGGAGAGGGTGGGGGCTGGCTCCGCTCCCTCCAGC
CTTCTGCTGCCCTTGTCTTAACAATGCCGGCAACTGGCGACCTCACGGTTGCACTTCCATTCCACCAGAAATGACCTGA
TGAGGAATCTTCAATAGGATGCAAGATCAATGCAAAATTTGTTATATATGAACATATAACTGGAGTGGTCAAAAAG
CAAAATTAAGAAAGAAATTTGACGTTAGAAGTTGTCAATTTAAAGCAGCCTTCTAATAAAGTTGTTTCAAGCTGAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 58

MLCLCLYVPVIGEAQTEFQYFESKGLPAELKSIFKLSVFIPSQEFSTYRQWKQIVQAGDKDLDG
QLDFEEFVHYLQDHEKKLRLVFKILDKKNDGRIDAQEI MQSLRDLGVKISEQQAEEKILKSMDKNG
TMTIDWNEWRDYHLLHPVENIPEIILYWKHSTIFDVGENLTVPDEFTVEERQTGMWVRHLVAGGG
AGAVSRTCTAPLDRCLKVLMQVHASRSNNMGIVGGFTQMIREGGARSLWRGNGINVLKIAPESAIK
FMAYEQIKRLVGSDQETLRIHERLVAGSLAGAI AQSSIYPMEVLKTRMALRKTGQYSGMLDCARR
ILAREGVAAFYKGYVPNMLGIIPYAGIDLAVYETLKNWLQHYAVNSADPGVFVLLACGTMSSTC
GQLASYPLALVRTRMQAQASIEGAPEVTMSSLFKHILRTEGAFGLYRGLAPNFMKVIPAVSISYV
VYENLKITLGVQSR

Important features:

Signal peptide:

amino acids 1-16

Putative transmembrane domains:

amino acids 284-304, 339-360, 376-394

Mitochondrial energy transfer proteins signature.

amino acids 206-215, 300-309

N-glycosylation sites.

amino acids 129-133, 169-173

Elongation Factor-hand calcium-binding protein.

amino acids 54-73, 85-104, 121-140

FIGURE 59

GGAAGGCAGCGGCAGCTCCACTCAGCCAGTACCCAGATACGCTGGGAACCTTCCCCAGCCATGGC
TTCCCTGGGGCAGATCCTCTTCTGGAGCATAATTAGCATCATCATTATTCTGGCTGGAGCAATTG
CACTCATCATTGGCTTTGGTATTTTCAGGGAGACACTCCATCACAGTCACTACTGTGCGCTCAGCT
GGGAACATTGGGGAGGATGGAATCCTGAGCTGCACTTTTGAACCTGACATCAAACCTTCTGATAT
CGTGATACAATGGCTGAAGGAAGGTGTTTTAGGCTTGGTCCATGAGTTCAAAGAAGGCAAAGATG
AGCTGTGCGGAGCAGGATGAAATGTTTCAGAGGCCCGACAGCAGTGTTTGTCTGATCAAGTGATAGTT
GGCAATGCCTCTTTGCGGCTGAAAAACGTGCAACTCACAGATGCTGGCACCTACAAATGTTATAT
CATCACTTCTAAAGGCAAGGGGAATGCTAACCTTGAGTATAAACTGGAGCCTTCAGCATGCCGG
AAGTGAATGTGGACTATAATGCCAGCTCAGAGACCTTGCGGTGTGAGGCTCCCCGATGGTTCCCC
CAGCCCACAGTGGTCTGGGCATCCCAAGTTGACCAGGGAGCCAACTTCTCGGAAGTCTCCAATAC
CAGCTTTGAGCTGAACTCTGAGAATGTGACCATGAAGGTTGTGTCTGTGCTCTACAATGTTACGA
TCAACAACACATACTCCTGTATGATTGAAAATGACATTGCCAAAGCAACAGGGGATATCAAAGTG
ACAGAATCGGAGATCAAAGGCGGAGTCACCTACAGCTGCTAAACTCAAAGGCTTCTCTGTGTGT
CTCTTCTTTCTTTGCCATCAGCTGGGCACTTCTGCCTCTCAGCCCTTACCTGATGCTAAAATAAT
GTGCCTTGGCCACAAAAAGCATGCAAAGTCATTGTTACAACAGGGATCTACAGAACTATTTTAC
CACCAGATATGACCTAGTTTTATATTTCTGGGAGGAAATGAATTCATATCTAGAAGTCTGGAGTG
AGCAAACAAGAGCAAGAAACAAAAAGAAGCCAAAAGCAGAAGGCTCCAATATGAACAAGATAAAT
CTATCTTCAAAGACATATTAGAAGTTGGGAAAATAATTCATGTGAAC TAGACAAGTGTGTTAAGA
GTGATAAGTAAATGCACGTGGAGACAAGTGCATCCCCAGATCTCAGGGACCTCCCCCTGCCTGT
CACCTGGGGAGTGAGAGGACAGGATAGTGCATGTTCTTTGTCTCTGAATTTTATGTTATATGTGC
TGTAATGTTGCTCTGAGGAAGCCCTGGAAAGTCTATCCCAACATATCCACATCTTATATTCCAC
AAATTAAGCTGTAGTATGTACCCTAAGACGCTGCTAATTGACTGCCACTTCGCAACTCAGGGGCG
GCTGCATTTTAGTAATGGGTCAAATGATTCACTTTTTATGATGCTTCCAAAGGTGCCTTGGCTTC
TCTTCCCAACTGACAAATGCCAAAGTTGAGAAAAATGATCATAATTTTAGCATAAACAGAGCAGT
CGGGGACACCGATTTTATAAATAAACTGAGCACCTTCTTTTAAACAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 6o

MASLGQILFWSIIISIIIIILAGAIALIIGFGISGRHSITVTTVASAGNIGEDGILSCTFEPDIKLS
DIVIQWLKEGVLGLVHEFKEGKDELSEQDEMFRGRTAVFADQVIVGNASLRKLVQLTDAGTYKC
YIITSKGKGNANLEYKTGAFSMPEVNVVDYNASSETLRCEAPRWFPQPTVVWASQVDQGANFSEVS
NTSFELNSENVTMKVVSVLNVNTINNTYSCMIENDIAKATGDIKVTSEIKRRSHLQLLNSKASL
CVSSFFAISWALLPLSPYMLK

Important features:

Signal peptide:

amino acids 1-28

Transmembrane domain:

amino acids 258-281

N-glycosylation sites.

amino acids 112-116, 160-164, 190-194, 196-200, 205-209, 216-220,
220-224

N-myristoylation sites.

amino acids 52-58, 126-132, 188-194

FIGURE 61

TGACGTCAGAATCACCATGGCCAGCTATCCTTACCGGCAGGGCTGCCCAGGAGCTGCAGGACAAG
CACCAGGAGCCCCCTCCGGGTAGCTACTACCCTGGACCCCCCAATAGTGGAGGGCAGTATGGTAGT
GGGCTACCCCTGGTGGTGGTTATGGGGGTCTGCCCTGGAGGGCCTTATGGACCACCAGCTGG
TGGAGGGCCCTATGGACACCCCAATCCTGGGATGTTCCCTCTGGAACCTCAGGAGGACCATATG
GCGGTGCAGCTCCCGGGGGCCCCCTATGGTCAGCCACCTCCAAGTTCTTACGGTGCCAGCAGCCT
GGGCTTTATGGACAGGGTGGCGCCCCCTCCCAATGTGGATCCTGAGGCCTACTCCTGGTTCCAGTC
GGTGGACTCAGATCACAGTGGCTATATCTCCATGAAGGAGCTAAAGCAGGCCCTGGTCAACTGCA
ATTGGTCTTCATTCAATGATGAGACCTGCCTCATGATGATAAACATGTTTGACAAGACCAAGTCA
GGCCGCATCGATGTCTACGGCTTCTCAGCCCTGTGGAAATTCATCCAGCAGTGAAGAACCTCTT
CCAGCAGTATGACCGGGACCGCTCGGGCTCCATTAGCTACACAGAGCTGCAGCAAGCTCTGTCCC
AAATGGGCTACAACCTGAGCCCCCAGTTACCCAGCTTCTGGTCTCCCGCTACTGCCACGCTCT
GCCAATCCTGCCATGCAGCTTGACCGCTTCATCCAGGTGTGCACCCAGCTGCAGGTGCTGACAGA
GGCCTTCCGGGAGAAGGACACAGCTGTACAAGGCAACATCCGGCTCAGCTTCGAGGACTTCGTCA
CCATGACAGCTTCTCGGATGCTATGACCCCAACCATCTGTGGAGAGTGGAGTGCACCAGGACCTT
TCCTGGCTTCTTAGAGTGAGAGAAGTATGTGGACATCTCTCTTTTCCTGTCCCTCTAGAAGAAC
ATTCTCCCTTGCTTGATGCAACACTGTTCCAAAAGAGGGTGGAGAGTCCTGCATCATAGCCACCA
AATAGTGAGGACCGGGGTGAGGCCACACAGATAGGGGCCCTGATGGAGGAGAGGATAGAAGTTGA
ATGTCCTGATGGCCATGAGCAGTTGAGTGGCACAGCCTGGCACCAGGAGCAGGTCTTGTAAATGG
AGTTAGTGTCCAGTCAGCTGAGCTCCACCCTGATGCCAGTGGTGAGTGTTCATCGGCCTGTTACC
GTTAGTACCTGTGTTCCCTCACCAGGCCATCCTGTCAAACGAGCCCATTTCTCAAAGTGGAAT
CTGACCAAGCATGAGAGAGATCTGTCTATGGGACCAGTGGCTTGGATTCTGCCACACCCATAAAT
CCTTGTTGTGTTAACTTCTAGCTGCCTGGGGCTGGCCCTGCTCAGACAAATCTGCTCCCTGGGCAT
CTTTGGCCAGGCTTCTGCCCCCTGCAGCTGGGACCCCTCACTTGCTGCCATGCTCTGCTCGGCT
TCAGTCTCCAGGAGACAGTGGTCACCTCTCCCTGCCAATACTTTTTTAAATTGCATTTTTTTTC
ATTTGGGGCCAAAAGTCCAGTGAAATTGTAAGCTTCAATAAAAGGATGAAACTCTGA

FIGURE 62

MASYPYRQGCPGAAGQAPGAPPGSYYPGPPNSGGQYGSGLPPGGGYGGPAPGGPYGPPAGGGPYG
HPNPGMFPSGTPGGPYGGAAPGGPYGQPPSSYGAQQPGLYGQGGAPPNVDPEAYSWFQSVSDSH
SGYISMKELKQALVNCNWSSFNDETCLMMINMFDKTKSGRIDVYGFSALWKFIQQWKNLFQQYDR
DRSGSISYTELQQALSQMGYNLSPQFTQLLVSRYCPRSANPAMQLDRFIQVCTQLQVLTEAFREK
DTAVQGNIRLSFEDFVTMTASRML

Important features of the protein:

Signal peptide:

amino acids 1-19

N-glycosylation site.

amino acids 147-150

Casein kinase II phosphorylation sites.

amino acids 135-138, 150-153, 202-205, 271-274

N-myristoylation sites.

amino acids 9-14, 15-20, 19-24, 33-38, 34-39, 39-44, 43-48, 61-66, 70-75, 78-83, 83-88, 87-92, 110-115

FIGURE 63

CAGGATGCAGGGCCGCGTGCCAGGGAGCTGCGCTCCTCTGGGCCTGCTCCTGGTCTGTCTTCATC
TCCCAGGCCTCTTTGCCCCGAGCATCGGTGTTGTGGAGGAGAAAGTTCCCAAACCTCGGGACC
AACTTGCCTCAGCTCGGACAACCTTCCTCCACTGGCCCCCTCTAACTCTGAACATCCGCAGCCCGC
TCTGGACCCCTAGGTCTAATGACTTGGCAAGGGTTCCTCTGAAGCTCAGCGTGCCTCCATCAGATG
GCTTCCACCTGCAGGAGGTTCTGCAGTGCAGAGGTGGCCTCCATCGTGGGGGCTGCCTGCCATG
GATTCCTGGCCCCCTGAGGATCCTTGGCAGATGATGGCTGCTGCGGCTGAGGACCGCCTGGGGGA
AGCGCTGCCTGAAGAACTCTCTTACCTCTCCAGTGCTGCGGCCCTCGTCCGGGCAGTGGCCCTT
TGCCTGGGGAGTCTTCTCCCGATGCCACAGGCCTCTCACCTGAGGCTTCACTCCTCCACCAGGAC
TCGGAGTCCAGACGACTGCCCCGTCTAATTAAGTGGGAGCCGGGGGAAAAATCCTTTCCCAACG
CCCTCCCTGGTCTCTCATCCACAGGGTTCCTGCCTGATCACCCCTGGGGTACCCTGAATCCCAGTG
TGTCTGGGGAGGTGGAGGCCCTGGGACTGGTTGGGGAACGAGGCCCATGCCACACCCTGAGGGA
ATCTGGGGTATCAATAATCAACCCCCAGGTACCAGCTGGGGAAATATTAATCGGTATCCAGGAGG
CAGCTGGGGAAATATTAATCGGTATCCAGGAGGCAGCTGGGGGAATATTAATCGGTATCCAGGAG
GCAGCTGGGGGAATATTCATCTATACCCAGGTATCAATAACCCATTTCTCCTGGAGTTCTCCGC
CCTCCTGGCTCTTCTTGAACATCCAGCTGGCTTCCTAATCCTCCAAGCCCTAGGTTGCAGTG
GGGCTAGAGCACGATAGAGGGAAACCAACATTGGGAGTTAGAGTCTGCTCCCGCCCTTGCTG
TGTGGGCTCAATCCAGGCCCTGTTAACATGTTTCCAGCACTATCCCCACTTTTCAGTGCCTCCCC
TGCTCATCTCCAATAAAATAAAAGCACTTATGAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 64

MQGRVAGSCAPLGLLLVCLHLPGLFARSIGVVEEKVSQNFGTNLPQLGQPSSTGSPNSEHPQPAL
DPRSNDLARVPLKLSVPPSDGFPFAGGSAVQRWPPSWGLPAMDSWPPEDPWQMAAAAEDRLGEA
LPEELSYLSSAAALAPGSGPLPGESSPDATGLSPEASLLHQDSESRRLPRSNSLGAGGKILSRP
PWLIHRVLPDHPWGTINPSVSWGGGGPGTGWGTRPMPHPEGIWGINNQPPGTSWGNIINRYPGGS
WGININRYPGGSWGININRYPGGSWGNHLYPGINNPFPPGVLRPPGSSWNIPAGFPNPPSPRLQWG

Important features of the protein:

Signal peptide:

amino acids 1-26

Casein kinase II phosphorylation sites.

amino acids 56-59, 155-158

N-myristoylation sites.

amino acids 48-53, 220-225, 221-226, 224-229, 247-252, 258-263,
259-264, 269-274, 270-275, 280-285, 281-286, 305-310

FIGURE 65

AAGGAGAGGCCACCGGGACTTCAGTGTCTCCTCCATCCCAGGAGCGCAGTGGCCACTATGGGGTC
TGGGCTGCCCCCTTGTCTCTCTTGACCTCCTTGGCAGCTCACATGGAACAGGGCCGGGTATGA
CTTTGCAACTGAAGCTGAAGGAGTCTTTTCTGACAAATTCCTCCTATGAGTCCAGCTTCCTGGAA
TTGCTTGAAAAGCTCTGCCTCCTCCTCCATCTCCCTTCAGGGACCAGCGTCACCCTCCACCATGC
AAGATCTCAACACCATGTTGTCTGCAACACATGACAGCCATTGAAGCCTGTGTCTTCTTGCCCC
GGGCTTTTGGGCCGGGGATGCAGGAGGCAGGCCCCGACCCTGTCTTTCAGCAGGCCCCCACCTC
CTGAGTGGCAATAAATAAAATTCGGTATGCTG

FIGURE 66

MGSGPLVLLLLTLLGSSHTGPGMTLQLKLKESFLTNSSYESSFLELLEKLCLLLHLPSTSVTL
HHARSQHHVVCNT

Important features:

Signal peptide:

amino acids 1-19

N-glycosylation site.

amino acids 37-41

N-myristoylation sites.

amino acids 15-21, 19-25, 60-66

FIGURE 67

ACGGACCGAGGGTTCGAGGGAGGGACACGGACCAGGAACCTGAGCTAGGTCAAAGACGCCCCGGGC
CAGGTGCCCCGTCGCAGGTGCCCCCTGGCCGGAGATGCGGTAGGAGGGGCGAGCGCGAGAAGCCCC
TTCCTCGGCGCTGCCAACCCGCCACCCAGCCCATGGCGAACCCGGGCTGGGGCTGCTTCTGGCG
CTGGGCTGCCGTTCTGCTGGCCCGCTGGGGCCGAGCCTGGGGGCAAATACAGACCACTTCTGC
AAATGAGAATAGCACTGTTTTGCCTTCATCCACCAGCTCCAGCTCCGATGGCAACCTGCGTCCGG
AAGCCATCACTGCTATCATCGTGGTCTTCTCCCTCTTGGCTGCCTTGCTCCTGGCTGTGGGGCTG
GCACTGTTGGTGCGBAAGCTTCGGGAGAAGCGGCAGACGGAGGGCACCTACCGGCCCACTAGCGA
GGAGCAGTTCTCCCATGCAGCCGAGGCCCGGGCCCCCTCAGGACTCCAAGGAGACGGTGCAGGGCT
GCCTGCCCATCTAGTCCCCCTCTCCTGCATCTGTCTCCCTTCATTGCTGTGTGACCTTGGGGAAA
GGCAGTGCCCTCTCTGGGCAGTCAGATCCACCCAGTGCTTAATAGCAGGAAGAAGTACTTCAA
AGACTCTGCCCCTGAGGTCAAGAGAGGATGGGGCTATTCACTTTTATATATTTATATAAAATTAG
TAGTGAGATGTAAAAAAAAAAAAAAAAAAAA

FIGURE 68

MANPGLGLLLALGLPFLRLARWGRAWGQIQTTSANENSTVLPSTSSSSDGNLRPEAITAIIVVFS
LLAALLLAVGLLALIVRKLREKRQTEGTYRPSSEEQFSHAAEARAPQDSKETVQGCLPI

Important features:

Signal peptide:

amino acids 1-19

Transmembrane domain:

amino acids 56-80

N-glycosylation site.

amino acids 36-40

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 86-90

Tyrosine kinase phosphorylation site.

amino acids 86-94

N-myristoylation sites.

amino acids 7-13, 26-32

FIGURE 69

GCCAGGAATAACTAGAGAGGAACAATGGGGTTATTGAGAGGTTTTGTTTTCTCTTAGTTCTGTGCCTGCTGCACCAG
TCAAATACTTCCTTCATTAAGCTGAATAATAATGGCTTTGAAGATATTGTCATTGTTATAGATCCTAGTGTGCCAGAA
GATGAAAAATAATTGAACAAATAGAGGATATGGTGACTACAGCTTCTACGTACCTGTTTGAAGCCACAGAAAAAGA
TTTTTTTTTCAAAAATGTATCTATATTAATTCTTGAGAAATTGGAAGGAAAAATCCTCAGTACAAAAGGCCAAAACATGAA
AACCATAAACATGCTGATGTTATAGTTGCACCACCTACACTCCAGGTAGAGATGAACCATACACCAAGCAGTTTCACA
GAATGTGGAGAGAAAGGCGAATACATTCACTTCACCCCTGACCTTCTACTTGGAAAAAACAAAATGAATATGGACCA
CCAGGCAAACTGTTTGTCCATGAGTGGGCTCACCTCCGGTGGGGAGTGTGATGAGTACAATGAAGATCAGCCTTTC
TACCGTGCTAAGTCAAAAAAATCGAAGCAACAGGTGTTCCGCAGGTATCTCTGGTAGAAAATAGAGTTTATAAGTGT
CAAGGAGGCGAGCTGCTTAGTAGAGCATGCAGAAATTGATTCTACAACAAAACGTATGGAAAAGATTGCAATTCTTT
CCTGATAAAGTACAAACAGAAAAGCATCCATAATGTTTATGCAAAGTATTGATTCTGTGTTGAATTTTGAACGAA
AAAACCCATAATCAAGAAGCTCCAAGCCTACAAAACATAAAGTGCAATTTTGAAGTACATGGGAGGTGATTAGCAAT
TCTGAGGATTTTAAAAACACCATACCCATGGTGACACCACCTCCTCCACCTGTCTCTCATTGCTGAAGATCAGTCAA
AGAATTTGTGCTTAGTTCTTGATAAGTCTGGAAGCATGGGGGTAAAGACCGCCTAAATCGAATGAATCAAGCAGCA
AAACATTTCTGCTGCTGAGCTGTTGAAAATGGATCCTGGGTGGGGATGTTCACTTTGATAGTACTGCCACTATTGTA
AATAAGCTAATCCAAATAAAAAAGCAGTGATGAAAGAAACACACTCATGGCAGGATTACCTACATATCCTCTGGGAGGA
ACTTCCATCTGCTCTGGAATTAATATGCATTTGAGGTGATTGGAGAGTACATTCCCAACTCGATGGATCCGAAGTA
CTGCTGCTGACTGATGGGGAGGATAACACTGCAAGTTCTTGATTGATGAAGTGAACAAAGTGGGGCCATTGTTTCAT
TTTATTGCTTTGGGAAGAGCTGCTGATGAAGCAGTAATAGAGATGAGCAAGATAACAGGAGGAAGTCATTTTATGTT
TCAGATGAAGCTCAGAACATGGCCTCATTGATGCTTTTGGGGCTCTTACATCAGGAAATACTGATCTCTCCAGAG
TCCTTTCAGCTCGAAAGTAAGGATTAACTGATAGTAATGCCTGGATGAACGACACTGTCTAATTTGATAGTACA
GTGGGAAAGGACACGTTCTTTCTCATCACATGGAACAGTCTGCCTCCAGTATTTCTCTCTGGGATCCAGTGGAACA
ATAATGGAATAATTCACAGTGGATGCAACTTCCAAAATGGCCTATCTCAGTATTCCAGGAACTGCAAAGGTGGGCACT
TGGGCATACATCTTCAAGCCAAAGCGAACCAGAAAACATTAACATTACAGTAACCTTCTCGAGCAGCAAAATCTTCT
GTGCTCCCAATCACAGTGAATGCTAAAATGAATAAGGACGTAAACAGTTTCCCAGCCCAATGATTGTTTACGCAGAA
ATTCTACAAGGATATGTACCTGTTCTTGGAGCCAATGTGACTGCTTTCATTGAATCACAGAATGGACATACAGAAATT
TTGGAACTTTGGATAATGGTGCGAGCGCTGATTCTTCAAGAAATGATGGAGTCTACTCCAGGTATTTTACAGCATAT
ACAGAAAATGGCAGATATAGCTTAAAGTTCTGGGCTCATGGAGGAGCAAACTGCCAGGCTAAAATTACGGCTCCA
CTGAATAGAGCCGCTACATACCAGGCTGGGTAGTGAACGGGAAATTGAAGCAAAACCCGCAAGACCTGAAATTTGAT
GAGGATACTCAGACCACCTTGGAGGATTTGAGCGAACAGCATCCGGAGGTGCATTTGTGGTATCACAAAGTCCCAAGC
CTTCCCTTGCCTGACCAATACCCACCAAGTCAATCACAGACCTTGATGCCACAGTTCATGAGGATAAGATTATTCTT
ACATGGACAGCACAGGAGATAATTTTATGTTGGAAAAGTCAACGTTATATCATAAGAATAAGTGAAGTATTCTT
GATCTAAGAGACGTTTTGATGATGCTCTTCAAGTAAATACTACTGATCTGTCAACAAAGGAGGCCAACTCCAAGGAA
AGCTTTGCATTTAAACCAGAAAATATCTCAGAAGAAAATGCAACCCACATATTTATTGCCATTTAAAGTATAGATAAA
AGCAATTTGACATCAAAAGTATCCAACATTGCACAAGTAACTTTGTTTATCCCTCAAGCAAAATCCTGATGACATTGAT
CCTACACCTACTCCTACTCCTACTCCTACTCCTGATAAAAAGTCATAATTCTGGAGTTAATATTTCTACGCTGGTATTG
TCTGTGATTGGGTCTGTTGTAATTGTAACTTTATTTTAAAGTACCACCATTGGAACCTTAACGAAGAAAAAATCTTC
AAGTAGACCTAGAAGAGAGTTTTAAAAAACAAACATGTAAGTAAAGGATATTTCTGAATCTTAAATTCATCCCAT
GTGTGATCATAACTCATAAAAATAATTTTAAAGTGTGCGAAAAGGATACTTTGATTAAATAAAACACTCATGGATA
TGTAAAAACGTCAAGATTAATAATTAATAGTTTCATTTATTTGTTATTTTATTTGTAAGAAATAGTGATGAACAAAG
ATCCTTTTTCATACTGATACCTGGTTGTATATTATTTGATGCAACAGTTTCTGAAATGATATTTCAAATTCATCAA
GAAATTAATCATCTATCTGAGTAGTCAAAATACAAGTAAAGGAGAGCAATAAACACATTTGGAAAAAATAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 70

MGLFRGFVFLVLCLLHQSNSTFSIKLNNNGFEDIVIVIDPSVPEDEKIEQIEDMVTASTYLFE
ATEKRFFFKNVSILIPENWKENPQYKRPKHENHKHADVIVAPPTLPGRDEPYTKQFTECGEKGEY
IHFTPDLLLGKKQNEYGPPGKLFVHEWAHLRWGVFDEYNEDQPFYRAKSKKIEATRCISAGISGRN
RVYKCQGGSCLSRACRIDSTTKLYGKDCQFFPDQVTEKASIMFMQSIDSVVEFCNEKTHNQEAP
SLQNIKCNFRSTWEVISNSEDfKNTIPMVTPPPPPVFSLLKISQRIVCLVLDKSGSMGGKDRNLN
MNQAAKHFLLOTVENGSWVGMVHFDSTATIVNKLIQIKSSDERNTLMAGLPTYPLGGTSICSGIK
YAFQVIGELHSQLDGSEVLLLTGDGEDNTASSCIDEVKQSGAIVHFIALGRAADEAVIEMSKITGG
SHFYVDEAQNGLLIDAFGALTSGNTDLSQKSLQLESKGLTLNSNAWMNDTVIIDSTVGKDTFFL
ITWNSLPPSISLWDPSGTIMENFTVDATSKMAYLSIPGTAKVGTWAYNLQAKANPETLTITVTSR
AANSSVPPITVNAKMNDVNSFPSPMIVYAEILQGYVPVLGANVTAFIESQNGHTEVLELLDNGA
GADSFKNDBGVYSRYFTAYTENGRYSLKVRAGGANTARLKLRLPPLNRAAYIPGWVNGEIEANPP
RPEIDEDTQTTLEDFSRASGGAFVVSQVPSLPLPDQYPPSQITDLDATVHEDKIIILTWTAPGDN
FDVGKVQRYIIIRISASILDLRDSFDDALQVNTTDLSPKEANSKESFAFKPENISEENATHIFIAI
KSIDKSNLTSKVSNIQVTLFIPQANPDDIDPTPTPTPTPTPDKSHNSGVNISTLVLSVIGSVVI
VNFILSTTI

Signal peptide:

amino acids 1-21

Putative transmembrane domains:

amino acids 284-300, 617-633

Leucine zipper pattern.

amino acids 469-491, 476-498

N-glycosylation site.

amino acids 20-24, 75-79, 340-344, 504-508, 542-546, 588-592,
628-632, 811-815, 832-836, 837-841, 852-856, 896-900

FIGURE 71

CTCCTTAGGTGGAACCCCTGGGAGTAGAGTACTGACAGCAAAGACCGGGAAAGACCATACGTCCCCGGGCAGGGGTGA
CAACAGGTGTCTATCTTTTGTATCTCGTGTGTGGCTGCCCTTCTATTTCAAGGAAAGACGCCAAGTAATTTTGACCCA
GAGGAGCAATGATGTAGCCACCTCTAACCTTCCCTTCTTGAACCCCAAGTTATGCCAGGATTTACTAGAGAGTGTCA
ACTCAACCAGCAAGCGGCTCCTTCGGCTTAACTTGTGGTTGGAGGAGAGAACCCTTGTGGGGCTGCGTTCTCTTAGCA
GTGCTCAGAAGTGACTTGCCTGAGGGTGGACCAGAAGAAAGGAAAGGTCCTTCTGTGTGGCTGCACATCAGGAA
GGCTGTGATGGGAATGAAGGTGAAACTTGGAGATTTCACTTCAGTCATTGCTTCTGCCTGCAAGATCATCTTTAAA
AGTAGAGAAGCTGCTCTGTGTGGTAACTCCAAGAGGCAGAACTCGTTCTAGAAGGAAATGGATGCAAGCAGCTC
CGGGGGCCCCAAACGCATGCTTCTGTGGTCTAGCCAGGGAAAGCCCTTCCGTGGGGGCCCGGCTTTGAGGGATGCC
ACCGGTTCTGGACGCATGGCTGATTCTGAATGATGATGTTTCGCCGGGGGCTGCTTGCCTGGATTTCCCGGGTGGTG
GTTTTGCTGGTCTCTCTGTGTGTCTATCTGTCTGTACATGTTGGCCTGCACCCCAAGGTGACGAGGAGCAG
CTGGCACTGCCAGGGCCCAACAGCCCGGGAAGGAGGGGTACCAGGCCGTCCTTCAGGAGTGGGAGGAGCAGCAC
CGCAACTACGTGAGCAGCTGAAGCGGCAGATCGCACAGCTCAAGGAGGAGCTGCAGGAGGAGGTGAGCAGCTCAGG
AATGGGCGAGTACCAAGCCAGGATGCTGCTGGCCTGGGTCTGGACAGGAGCCCCAGAGAAAACCCAGGCCGACCTC
CTGGCCTTCTGCACTCGCAGTGGACAGGCGAGGTGAATGCTGGCGTCAAGCTGGCCACAGATATGCAGCAGTG
CCTTTTCGATAGCTTTACTCTACAGAAGGTATACAGCTGGAGACTGGCCTTACCCGCCACCCCGAGGAGAACCTGTG
AGGAAGGACAAAGCGGATGAGTTGGTGGAAAGCCATTGAATCAGCCTTGGAGACCCTGAACAATCTGCAGAGAACAGC
CCCAATCACCGTCTTACACGGCCTCTGATTTCATAGAAGGGATCTACCGAACAGAAAGGGACAAAGGGACATTGTAT
GAGCTCACCTTCAAAGGGGACCAACACAGCAATTCAAACGGCTCATCTTATTTCGACCATTCAGCCCCCATCATGAAA
GTGAAAATGAAAAGCTCAACATGGCCAAACAGCTTATCAATGTTATCGTGCCTCTAGCAAAAAGGGTGGACAAGTTC
CGGCAGTTCATGCAGAAATTCAGGGAGATGTGCATTGAGCAGGATGGGAGAGTCCATCTCACTGTTGTTTACTTTGGG
AAAGAAGAAATAAATGAAGTCAAAGGAATACTTGAACACACTTCCAAAGCTGCCAAGCTTCAAGAACTTACCTTCATC
CAGCTGAATGGAGAATTTCTCGGGGAAAGGGACTTGATGTTGGAGCCCGCTTCTGGAAGGGAAGCAACGTCTTCTC
TTTTTCTGTGATGTGGACATCTACTTCACATCTGAATTCCTCAATACGTGTAGGCTGAATACACAGCCAGGGAAGAG
GTATTTTATCCAGTTCTTTTCAGTCAGTACAATCCTGGCATAATATACGGCCACCATGATGCAGTCCCTCCCTTGAA
CAGCAGCTGGTCATAAAGAAGGAACTGGATTTTGGAGAGACTTTGGATTTGGGATGACGTGTGAGTATCGGTGAGAC
TTATCATATATAGGTGGGTTTGTCTGGACATCAAAGGCTGGGGCGGAGAGGATGTGCACCTTTATCGCAAGTATCTC
CACAGCAACCTCATAGTGGTACGAGCGCTGTGCGAGGACTCTTCCACCTCTGGCATGAGAAGCGCTGCATGGACGAG
CTGACCCCGAGCAGTACAAGATGTGCATGCAGTCCAAGGCCATGAACGAGGCATCCACGGCCAGCTGGGCATGCTG
GTGTTTCAGGCACGAGATAGAGGCTCACCTTCGCAACAGAAACAGAGACAAGTAGCAAAAAACATGAAGTCCCGAGA
GAAGGATTTGTGGGAGACACTTTTCTTCTTTTGAATTTACTGAAAGTGGCTGCAACAGAGAAAAGACTTCCATAAA
GGACGACAAAAGAAATGGACTGATGGGTGAGAGATGAGAAAGCCTCCGATTTCTCTCTGTTGGGCTTTTACAACAGA
AATCAAAATCTCCGCTTTGCTGCAAAAGTAACCCAGTTGCACCCTGTGAAGTGTCTGACAAAGGCAGAAATGCTTGTG
AGATTATAAGCCTAATGGTGTGGAGGTTTTGATGGTGTTCACATACACTGAGACCTGTTGTTTGTGTGCTCATTGA
AATATTATGATTTAAGAGCAGTTTTGTAAAAAATTCATTAGCATGAAAGGCAAGCATATTTCTCCTCATATGAATGA
GCCTATCAGCAGGGCTCTAGTTTCTAGGAATGCTAAATATCAGAAAGGCAGGAGAGGAGATAGGCTTATTATGATACT
AGTGAGTACATTAAGTAAATAAAATGGACCAGAAAAGAAAAGAACCATAAATATCGTGTCAATTTTCCCCAAGAT
TAACCAAAAAATATCTGCTTATCTTTTGGTTGTCTTTTAACTGTCTCCGTTTTTTCTTTTATTTAAAAATGCACT
TTTTTCCCTTGTGAGTTATAGTCTGCTTATTTAATTACCACTTTGCAAGCCTTACAAGAGAGCACAAGTTGGCCTAC
ATTTTTATATTTTTTAAGAAGATACTTTGAGATGCATTATGAGAACTTTCAGTTCAAAGCATCAAATGATGCCATAT
CCAAGGACATGCCAAATGCTGATTCTGTGAGGCACTGAATGTGAGGCATTGAGACATAGGGAAGGAATGGTTTGTACT
AATACAGACGTACAGATACTTCTCTGAAGAGTATTTTGAAGAGGAGCACTGAACACTGGAGGAAAAGAAATGAC
ACTTTCTGCTTTACAGAAAAGGAACTCATTGAGACTGGTGATATCGTGATGTACCTAAAAGTCAGAAACCAATTTT
CTCCTCAGAAGTAGGACCGCTTTCTTACCTGTTTAAATAAACCAAGTATACCGTGTGAACCAACATCTCTTTTC
AAAACAGGGTGCTCCTCCTGGCTTCTGGCTTCCATAAGAAGAAATGGAGAAAATATATATATATATATATATTTGT
GAAAGATCAATCCATCTGCCAGAATCTAGTGGGATGGAAGTTTTTGTACATGTATCCACCCAGGCCAGGTGGAAG
TAAGTGAATTTTAAAAATTAAGCAGTTCTACTCAATCACCAGATGCTTCTGAAAATTCATTTTATTACCATTT
CAAACATTTTTTAAAAATAAATACAGTTAATACATAGAGTGGTTTTCTTCAATCATGTGAAAATTTATTAGCCAGCACCAG
ATGCATGAGCTAATATCTCTTTGAGTCTTCTGTTTGTCTCACAGTAACTCATTGTTTAAAGCTTCAAGAAC
ATTCAGAGCTGTTGGTGTGTTAAAAATGCATTGTATTGATTGTACTGTTAGTTTATGAAATTAATTAACACAGG
CCATGAATGGAAGGTGGTATTGCACAGCTAATAAAATATGATTTTGTGGATATGAA

FIGURE 72

MMVRRGLLAWISRVVLLVLLCCAISVLYMLACTPKGDEEQLALPRANSPTGKEGYQAVLQEW
EQHRNYVSSLKRQIAQLKEELQERSEQLRNGQYQASDAAGLGLDRSPPEKTQADLLAFLHSQVDK
AEVNAGVKLATEYAAVPFDSFTLQKVYQLETGLTRHPEEKPVKDKRDELVEAIESALETLNPA
ENSPNHRPYTASDFIEGIYRTERDKGTLYELTFKGDHKHEFKRLILFRPFSPIMKVKNEKLNMAN
TLINVIVPLAKRVDKFRQFMQNFREMCIEQDGRVHLTVVYFGKEEINEVKGILENTSKAANFRNF
TFIQLNGEFSRGKGLDVGARFWKGSNVLLFFCDVDIYFTSEFLNTCRLNTQPGKKVFYPVLFSQY
NPGIIYGHHDVAPPLEQQLVIKKETGFWRDFGFGMTCQYRSDFINIGGFDDIKGWGGEDVHLYR
KYLHSNLIVVRTPVRLGFLHLWHEKRCMDELTPEQYKCMQSKAMNEASHGQLGMLVFRHEIEAHL
RKQKQKTSSKKT

Important features:

Signal peptide:

amino acids 1-27

N-glycosylation sites.

amino acids 315-319, 324-328

N-myristoylation sites.

amino acids 96-102, 136-142, 212-218, 311-317, 339-345, 393-399

Amidation site.

amino acids 377-381

[illegible]

| Author | Year | Country | Sample Size | Age Range | Gender | Study Type | Findings |
|---------|------|---------|-------------|-----------|--------|-------------|-----------------------------------|
| Alvares | 2000 | Brazil | 100 | 18-25 | Male | Qualitative | High levels of stress and anxiety |
| Alvares | 2001 | Brazil | 100 | 18-25 | Male | Qualitative | High levels of stress and anxiety |
| Alvares | 2002 | Brazil | 100 | 18-25 | Male | Qualitative | High levels of stress and anxiety |
| Alvares | 2003 | Brazil | 100 | 18-25 | Male | Qualitative | High levels of stress and anxiety |
| Alvares | 2004 | Brazil | 100 | 18-25 | Male | Qualitative | High levels of stress and anxiety |
| Alvares | 2005 | Brazil | 100 | 18-25 | Male | Qualitative | High levels of stress and anxiety |
| Alvares | 2006 | Brazil | 100 | 18-25 | Male | Qualitative | High levels of stress and anxiety |
| Alvares | 2007 | Brazil | 100 | 18-25 | Male | Qualitative | High levels of stress and anxiety |
| Alvares | 2008 | Brazil | 100 | 18-25 | Male | Qualitative | High levels of stress and anxiety |
| Alvares | 2009 | Brazil | 100 | 18-25 | Male | Qualitative | High levels of stress and anxiety |
| Alvares | 2010 | Brazil | 100 | 18-25 | Male | Qualitative | High levels of stress and anxiety |
| Alvares | 2011 | Brazil | 100 | 18-25 | Male | Qualitative | High levels of stress and anxiety |
| Alvares | 2012 | Brazil | 100 | 18-25 | Male | Qualitative | High levels of stress and anxiety |
| Alvares | 2013 | Brazil | 100 | 18-25 | Male | Qualitative | High levels of stress and anxiety |
| Alvares | 2014 | Brazil | 100 | 18-25 | Male | Qualitative | High levels of stress and anxiety |
| Alvares | 2015 | Brazil | 100 | 18-25 | Male | Qualitative | High levels of stress and anxiety |
| Alvares | 2016 | Brazil | 100 | 18-25 | Male | Qualitative | High levels of stress and anxiety |
| Alvares | 2017 | Brazil | 100 | 18-25 | Male | Qualitative | High levels of stress and anxiety |
| Alvares | 2018 | Brazil | 100 | 18-25 | Male | Qualitative | High levels of stress and anxiety |
| Alvares | 2019 | Brazil | 100 | 18-25 | Male | Qualitative | High levels of stress and anxiety |
| Alvares | 2020 | Brazil | 100 | 18-25 | Male | Qualitative | High levels of stress and anxiety |

FIGURE 74

MLFSALLLEVIWILAADGGQHWTYEGPHGQDHPASYPECGNNAQSPIDIQTDSVTFDPDLPALQ
PHGYDQPGTEPLDLHNNGHTVQLSLPSTLYLGGLPRKYVAAQLHLHWGQKGSPGGSEHQINSEAT
FAELHIVHYDSDSYDSLSEAERPQGLAVLGILIEVGETKNIAYEHILSHLHEVRHKDQKTSVPP
FNLRELLPKQLGQYFRYNGSLTTPCYQSVLWTVFYRRSQISMEQLEKLQGTLFSTEEEPSKLLV
QNYRALQPLNQRMVFASFIQAGSSYTTGEMLSLGVGILVGCLCLLLAVYFIARKIRKKRLNRKS
VVFTSAQATTEA

Important features of the protein:

Signal peptide:

amino acids 1-15

Transmembrane domain:

amino acids 291-310

N-glycosylation site.

amino acids 213-216

Eukaryotic-type carbonic anhydrases proteins

amino acids 197-245, 104-140, 22-69

FIGURE 75

TGCCGCTGCCGCCGCTGCTGCTGTTGCTCCTGGCGGCGCCTTGGGGACGGGCAGTTCCCTGTGTC
TCTGGTGGTTTGCCTAAACCTGCAAACATCACCTTCTTATCCATCAACATGAAGAATGTCCTACA
ATGGACTCCACCAGAGGGTCTTCAAGGAGTTAAAGTTACTTACACTGTGCAGTATTTTCATCACAA
ATTGGCCCACCAGAGGTGGCACTGACTACAGATGAGAAGTCCATTTCTGTTGTCCTGACAGCTCC
AGAGAAGTGGAAGAGAAATCCAGAAGACCTTCTGTTTCCATGCAACAAATATACTCCAATCTGA
AGTATAACGTGTCTGTGTTGAATACTAAATCAAACAGAACGTGGTCCCAGTGTGTGACCAACCAC
ACGCTGGTGCTCACCTGGCTGGAGCCGAACACTCTTTACTGCGTACACGTGGAGTCCCTTCGTCCC
AGGGCCCCCTCGCCGTGCTCAGCCTTCTGAGAAGCAGTGTGCCAGGACTTTGAAAGATCAATCAT
CAGAGTTCAAGGCTAAATCATCTTCTGGTATGTTTTGCCCATATCTATTACCGTGTTCCTTTT
TCTGTGATGGGCTATTCCATCTACCGATATATCCACGTTGGCAAAGAGAAACACCCAGCAAATTT
GATTTTGATTTATGGAATGAATTTGACAAAAGATTCTTTGTGCCTGCTGAAAAATCGTGATTA
ACTTTATCACCTCAATATCTCGGATGATTCTAAAATTTCTCATCAGGATATGAGTTTACTGGGA
AAAAGCAGTGATGTATCCAGCCTTAATGATCCTCAGCCCAGCGGGAACCTGAGGCCCCCTCAGGA
GGAAGAGGAGGTGAAACATTTAGGGTATGCTTCGCATTTGATGGAAATTTTTTGTGACTCTGAAG
AAAACACGGAAGGTACTTCTCTCAGCCAGCAAGAGTCCCTCAGCAGAACATACCCCCGGATAAA
ACAGTCATTGAATATGAATATGATGTCAGAACCCTGACATTTGTGCGGGGCCTGAAGAGCAGGA
GCTCAGTTTGCAGGAGGAGGTGTCCACACAAGGAACATTATTGGAGTCGCAGGCAGCGTTGGCAG
TCTTGGGCCCCGAAACGTTACAGTACTCATACACCCCTCAGCTCCAAGACTTAGACCCCTGGCG
CAGGAGCACACAGACTCGGAGGAGGGGCCGGAGGAAGAGCCATCGACGACCTGGTTCGACTGGGA
TCCCCAACTGGCAGGCTGTGTATTCTTCGCTGTCCAGCTTCGACCAGGATTAGAGGGCTGCG
AGCCTTCTGAGGGGGATGGGCTCGGAGAGGAGGGTCTTCTATCTAGACTCTATGAGGAGCCGGCT
CCAGACAGGCCACCAGGAGAAAAATGAAACCTATCTCATGCAATTCATGGAGGAATGGGGGTATA
TGTGCAGATGGAAACTGATGCCAACACTTCTTTTGCCTTTTGTTCCTGTGCAACAAGTGAG
TCACCCCTTTGATCCAGCCATAAAGTACCTGGGATGAAAGAAGTTTTTCCAGTTTGTGAGTGT
CTGTGAGAATTACTTATTTCTTTCTCTATTCTCATAGCACGTGTGTGATTGGTTTCATGCATGTA
GGTCTCTTAACAATGATGGTGGGCTCTGGAGTCCAGGGGCTGGCCGGTTGTTCTATGCAGAGAA
AGCAGTCAATAAATGTTTGCCAGACTGGGTGCAGAATTTATTCAGGTGGGTGT

FIGURE 76

MSYNGLHQRVFKELKLLTLCSSISQIGPPEVALTTDEKSSISVVLTAPEKWKRNPEDLPVSMQQIY
SNLKYNVSVLNTKSNRTWSQCVTNHTLVLTWLEPNTLYCVHVESFVPGPPRAQPSEKQCARTLK
DQSSEFKAKIIFWYVLPISITVFLFSVMGYSIYRIHVGKEKHPANLILYGNEDKRFFVPAEK
IVINFITLNISSDKISHQDMSLLGKSSDVSSLNDPQPSGNLRPPQEEEEVKHLGYASHLMEIFC
DSEENTEGTSLTQQESLSRTIPDPKTVIEYDYVRTTDICAGPEEQELSLQEEVSTQGTLLESQA
ALAVLGPQTLQYSYTPQLQDLPLAQEHTDSEEGPEEPSTTLVDWDPQTGRLCIPSLSSFDQDS
EGCEPSEGDGLGEEGLLSRLYEPPAPDRPPGENETYLMQFMEEWGLYVQMEN

Important features:

Signal peptide:

amino acids 1-28

Transmembrane domain:

amino acids 140-163

N-glycosylation sites.

amino acids 71-74, 80-83, 89-92, 204-207, 423-426

FIGURE 77

GAGGAGCGGGCCGAGGACTCCAGCGTGCCAGGTCTGGCATCCTGCACTTGCTGCCCTCTGACAC
CTGGGAAGATGCGCGCCCGTGGACCTTCACCCTTCTCTGTGGTTTGCTGGCAGCCACCTTGATC
CAAGCCACCCTCAGTCCCAGTGCAGTTCTCATCCTCGGCCCCAAAAGTCATCAAAGAAAAGCTGAC
ACAGGAGCTGAAGGACCACAACGCCACCAGCATCCTGCAGCAGCTGCCGCTGCTCAGTGCCATGC
GGGAAAAGCCAGCCGGAGGCATCCCTGTGCTGGGCAGCCTGGTGAACACCGTCTGAAGCACATC
ATCTGGCTGAAGGTCATCACAGCTAACATCCTCCAGCTGCAGGTGAAGCCCTCGGCCAATGACCA
GGAGCTGCTAGTCAAGATCCCCCTGGACATGGTGGCTGGATTCAACACGCCCTTGGTCAAGACCA
TCGTGGAGTTCCACATGACGACTGAGGCCCAAGCCACCATCCGCATGGACACCAGTGCAAGTGGC
CCCACCCGCTGGTCTCAGTGACTGTGCCACCAGCCATGGGAGCCTGCGCATCCAAGTCTGTGTA
TAAGCTCTCCTTCCTGGTGAACGCCTTAGCTAAGCAGGTGATGAACCTCCTAGTGCCATCCCTGC
CCAATCTAGTGAAAAACCAGCTGTGTCCCGTGATCGAGGCTTCCTTCAATGGCATGTATGCAGAC
CTCCTGCAGCTGGTGAAGGTGCCCATTTCCCTCAGCATTGACCGTCTGGAGTTTGACCTTCTGTA
TCCTGCCATCAAGGGTGACACCATTAGCTCTACCTGGGGGCCAAGTTGTTGGACTCACAGGGAA
AGGTGACCAAGTGGTTCAATAACTCTGCAGCTTCCCTGACAATGCCACCCTGGACAACATCCCG
TTCAGCCTCATCGTGAGTCAGGACGTGGTGAAGCTGCAGTGGCTGCTGTGCTCTCTCCAGAAGA
ATTGATGGTCTGTTGGACTCTGTGCTTCCCTGAGAGTGCCCATCGGCTGAAGTCAAGCATCGGGC
TGATCAATGAAAAGGCTGCAGATAAGCTGGGATCTACCCAGATCGTGAAGATCCTAACTCAGGAC
ACTCCCGAGTTTTTTATAGACCAAGGCCATGCCAAGGTGGCCCAACTGATCGTGCTGGAAGTGT
TCCCTCCAGTGAAGCCCTCGGCCCTTTGTTACCCTGGGCATCGAAGCCAGCTCGGAAGCTCAGT
TTTACACCAAAGGTGACCAACTTATACTCAACTGAATAACATCAGCTCTGATCGGATCCAGCTG
ATGAACTCTGGGATTGGCTGGTTCCAACCTGATGTTCTGAAAAACATCATCACTGAGATCATCCA
CTCCATCCTGCTGCCGAACCAGAATGGCAAATTAAGATCTGGGGTCCCAGTGTCATTGGTGAAGG
CCTTGGGATTGAGGCAGCTGAGTCTCACTGACCAAGGATGCCCTTGTGCTTACTCCAGCCTCC
TTGTGGAAACCCAGCTCTCCTGTCTCCAGTGAAGACTTGATGGCAGCCATCAGGGAAGGCTGG
GTCCAGCTGGGAGTATGGGTGTGAGCTCTATAGACCATCCCTCTCTGCAATCAATAAACACTTG
CCTGTGAAAAA

FIGURE 78

MAGPWTFTLLCGLLAATLIQATLSPTAVLILGPKVKEKLTQELKDHNATSILQQPLLSAMREK
PAGGIPVLGSLVNTVLKHIIWLKVITANILQLVKPSANDQELLVKIPLDMVAGFNTPLVKTIVE
FHMTEAQATIRMDTSASGPTRLVLSDCATSHGSLRIQLLYKLSFLVNALAKQVMNLLVPSLPNL
VKNQLCPVIEASFNGMYADLLQLVKVPISLSIDRLEFDLLYPAIKGDTIQLYLGAKLLDSQGKVT
KWFNNSAASLTMTPLDNIPFSLIVSQDVVKAAVAVALSPEEFMVLLDSVLPESAHLKSSIGLIN
EKAADKLGSTQIVKILTQDTPEFFIDQGHAKVAQLIVLEVFPSSALRPLFTLGIEASSEAQFYT
KGDQLILNLNNISSDRIQLMNSGIGWFQPDVLKNIITEIIHSILLPNQNGKLRSGVPVSLVKALG
FEAAESSLTKDALVLTASLWKPSSPVSQ

Important features of the protein:

Signal peptide:

amino acids 1-21

N-glycosylation sites.

amino acids 48-51, 264-267, 401-404

Glycosaminoglycan attachment site.

amino acids 412-415

LBP / BPI / CETP family proteins.

amino acids 407-457

FIGURE 79

GAGAGAAGTCAGCCTGGCAGAGAGACTCTGAAATGAGGGATTAGAGGTGTTCAAGGAGCAAGAGC
TTCAGCCTGAAGACAAGGGAGCAGTCCCTGAAGACGCTTCTACTGAGAGGTCTGCCATGGCCTCT
CTTGGCCTCCAACCTTGTGGGCTACATCCTAGGCCTTCTGGGGCTTTTGGGCACACTGGTTGCCAT
GCTGCTCCCCAGCTGGAAAACAAGTTCTTATGTCGGTGCCAGCATTGTGACAGCAGTTGGCTTCT
CCAAGGGCCTCTGGATGGAATGTGCCACACACAGCACAGGCATCACCCAGTGTGACATCTATAGC
ACCCCTTCTGGGCCTGCCCCGTGACATCCAGGCTGCCCAGGCCATGATGGTGACATCCAGTGCAAT
CTCCTCCCTGGCCTGCATTATCTCTGTGGTGGGCATGAGATGCACAGTCTCTGCCAGGAATCCC
GAGCCAAAGACAGAGTGGCGGTAGCAGGTGGAGTCTTTTTTCATCCTTGGAGGCCTCCTGGGATT
ATTCTGTGCTGGAATCTTTCATGGGATCCTACGGGACTTCTACTCACCAGTGGTGCCTGACAG
CATGAAATTTGAGATTGGAGAGGCTCTTTACTTGGGCATTATTTCTTCCCTGTTCTCCCTGATAG
CTGGAATCATCCTCTGCTTTTCTGCTCATCCCAGAGAAATCGCTCCAATACTACGATGCCTAC
CAAGCCCAACCTCTTGCCACAAGGAGCTCTCCAAGGCCTGGTCAACCTCCCAAAGTCAAGAGTGA
GTTCAATTCCTACAGCCTGACAGGGTATGTGTGAAAGAACCAGGGGCCAGAGCTGGGGGTGGCTG
GGTCTGTGAAAAACAGTGGACAGCACCCCGAGGGCCACAGGTGAGGGACACTACCACTGGATCGT
GTCAGAAGGTGCTGCTGAGGATAGACTGACTTTGGCCATTGGATTGAGCAAAGGCAGAAATGGGG
GCTAGTGTAACAGCATGCAGGTTGAATTGCCAAGGATGCTCGCCATGCCAGCCTTTCTGTTTTCC
TCACCTTGCTGCTCCCCCTGCCCTAAGTCCCCAACCTCAACTTGAAACCCCATTCCTTAAGCCA
GGACTCAGAGGATCCCTTTGCCCTCTGGTTTACCTGGGACTCCATCCCCAACCCACTAATCACA
TCCCACTGACTGACCCTCTGTGATCAAAGACCCTCTCTCTGGCTGAGGTTGGCTCTTAGCTCATT
GCTGGGGATGGGAAGGAGAAGCAGTGGCTTTTGTGGGCATTGCTCTAACCTACTTCTCAAGCTTC
CCTCCAAAGAACTGATTGGCCCTGGAACCTCCATCCCCTCTTGTTATGACTCCACAGTGTCCA
GACTAATTTGTGCATGAACTGAAATAAAACCATCCTACGGTATCCAGGGAACAGAAAGCAGGATG
CAGGATGGGAGGACAGGAAGGCAGCCTGGGACATTTAAAAAATA

FIGURE 8o

MASLGLQLVGYYLGLLGLLGLTLVAMLLPSWKTSSYVGASIVTAVGFSKGLWMECATHSTGITQCD
IYSTLLGLPADIQAAQAMMVTSSAISLACIISVVGMRCTVFCQESRAKDRVAVAGGVFFILGGL
LGFIPVAVNLHGILRDFYSPLVPDSMKFEIGEALYLGIISSLSLIAGIILCFSCSSQRNRSNYY
DAYQAQPLATRSSPRPGQPPKVKSEFNYSYSLTGYV

Important features of the protein:

Signal peptide:

amino acids 1-24

Transmembrane domains:

amino acids 82-102, 117-140, 163-182

N-glycosylation site.

amino acids 190-193

PMP-22 / EMP / MP20 family proteins.

amino acids 46-59

FIGURE 81

CCCACGCGTCCGCGCCTCTCCCTTCTGCTGGACCTTCCTTCGTCTCTCCATCTCTCCCTCCTTTC
CCCGCGTTCTCTTTCCACCTTTCTCTTCTTCCACCTTAGACCTCCCTTCCTGCCCTCCTTTCCT
GCCCACGCTGCTTCTTGGCCCTTCTCCGACCCGCTCTAGCAGCAGACCTCCTGGGGTCTGTGG
GTTGATCTGTGGCCCTGTGCCTCCGTGTCTTTTCGTCTCCCTTCCTCCCGACTCCGCTCCGG
ACCAGCGCCTGACCCTGGGGAAAGCATGTTCCCGAGGTGAGGGTCCTCTCCTCCTTGCTGGGA
CTCGCGTGTCTGGTTCCCCCTGGACTCCCACGCTCGAGCCCGCCAGACATGTTCTGCCTTTT
CCATGGGAAGAGATACTCCCCGGCGAGAGCTGGCACCCCTACTTGGAGCCACAAGGCCTGATGT
ACTGCCTGCGCTGTACCTGCTCAGAGGGCGCCCATGTGAGTTGTTACCGCCTCCACTGTCCGCCT
GTCCACTGCCCCCAGCCTGTGACGGAGCCACAGCAATGCTGTCCCAAGTGTGTGGAACCTCACAC
TCCCTCTGGACTCCGGGCCCCACCAAAGTCCTGCCAGCACAAACGGGACCATGTACCAACACGGAG
AGATCTTCAGTGCCCATGAGCTGTTCCCTCCCGCTGCCCAACAGTGTGTCTCTGCAGCTGC
ACAGAGGGCCAGATCTACTGCGGCTCACAACCTGCCCCGAACAGGCTGCCAGCACCCCTCCC
ACTGCCAGACTCCTGCTGCCAAGCTGCAAAGATGAGGCAAGTGAGCAATCGGATGAAGAGGACA
GTGTGCAGTCGCTCCATGGGGTGAGACATCTCAGGATCCATGTTCCAGTGATGCTGGGAGAAAG
AGAGGGCCCGGCGACCCAGCCCCACTGGCCTCAGCGCCCCCTCTGAGCTTCATCCCTCGCCACTT
CAGACCCAAGGGAGCAGGCAGCACAACCTGTCAAGATCGTCCTGAAGGAGAAACATAAGAAAGCCT
GTGTGCATGGCGGGAAGACGTACTCCCACGGGGAGGTGTGGCACCCGGCCTTCCGTGCCTTCGGC
CCCTTGCCCTGCATCTATGCACCTGTGAGGATGGCCGCCAGGACTGCCAGCGTGTGACCTGTCC
CACCGAGTACCCCTGCCGTACCCCCGAGAAAGTGGCTGGGAAGTGCTGCAAGATTTGCCCAGAGG
ACAAAGCAGACCCTGGCCACAGTGAGATCAGTTCTACCAGGTGTCCAAGGCACCGGGCCGGGTC
CTCGTCCACACATCGGTATCCCCAAGCCCAGACAACCTGCGTCGCTTTGCCCTGGAACACGAGGC
CTCGGACTTGGTGGAGATCTACCTCTGGAAGCTGGTAAAAGATGAGGAACTGAGGCTCAGAGAG
GTGAAGTACCTGGCCCAAGGCCACACAGCCAGAATCTTCCACTTGACTCAGATCAAGAAAGTCAG
GAAGCAAGACTTCCAGAAAGAGGCACAGCACTTCCGACTGCTCGCTGGCCCCACGAAGGTCACT
GGAACGTCTTCCTAGCCCAGACCCTGGAGCTGAAGGTCACGGCCAGTCCAGACAAAGTGACCAAG
ACATAACAAAGACCTAACAGTTGCAGATATGAGCTGTATAATTGTTGTTATTATATATTAATAAA
TAAGAAGTTGCATTACCCTCAAAAAAAAAAAAAAAAAAAAAA

FIGURE 82

MVPEVRVLSSLLGLALLWFPLDSHARARPD MFCLFHGKRYSPGESWHPYLEPQGLMYCLRCTCSE
GAHVSCYRLHCPPVHCPQPVTEPQQCCPKCVEPHTPSGLRAPPKSCQHNGTMYQHGEIFSAHEL F
PSRLPNQCVLCSCTEGQIYCGLTTCPEPGCPAPLPLPDSCCQACKDEASEQSDEEDSVQSLHGVR
HPQDPCSSDAGRKRGPPTPAPTGLSAPLSFIPRHFRPKGAGSTTVKIVLKEKHKKACVHGGKTYS
HGEVWHPAFRAFGPLPCILCTCEDGRQDCQRVTCPT EYPCRHPKVAGKCKICPEDKADPGHSE
ISSTRCPKAPGRVLVHTSVSPSPDNLRRFALEHEASDLVEIYLWKLVKDEETEAQRGEVPGPRPH
SQNLPLDSDQESQEARLPERGTALPTARWPPRRSLERLPSDPGAEGHGQSRQSDQDITKT

Signal peptide:

amino acids 1-25

FIGURE 83

GACAGCTGTGTCTCGATGGAGTAGACTCTCAGAACAGCGCAGTTTGCCCTCCGCTCAGCAGAGCCTCTCC
 GTGGCTTCCGCACCTTGAGCATTAGGCCAGTTCTCCTCTTCTCTCTAATCCATCCGTCACCTCTCCTGTCA
 TCCGTTTCCATGCCGTGAGGTCCATTACAGAACACATCCATGGCTCTCATGCTCAGTTTGGTTCTGAGTC
 TCCTCAAGCTGGGATCAGGGCAGTGGCAGGTGTTTGGGCCAGACAAGCCTGTCCAGGCCTTGGTGGGGGAG
 GACGCAGCATTCTCCTGTTTCTGTCTCCTAAGACCAATGCAGAGGCCATGGAAGTGCAGTTCTTCAGGGG
 CCAGTTCTCTAGCGTGGTCCACCTCTACAGGGACGGGAAGGACCAGCCATTTATGCAGATGCCACAGTATC
 AAGGCAGGACAAAACCTGGTGAAGGATTCTATTGCGGAGGGGCGCATCTCTCTGAGGCTGGAACCACTTACT
 GTGTTGGATGCTGGCCTCTATGGGTGCAGGATTAGTTCAGTCTTACTACCAGAAGGCCATCTGGGAGCT
 ACAGGTGTGAGCACTGGGCTCAGTTCTCTCATTTCCATCACGGGATATGTTGATAGAGACATCCAGCTAC
 TCTGTGCTCCTCGGGCTGGTTCCTCCCGGCCACAGCGAAGTGGAAGGTCCACAAGGACAGGATTTGTCC
 ACAGACTCCAGGACAAACAGAGACATGCATGGCCTGTTTGATGTGGAGATCTCTCTGACCGTCCAAGAGAA
 CGCCGGGAGCATATCCTGTTCATGCGGCATGCTCATCTGAGCCGAGAGGTGGAATCCAGGGTACAGATAG
 GAGATACCTTTTTTCGAGCCTATATCGTGGCACCTGGCTACCAAAGTACTGGGAATACTCTGCTGTGGCCTA
 TTTTTTGGCATTGTTGGACTGAAGATTTTCTTCTCCTCAAATCCAGTGGAACATCCAGGCGAACTGGACTG
 GAGAAGAAAGCACGGACAGGCAGAAATTGAGAGACGCCCGGAAACACGCAGTGAGGTGACTCTGGATCCAG
 AGACGGCTCACCCGAAGCTCTGCGTTTCTGATCTGAAACTGTAACCCATAGAAAAGCTCCCCAGGAGGTG
 CCTCACTCTGAGAAGAGATTACAAAGGAAGAGTGTGGTGGCTTCTCAGAGTTTCCAAGCAGGGAACATTA
 CTGGGAGGTGGACGGAGGACACAATAAAAGGTGGCGCGTGGGAGTGTGCCGGGATGATGTGGACAGGAGGA
 AGGAGTACGTGACTTTGTCTCCCGATCATGGGTACTGGGTCTCAGACTGAATGGAGAACATTTGTATTTT
 ACATTAAATCCCCGTTTTATCAGCGTCTTCCCCAGGACCCACCTACAAAATAGGGGTCTTCTCTGGACTA
 TGAGTGTGGGACCATCTCCTTCTTCAACATAAATGACCAGTCCCTTATTTATACCCTGACATGTCCGTTTG
 AAGGCTTATTGAGGCCCTACATTGAGTATCCGTCCTATAATGAGCAAAATGGAACCTCCCATAGTCACTGC
 CCAGTCACCCAGGAATCAGAGAAAGAGGCCTCTTGCCAAAGGGCCTCTGCAATCCCAGAGACAAGCAACAG
 TGAGTCTCTCTACAGGCAACCACGCCCTTCTCCCCAGGGGTGAAATGTAGGATGAATCACATCCCACAT
 TCTTCTTTAGGGATATTAAGGTCTCTCTCCAGATCCAAAGTCCCGCAGCAGCCGGCCAAGGTGGCTTCCA
 GATGAAGGGGACTGGCCTGTCCACATGGGAGTCAAGTGTCTATGGCTGCCCTGAGCTGGGAGGGAAGAAGG
 CTGACATTACATTTAGTTTGCTCTCACTCCATCTGGCTAAGTGATCTTGAAATACCACCTCTCAGGTGAAG
 AACCGTCAGGAATCCCATCTCACAGGCTGTGGTGTAGATTAAAGTAGACAAGGAATGTGAATAATGCTTAG
 ATCTTATTGATGACAGAGTGATCCTAATGGTTTGTTCATTATATTACACTTTCAGTAAAAAAA

FIGURE 84

MALMLSLVLSLLKLGSGQWQVFGDPKPVQALVGEDAAFSCLSPKTNAEAMEVRFFRGQFSSVVH
LYRDGKDQPFMQMPQYQGR TKLVKDSIAEGRISLRLENITVLDAGLYGCRISSQSYQKAIWELQ
VSALGSVPLISITGYVDRDIQLLCQSSGWFPRETA KWKGPGQDLSTDSRTNRDMHGLFDVEISL
TVQENAGSISCSMRHAHLSREVESRVQIGDTFFEPISWHLATKVLGILCCGLFFGIVGLKIFFSK
FQWKIQAELDWRRKHGQAELRDARKHAVEVTLDPETAHPKLCVSDLKTVTHRKA PQEVPHSEKRF
TRKSVVASQSFQAGKHYWEVDGGHNKRWRVGVCRDDVDRRKEYVTLSPDHGYWVLRNLNGEHLFT
LNPRFISVFPRTPTTKIGVFLDYECGTISFFNINDQSLIYTLTCRFEGLLRPYIEYPSYNEQNGT
PIVICPVTQESEKEASWQRASAI PETSNSESSSQATTPFLPRGEM

Signal peptide:

amino acids 1-17

Transmembrane domain:

amino acids 239-255

FIGURE 85

AACAGACGTTCCCTCGCGGCCCTGGCACCTCTAACCCAGACATGCTGCTGCTGCTGCCCCCT
GCTCTGGGGGAGGGAGAGGGCGGAAGGACAGACAAGTAACTGCTGACGATGCAGAGTTCCGTGA
CGGTGCAGGAAGGCCTGTGTGTCCATGTGCCCTGCTCCTTCTCCTACCCCTCGCATGGCTGGATT
TACCCTGGCCCAGTAGTTCATGGCTACTGGTTCCGGAAGGGGCCAATACAGACCAGGATGCTCC
AGTGGCCACAAACAACCCAGCTCGGGCAGTGTGGGAGGAGACTCGGGACCGATTCCACCTCCTTG
GGGACCCACATACCAAGAATTGCACCCCTGAGCATCAGAGATGCCAGAAGAAGTGATGCGGGGAGA
TACTTCTTTTCGTATGGAGAAAGGAAGTATAAAATGGAATTATAAACATCACCGGCTCTCTGTGAA
TGTGACAGCCTTGACCCACAGGCCCAACATCCTCATCCCAGGCACCCTGGAGTCCGGCTGCCCCC
AGAATCTGACCTGCTCTGTGCCCTGGGCCTGTGAGCAGGGGACACCCCTATGATCTCCTGGATA
GGGACCTCCGTGTCCCCCTGGACCCCTCCACCACCCGCTCCTCGGTGCTCACCTCATCCACA
GCCCCAGGACCATGGCACCAGCCTCACCTGTGAGGTGACCTTCCCTGGGGCCAGCGTGACCACGA
ACAAGACCGTCCATCTCAACGTGTCTACCCGCCTCAGAACTTGACCATGACTGTCTTCCAAGGA
GACGGCACAGTATCCACAGTCTTGGGAAATGGCTCATCTCTGTCACTCCCAGAGGGCCAGTCTCT
GCGCCTGGTCTGTGCAAGTTGATGCAAGTTGACAGCAATCCCCCTGCCAGGCTGAGCCTGAGCTGGA
GAGGCCTGACCCTGTGCCCTCACAGCCCTCAAACCCGGGGGTGCTGGAGCTGCCTTGGGTGCAC
CTGAGGGATGCAGCTGAATTCACCTGCAGAGCTCAGAACCCTCTCGGCTCTCAGCAGGTCTACCT
GAACGTCTCCCTGCAGAGCAAAGCCACATCAGGAGTGACTCAGGGGGTGGTCGGGGGAGCTGGAG
CCACAGCCCTGGTCTTCTGTCTTCTGCGTCATCTTCGTTGTAGTGAGGTCCTGCAGGAAGAAA
TCGGCAAGGCCAGCAGCGGGCGTGGGAGATACGGGCATAGAGGATGCAACGCTGTGAGGGGTTT
AGCCTCTCAGGGGCCCTGACTGAACCTTGGGCAGAAGACAGTCCCCCAGACCAGCCTCCCCCAG
CTTCTGCCCGCTCCTCAGTGGGGGAAGGAGAGCTCCAGTATGCATCCCTCAGCTTCCAGATGGTG
AAGCCTTGGGACTCGCGGGGACAGGAGGCCACTGACACCGAGTACTCGGAGATCAAGATCCACAG
ATGAGAAACTGCAGAGACTCACCTGATTGAGGGATCACAGCCCTCCAGGCAAGGGAGAAGTCA
GAGGCTGATTCTTGTAGAATTAACAGCCCTCAACGTGATGAGCTATGATAACACTATGAATTATG
TGCAGAGTGAAAAGCACACAGGCTTTAGAGTCAAAGTATCTCAAACCTGAATCCACACTGTGCC
TCCCTTTTATTTTTTAACTAAAAGACAGACAAATTCCTA

FIGURE 86

MLLLLLPLLWGRERAEGQTSKLLTMQSSVTVQEGLCVHVPCSFSYPSHGWIYPGPVVHGYWFREG
ANTDQDAPVATNNPARAVWEETRDRFHLLGDPHTKNCTLSIRDARRSDAGRYFFRMEKGSIKWNY
KHHRLSVNVTALTHRENILIPGTLESGCPQNLTCVWPWACEQGTTPMISWIGTSVSPDPSTTRS
SVLTLLIPQPDHGTSLTCQVTFPGASVTTNKTVHLNVSYPPQNLMTVFQGDGTVSTVLGNGSSL
SLPEGQSLRLVCAVDAVDSNPPARLSLSWRGLTLCPSQPSNPGVLELPWVHLRDAAEFTCRAQNP
LGSQQVYLNVSLSQKATSGVTQGVVGAGATALVFLSFCVIFVVVRSCRKKSARPAAGVGDGTGIE
DANAVRGSASQGPLEPWAEDSPPDQPPASARSSVGEGLQYASLSFQMKPWDSRGQEATDTE
YSEIKIHR

Signal peptide:

amino acids 1-15

Transmembrane domain:

amino acids 351-370

FIGURE 87

AGAAAGCTGCACTCTGTTGAGCTCCAGGGCGCAGTGGAGGGAGGGAGTGAAGGAGCTCTCTGTAC
CCAAGGAAAGTGCAGCTGAGACTCAGACAAGATTACAATGAACCAACTCAGCTTCCTGCTGTTTC
TCATAGCGACCACCAGAGGATGGAGTACAGATGAGGCTAATACTTACTTCAAGGAATGGACCTGT
TCTTCGTCTCCATCTCTGCCCAGAAGCTGCAAGGAAATCAAAGACGAATGTCCTAGTGCATTTGA
TGGCCTGTATTTTCTCCGCACTGAGAATGGTGTATCTACCAGACCTTCTGTGACATGACCTCTG
GGGGTGGCGGCTGGACCCTGGTGGCCAGCGTGCATGAGAATGACATGCGTGGGAAGTGCACGGTG
GGCGATCGCTGGTCCAGTCAGCAGGGCAGCAAAGCAGACTACCCAGAGGGGGACGGCAACTGGGC
CAACTACAACACCTTTGGATCTGCAGAGGCGGCCACGAGCGATGACTACAAGAACCCTGGCTACT
ACGACATCCAGGCCAAGGACCTGGGCATCTGGCACGTGCCCAATAAGTCCCCCATGCAGCACTGG
AGAAACAGCTCCCTGCTGAGGTACCGCACGGACACTGGCTTCCTCCAGACACTGGGACATAATCT
GTTTGGCATCTACCAGAAATATCCAGTGAAATATGGAGAAGGAAAGTGTGGACTGACAACGGCC
CGGTGATCCCTGTGGTCTATGATTTTGGCGACGCCAGAAAACAGCATCTTATTACTACCCCTAT
GGCCAGCGGGAATTCACTGCGGGATTTGTTTCAGTTCAGGGTATTTAATAACGAGAGAGCAGCCAA
CGCCTTGTGTGCTGGAATGAGGGTCACCGGATGTAACACTGAGCATCACTGCATTGGTGGAGGAG
GATACTTTCCAGAGGCCAGTCCCCAGCAGTGTGGAGATTTTCTGGTTTTGATTGGAGTGGATAT
GGAACATGTTGGTTACAGCAGCAGCCGTGAGATAACTGAGGCAGCTGTGCTTCTATTCTATCG
TTGAGAGTTTTGTGGGAGGGAACCCAGACCTCTCCTCCCAACCATGAGATCCCAAGGATGGAGAA
CAACTTACCCAGTAGCTAGAATGTTAATGGCAGAAGAGAAAACAATAAATCATATTGACTCAAGA
AAAAAA

FIGURE 88

MNQLSFLLFLIATTRGWSTDEANTYFKEWTCSSSPSLPRSCKEIKDECPSAFDGLYFLRTENGVI
YQTFCDMTSGGGGWTLVASVHENDMRGKCTVGDRWSSQQGSKADYPEGDGNWANYNTFGSAEAAT
SDDYKNPGYYDIQAKDLGIWHVPNKSPMQHWRNSSLLRYRTDTGFLQTLGHNLFGIYQKYPVKYG
EGKCWTDNGPVI PVVYDFGDAQKTASYSPYQGREFTAGFVQFRVFNNERAANALCAGMRVTGCN
TEHHCIGGGGYFPEASPPQCGDFSGFDWSGYGTHVGYSSSREITEAAVLLFYR

Important features:

Signal peptide:

amino acids 1-16

N-glycosylation site.

amino acids 163-167

Glycosaminoglycan attachment sites.

amino acids 74-78, 289-293

N-myristoylation sites.

amino acids 76-82, 115-121, 124-130, 253-259, 292-298

FIGURE 89

CTAGATTTGTCGGCTTGCGGGGAGACTTCAGGAGTCGCTGTCTCTGAACTTCCAGCCTCAGAGAC
CGCCGCCCTTGTCCCCGAGGGCCATGGGCCGGGTCTCAGGGCTTGTGCCCTCTCGCTTCCTGACG
CTCCTGGCGCATCTGGTGGTCGTCATCACCTTATTCTGGTCCCGGGACAGCAACATACAGGCCTG
CCTGCCTCTCACGTTACCCCCGAGGAGTATGACAAGCAGGACATTACAGCTGGTGGCCGCGCTCT
CTGTACCCCTGGGCCTCTTTGCAGTGGAGCTGGCCGGTTTCCTCTCAGGAGTCTCCATGTTCAAC
AGCACCAGAGCCTCATCTCCATTGGGGCTCACTGTAGTGCATCCGTGGCCCTGTCTTCTTCAT
ATTTCGAGCGTTGGGAGTGCACACGTATTGGTACATTTTTGTCTTCTGCAGTGCCCTTCAGCTG
TCACTGAAATGGCTTTATTTCGTACCGTCTTTGGGCTGAAAAAGAAACCCTTCTTGATTACCTTCA
TGACGGGAACCTAAGGACGAAGCCTACAGGGGCAAGGGCCGCTTCGTATTCCTGGAAGAAGGAAG
GCATAGGCTTCGGTTTTCCCTCGGAAACTGCTTCTGCTGGAGGATATGTGTTGGAATAATTACG
TCTTGAGTCTGGGATTATCCGCATTGTATTTAGTGCTTTGTAATAAAATATGTTTTGTAGTAACA
TTAAGACTTATATACAGTTTTAGGGGACAATTAAAAAAAAAAAA

FIGURE 90

MGRVSGLVPSRFLTLLAHLVVVITLFWSRDSNIQACLPLTFTPEEYDKQDIQLVAALSVTLGLFA
VELAGFLSGVSMFNSTQSLISIGAHCSASVALSFFIFERWECTTYWYIFVFCALPAVTEMALFV
TVFGLKKKPF

Transmembrane domain:

amino acids 12-28 (type II), 51-66, 107-124

APP ID=10063569

FIGURE 91

CTGGGACCCCGAAAAGAGAAGGGGAGAGCGAGGGGACGAGAGCGGAGGAGGAAGATGCAACTGAC
TCGCTGCTGCTTCGTGTTCTGGTGCAGGGTAGCCTCTATCTGGTCATCTGTGGCCAGGATGATG
GTCTTCCCGGCTCAGAGGACCTGAGCGTGATGACCACGAGGGCCAGCCCCGGCCCCGGGTGCCT
CGGAAGCGGGGCCACATCTCACCTAAGTCCCCCCCATGGCCAATTCCACTCTCCTAGGGCTGCT
GGCCCCGCTGGGGAGGCTTGGGGCATTCTTGGGCAGCCCCCAACGCCCGAACCACAGCCCCC
CACCTCAGCCAAGGTGAAGAAAATCTTTGGCTGGGGCGACTTCTACTCCAACATCAAGACGGTG
GCCCTGAACCTGCTCGTCACAGGAAGATTGTGGACCATGGCAATGGGACCTTCAGCGTCCACTT
CCAACACAATGCCACAGGCCAGGGAACATCTCCATCAGCCTCGTGCCCCCAGTAAAGCTGTAG
AGTTCACCAGGAACAGCAGATCTTCATCGAAGCCAAGGCCTCCAAAATCTTCAACTGCCGGATG
GAGTGGGAGAAGGTAGAACGGGGCCGCCGACCTCGCTTTGCACCCACGACCCAGCCAAGATCTG
CTCCCGAGACCACGCTCAGAGCTCAGCCACCTGGAGCTGCTCCAGCCCTTCAAAGTCGTCTGTG
TCTACATCGCCTTCTACAGCACGGACTATCGGCTGGTCCAGAAGGTGTGCCAGATTACAACACTAC
CATAGTGATACCCCCTACTACCCATCTGGGTGACCCCGGGCAGGCCACAGAGGCCAGGCCAGGGC
TGGAAGGACAGGCCTGCCCATGCAGGAGACCATCTGGACACCGGGCAGGGAAGGGGTGGGGCTC
AGGCAGGGAGGGGGGTGGAGACGAGGAGATGCCAAGTGGGGCCAGGGCCAAGTCTCAAGTGGCAG
AGAAAGGGTCCCAAGTGCTGGTCCCAACCTGAAGCTGTGGAGTGACTAGATCACAGGAGCACTGG
AGGAGGAGTGGGCTCTCTGTGCAGCCTCACAGGGCTTTGCCACGGAGCCACAGAGAGATGCTGGG
TCCCCGAGGCCTGTGGGCAGGCCGATCAGTGTGGCCCCAGATCAAGTCATGGGAGGAAGCTAAGC
CCTTGGTTCTTGCCATCCTGAGGAAAGATAGCAACAGGGAGGGGGAGATTTTCATCAGTGTGGACA
GCCTGTCAACTTAGGATGGATGGCTGAGAGGGCTTCCTAGGAGCCAGTCAGCAGGGTGGGGTGGG
GCCAGAGGAGCTCTCCAGCCCTGCCTAGTGGGCGCCCTGAGCCCCCTGTCTGTGTGCTGAGCATGG
CATGAGGCTGAAGTGGCAACCCTGGGGTCTTTGATGTCTTGACAGATTGACCATCTGTCTCCAGC
CAGGCCACCCCTTTCCAAAATTCCTCTTCTGCCAGTACTCCCCCTGTACCACCCATTGCTGATG
GCACACCCATCCTTAAGCTAAGACAGGACGATTGTGGTCTCCACACTAAGGCCACAGCCCATC
CGCGTGCTGTGTGTCCCTCTTCCACCCCAACCCTGCTGGCTCCTCTGGGAGCATCCATGTCCCG
GAGAGGGGTCCCTCAACAGTCAGCCTCACCTGTGAGACGGGGTCTCCCGGATCTGGATGGCGC
CGCCCTCTCAGCAGCGGGCACGGGTGGGGCGGGCGGGCCGAGAGCATGTGCTGGATCTGTTC
TGTGTGTCTGTCTGTGGGTGGGGGAGGGGAGGGAAGTCTTGTGAAACCGCTGATTGCTGACTTT
TGTGTGAAGAATCGTGTCTTGGAGCAGGAAATAAGCTTGCCCCGGGGCA

FIGURE 92

MQLTRCCFVFLVQGSLYLVICGQDDGPPGSEDPERDDHEGQPRPRVPRKRGHISPKSRPMANSTL
LGLLAPPGEAWGILGQPPNRPNHSPPPSAKVKKIFGWGDFYSNIKTVALNLLVTGKIVDHGNGTF
SVHFQHNATGQGNISISLVPPSKAVEFHQEQQIFIEAKASKIFNCRMEWEKVERGRRTSLCTHDP
AKICSRDHAQSSATWSCSQPFKVVVCVYIAFYSTDYRLVQKPCDYNHSDTPYYPSG

Important features of the protein:

Signal peptide:

amino acids 1-14

N-glycosylation sites.

amino acids 62-65, 127-130, 137-140, 143-146

2-oxo acid dehydrogenases acyltransferase

amino acids 61-71

FIGURE 93

CGGTGGCCATGACTGCGGCCGTGTTCTTCGGCTGCGCCTTCATTGCCTTCGGGCCTGCGCTCGCC
CTTTATGTCTTCACCATCGCCATCGAGCCGTTGCGTATCATCTTCCTCATCGCCGAGCTTTCTT
CTGGTTGGTGTCTCTACTGATTTTCGTCCCTTGTTGGTTCATGGCAAGAGTCATTATTGACAACA
AAGATGGACCAACACAGAAATATCTGCTGATCTTTGGAGCGTTTGTCTCTGTCTATATCCAAGAA
ATGTTCCGATTTGCATATTATAAACTCTTAAAAAAGCCAGTGAAGGTTTGAAGAGTATAAACCC
AGGTGAGACAGCACCCCTCTATGCGACTGCTGGCCTATGTTTCTGGCTTGGGCTTTGGAATCATGA
GTGGAGTATTTTCCTTTGTGAATACCCCTATCTGACTCCTTGGGGCCAGGCACAGTGGGCATTAT
GGAGATTCTCCTCAATTCTTCCTTTATTACAGCTTTCATGACGCTGGTCATTATCTTGCTGCATGT
ATTCTGGGGCATTGTATTTTTTGTGAGTGGCTGTGAGAAGAAAAAGTGGGGCATCCTCCTTATCGTTC
TCCTGACCCACCTGCTGGTGTGTCAGCCAGACCTTCATAAGTTCTTATTATGGAATAAACCTGGCG
TCAGCATTTATAATCCTGGTGTCTATGGGCACCTGGGCATTCTTAGCTGCGGGAGGCAGCTGCCG
AAGCCTGAAACTCTGCCTGCTCTGCCAAGACAAGAACTTTCTCTTTACAACCAGCGCTCCAGAT
AACCTCAGGGAACCAGCACTTCCCAAACCGCAGACTACATCTTTAGAGGAAGCACAACTGTGCCT
TTTTCTGAAAATCCCTTTTTCTGGTGAATTGAGAAAGAAATAAACTATGCAGATA

FIGURE 94

MTAAVFFGCAFIAGFPALALYVFTIAIEPLRIIFLIAGAFFWLVSLLISSLVWFMARVIIDNKDG
PTQKYLLIFGAFVSVYIQEMFRFAYYKLLKKASEGLKSINPGETAPSMRLAYVSGLGFGIMSGV
FSFVNTLSDSLGP GTVGIHGDS PQFFLYSAFMTLVIILLHVFWGIVFFDGCCKKWGILLIVLLT
HLLVSAQTFISSYYGINLASAFIILVLMGTWAEFLAAGGSCRSLKCLLCQDKNFLLYNQSR

Important features of the protein:

Signal peptide:

amino acids 1-19

Transmembrane domains:

amino acids 32-51, 119-138, 152-169, 216-235

Glycosaminoglycan attachment site.

amino acids 120-123

Sodium:neurotransmitter symporter family protein

amino acids 31-65

FIGURE 95

AATTTTTCACCAGAGTAAACTTGAGAAACCAACTGGACCTTGAGTATTGTACATTTTGCCTCGTG
GACCCAAAGGTAGCAATCTGAAACATGAGGAGTACGATTCTACTGTTTTGTCTTCTAGGATCAAC
TCGGTCATTACCACAGCTCAAACCTGCTTTGGGACTCCCTCCCACAAAACCTGGCTCCGGATCAGG
GAACACTACCAAACCAACAGCAGTCAAATCAGGTCTTTCCTTCTTTAAGTCTGATACCATTAAAC
CAGATGCTCACACTGGGGCCAGATCTGCATCTGTTAAATCCTGCTGCAGGAATGACACCTGGTAC
CCAGACCCACCCATTGACCTGGGAGGGTTGAATGTACAACAGCAACTGCACCCACATGTGTTAC
CAATTTTGTGCACACAACCTGGAGCCCAGGGCACTATCCTAAGCTCAGAGGAATTGCCACAAATC
TTCACGAGCCTCATCATCCATTCTGTTCCCGGGAGGCATCCTGCCACCAGTCAGGCAGGGGC
TAATCCAGATGTCCAGGATGGAAGCCTTCCAGCAGGAGGAGCAGGTGTAAATCCTGCCACCCAGG
GAACCCAGCAGGCCCGCTCCCAACTCCCAGTGGCACAGATGACGACTTTGCAGTGACCACCCCT
GCAGGCATCCAAAGGAGCACACATGCCATCGAGGAAGCCACCACAGAATCAGCAATGGAATTCA
GTAAGCTGTTTCAAATTTTTTCAACTAAGCTGCCTCGAATTGGTGATACATGTGAATCTTTATC
ATTGATTATATTATGGAATAGATTGAGACACATTGGATAGTCTTAGAAGAAATTAATCTTAATT
TACCTGAAAATATTCTTGAAATTTAGAAAATATGTTCTATGTAGAGAATCCCAACTTTTAAAAA
CAATAATTCAATGGATAAATCTGTCTTTGAAATATAACATTATGCTGCCTGGATGATATGCATAT
TAAACATATTTGGAAAACCTGGAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 96

MRSTILLFCLLGSTRSLPQLKPALGLPPTKLAPDQGTLPNQQQSNQVFPSLSLIPLTQM
LTLGPDHLHLLNPAAGMTPGTQTHPLTLGGLNVQQQLHPHVLPIFVTQLGAQGTILSSEE
LPQIFTSLLIHSLEPFGGILPTSQAGANPDVQDGSLPAGGAGVNPATQGTPAGRLPTPSG
TDDDFAVTTPAGIQRSTHAIEEATTESANGIQ

Signal peptide:

amino acids 1-16

FIGURE 97

GCTCAAGTGCCCTGCCTTGCCCCACCCAGCCAGCCCTGGCCAGAGCCCCCTGGAGAAGGAGCTCT
 CTTCTTGCTTGGCAGCTGGACCAAGGGAGCCAGTCTTGGGCGCTGGAGGGCCTGTCCTGACCATG
 GTCCCTGCCTGGCTGTGGCTGCTTTGTGTCTCCGTCCCCCAGGCTCTCCCAAGGCCAGCCTGC
 AGAGCTGTCTGTGGAAGTTCCAGAAAATATGGTGGAATTTCCCTTTATACCTGACCAAGTTGC
 CGTGCCCCGTGAGGGGGCTGAAGGCCAGATCGTGCTGTGAGGGGACTCAGGCAAGGCAACTGAG
 GGCCCATTTGCTATGGATCCAGATTCTGGCTTCTGCTGGTGACCAGGGCCCTGGACCCGAGAGGA
 GCAGGCAGAGTACCAGCTACAGGTACCCCTGGAGATGCAGGATGGACATGTCTTGTGGGGTCCAC
 AGCCTGTGCTTGTGACGTGAAGGATGAGAATGACCAGGTGCCCCATTTCTCTCAAGCCATCTAC
 AGAGCTCGGCTGAGCCGGGTACCAGGCCTGGCATCCCCCTTCTCTTCTTGGGCTTACAGCCG
 GGATGAGCCAGGCACAGCCAACCTCGGATCTTCGATTCCACATCCTGAGCCAGGCTCCAGCCAGC
 CTTCCCCAGACATGTTCCAGCTGGAGCCTCGGCTGGGGGCTCTGGCCCTCAGCCCCAAGGGGAGC
 ACCAGCCTTGACCACGCCCTGGAGAGGACCTACCAGCTGTTGGTACAGGTCAAGGACATGGGTGA
 CCAGGCCCTCAGGCCACAGGCCACTGCCACCGTGAAGTCTCCATCATAGAGAGCACCTGGGTGT
 CCCTAGAGCCTATCCACCTGGCAGAGAATCTCAAAGTCTATACCCGCACCACATGGCCCCAGGTA
 CACTGGAGTGGGGGTGATGTGCACTATCACCTGGAGAGCCATCCCCGGGACCCCTTGAAGTGAA
 TGCAGAGGGAAACCTTACGTGACCAGAGAGCTGGACAGAGAAGCCCAGGCTGAGTACCTGCTCC
 AGGTGCGGGCTCAGAAATCCCATGGCGAGGACTATGCGGCCCTCTGGAGCTGCACGTGCTGGTG
 ATGGATGAGAATGACAACGTGCCATCTGCCCCCTGACCCACAGTCAGCATCCCTGAGCT
 CAGTCCACCAGGTACTGAAGTACTAGACTGTGACAGAGGATGCAGATGCCCCGGCTCCCCCA
 ATTCCACGTTGTGTATCAGCTCCTGAGCCCTGAGCCTGAGGATGGGGTAGAGGGGAGAGCCTTC
 CAGGTGGACCCACTTCAGGCAGTGTGACGTGGGGGTGCTCCCACTCCGAGCAGGCCAGAACAT
 CCTGCTTCTGGTGTGGCCATGGACCTGGCAGGCGCAGAGGGTGGCTTCAGCAGCACGTGTGAAG
 TCGAAGTCGCAGTCACAGATATCAATGATCACGCCCCCTGAGTTCATCACTTCCAGATTGGGCCT
 ATAAGCCTCCCTGAGGATGTGGAGCCCCGGGACTCTGGTGGCCATGCTAACAGCCATTGATGCTGA
 CCTCGAGCCCGCTTCCGCTCATGGATTTTGCCATTGAGAGGGGAGACACAGAAGGACTTTTG
 GCCTGGATTGGGAGCCAGACTCTGGGCATGTTAGACTCAGACTCTGCAAGAACCTCAGTTATGAG
 GCAGCTCCAAGTCATGAGGTGGTGGTGGTGGTGCAGAGTGTGGCGAAGCTGGTGGGGCCAGGCCC
 AGGCCCTGGAGCCACCGCCACGGTGACTGTGCTAGTGGAGAGAGTGATGCCACCCCCAAGTTGG
 ACCAGGAGAGCTACGAGGCCAGTGTCCCATCAGTGCCCCAGCCGGCTCTTCTGCTGACCATC
 CAGCCCTCCGACCCCATCAGCCGAACCCCTCAGGTTCTCCCTAGTCAATGACTCAGAGGGCTGGCT
 CTGCATTGAGAAATTCCTGGGGAGGTGCACACCGCCAGTCCCTGCAGGGCGCCAGCCTGGGG
 ACACCTACACGGTGCTTGTGGAGGCCAGGATACAGCCCTGACTCTTGCCCTGTGCCCTCCCAA
 TACCTCTGCACACCCCGCCAAGACCATGGCTTGATCGTGAGTGAGCCAGCAAGGACCCCGATCT
 GGCCAGTGGGCACGGTCCCTACAGCTTACCCTTGGTCCCAACCCACGGTGCAACGGGATTGGC
 GCCTCCAGACTCTCAATGGTTCCCATGCCTACCTCACCTTGGCCCTGCATTGGGTGGAGCCAGT
 GAACACATAATCCCCGTGGTGGTGCACCAATGCCAGATGTGGCAGCTCCTGGTTTCGAGTGAT
 CGTGTGTCGCTGCAACGTGGAGGGGAGTGATGCGCAAGGTGGGCCGATGAAGGGCATGCCCA
 CGAAGCTGTGCGCAGTGGGCATCCTTGTAGGCACCTGGTAGCAATAGGAATCTTCTCATCCTC
 ATTTTCACCCACTGGACCATGTCAAGGAAGAAGGACCCGGATCAACCAGCAGACAGCGTGGCCCT
 GAAGGCGACTGTCTGAATGGGCCAGGCAGCTCTAGCTGGGAGCTTGGCCTCTGGCTCCATCTGAG
 TCCCCTGGGAGAGAGCCAGCACCCAAAGATCCAGCAGGGGACAGGACAGAGTAGAAGCCCCCTCA
 TCTGCCCTGGGGTGGAGGCACCATCACCATCACCAGGCATGTCTGCAGAGCCTGGACACCAACTT
 TATGGACTGCCCATGGGAGTGCTCCAAATGTGAGGTGTTTGCCCAATAATAAAGCCCCAGAGAA
 CTGGGCTGGGCCCTATGGGAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAG

FIGURE 98

MVPAWLWLLCVSPQALPKAQAELSVEVPENYGGNFPLYLTKLPLPREGAEGQIVLSGDSGKAT
EGPFAMDPDSGFLLVTRALDREEQAEYQLQVTLEMQDGHVLWGPQPVLVHVKDENDQVPHFSQAI
YRARLSRGTRPGIPFLFLEASDRDEPGTANSDLRFHILSQAPAQSPDMFQLEPRLGALALSPKG
STSLDHALERTYQLLVQVKMDGDAQSGHQATATVEVSI IESTWVSLEPIHLAENLKVLYPHHMAQ
VHWSGGDVHYHLESHPPGPFVNAEGNLYVTRELDREAQAEYLLQVRAQNSHGEDIAAPLELHVL
VMDENDNVPICPPRDPTVSIPELSPPGTEVTRLSAEDADAPGSPNSHVYQLLSPEPEDGVEGRA
FQVDPTSGSVTLGVLPLRAGONILLVLAMDLAGAEGGFSSTCEVEVAVTDINDHAPEFITSQIG
PISLPEDVEPGTLVAMLTADADLEPAFRLMDFAIERGDTEGTFGLDWEPDSGHVRLRLCKNLSY
EAAPSHEVVVVVQSVAKLVGPGPGGATATVTVLVERVMPPPKLDQESYEASVPISAPAGSFLLT
IQPSDPISRTLRFSLVNDSEGWLCIEKFSGEVHTAQSLQGAQPGDTYTVLVEAQDTALTAPVPS
QYLCTPRQDHGLIVSGPSKDPDLASGHGPYSFTLGPNPTVQRDWRLQTLNGSHAYLTALHWHVEP
REHIIIPVVVSHNAQMWQLLVRVIVCRCNVEGQCMRKVGRMKGMPTKLSAVGILVGTLLVAIGIFLI
LIFTHWTMSRKKDPDQPADSVPLKATV

Signal peptide:

amino acids 1-18

Transmembrane domain:

amino acids 762-784

FIGURE 99

GGCTGACCGTGCTACATTGCCTGGAGGAAGCCTAAGGAACCCAGGCATCCAGCTGCCCCACGCTG
AGTCCAAGATTCTTCCCAGGAACACAAACGTAGGAGACCCACGCTCCTGGAAGCACCAGCCTTTA
TCTCTTACCTTCAAGTCCCCTTTCTCAAGAATCCTCTGTCTTTGCCCTCTAAAGTCTTGGTAC
ATCTAGGACCCAGGCATCTTGCTTTCCAGCCACAAAGAGACAGATGAAGATGCAGAAAGGAAATG
TTCTCCTTATGTTTGGTCTACTATTGCATTTAGAAGCTGCAACAAATTCATGAGACTAGCACC
TCTGCCAACACTGGATCCAGTGTGATCTCCAGTGGAGCCAGCACAGCCACCAACTCTGGGTCCAG
TGTGACCTCCAGTGGGGTCAGCACAGCCACCATCTCAGGGTCCAGCGTGACCTCCAATGGGGTCA
GCATAGTCACCAACTCTGAGTTCATACAACCTCCAGTGGGATCAGCACAGCCACCAACTCTGAG
TTCAGCACAGCGTCCAGTGGGATCAGCATAGCCACCAACTCTGAGTCCAGCACAACTCCAGTGG
GGCCAGCACAGCCACCAACTCTGAGTCCAGCACACCCTCCAGTGGGGCCAGCACAGTCCACCACT
CTGGGTCCAGTGTGACCTCCAGTGGAGCCAGCACTGCCACCAACTCTGAGTCCAGCACAGTGTCC
AGTAGGGCCAGCACTGCCACCAACTCTGAGTCTAGCACACTCTCCAGTGGGGCCAGCACAGCCAC
CAACTCTGACTCCAGCACAACTCCAGTGGGGCTAGCACAGCCACCAACTCTGAGTCCAGCACAA
CCTCCAGTGGGGCCAGCACAGCCACCAACTCTGAGTCCAGCACAGTGTCCAGTAGGGCCAGCACT
GCCACCAACTCTGAGTCCAGCACAACTCCAGTGGGGCCAGCACAGCCACCAACTCTGAGTCCAG
AACGACCTCCAATGGGGCTGGCACAGCCACCAACTCTGAGTCCAGCACAGCTCCAGTGGGGCCA
GCACAGCCACCAACTCTGACTCCAGCACAGTGTCCAGTGGGGCCAGCACTGCCACCAACTCTGAG
TCCAGCACGACCTCCAGTGGGGCCAGCACAGCCACCAACTCTGAGTCCAGCACGACCTCCAGTGG
GGCTAGCACAGCCACCAACTCTGACTCCAGCACAACTCCAGTGGGGCCGGCACAGCCACCAACT
CTGAGTCCAGCACAGTGTCCAGTGGGATCAGCACAGTCAACCAATTCTGAGTCCAGCACACCCTCC
AGTGGGGCCAACACAGCCACCAACTCTGAGTCCAGTACGACCTCCAGTGGGGCCAACACAGCCAC
CAACTCTGAGTCCAGCACAGTGTCCAGTGGGGCCAGCACTGCCACCAACTCTGAGTCCAGCACAA
CCTCCAGTGGGGTCAGCACAGCCACCAACTCTGAGTCCAGCACAACTCCAGTGGGGCTAGCACA
GCCACCAACTCTGACTCCAGCACAACTCCAGTGGGGCCAGCACAGCCACCAACTCTGAGTCTAG
CACAGTGTCCAGTGGGATCAGCACAGTCAACCAATTCTGAGTCCAGCACAACTCCAGTGGGGCCA
ACACAGCCACCAACTCTGGGTCCAGTGTGACCTCTGCAGGCTCTGGAACAGCAGCTCTGACTGGA
ATGCACACAACTTCCCATAGTGATCTACTGCAGTGTGAGGCAAAGCCTGGTGGGTCCCTGGT
GCCGTGGGAAATCTTCTCATCACCTGGTCTCGGTTGTGGCGGCCGTGGGGCTCTTTGCTGGGC
TCTTCTTCTGTGTGAGAAACAGCCTGTCCCTGAGAAACACCTTTAACACAGCTGTCTACCACCT
CATGGCCTCAACCATGGCCTTGGTCCAGGCCCTGGAGGGAATCATGGAGCCCCCACAGGCCAG
GTGGAGTCTTAAGTGTCTGGAGGAGACAGTATCATCGATAGCCATGGAGATGAGCGGGAGGA
ACAGCGGGCCCCTGAGCAGCCCCGGAAGCAAGTGGCGCATCTTTCAGGAAGGAAGAGACCTGGGCA
CCCAAGACCTGGTTTCTTTCATTTCATCCAGGAGACCCCTCCAGCTTTGTTTGAGATCCTGAA
AATCTTGAAGAAGGTATTCTCACCTTTCTTGCCTTTACCAGACACTGGAAAGAGAATACTATAT
TGCTCATTTAGCTAAGAAATAAATACATCTCATCTAACACACAGACAAAGAGAAGCTGTGCTTG
CCCCGGGTGGGTATCTAGCTCTGAGATGAAGTCACTTATAGGAGAAAACCTCCATGCTGGACTC
CATCTGGCATTCAAAATCTCCACAGTAAAATCCAAAGACCTCAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 100

MKMQKGNVLLMFGLLLHLEAATNSNETSTSANTGSSVISSGASTATNSGSSVTSSGVSTATISGS
SVTSNGVSIVTNSEFHTTSSGISTATNSEFSTASSGISIATNSESSTTSSGASTATNSESSTPSS
GASTVTNSGSSVTSSGASTATNSESSTVSSRASTATNSESSTLSSGASTATNSDSSTTSSGASTA
TNSESSTTSSGASTATNSESSTVSSRASTATNSESSTTSSGASTATNSESRTTNGAGTATNSES
STTSSGASTATNSDSSTVSSGASTATNSESSTTSSGASTATNSESSTTSSGASTATNSDSSTTSS
GAGTATNSESSTVSSGISTVTNSESSTPSSGANTATNSESSTTSSGANTATNSESSTVSSGASTA
TNSESSTTSSGVSTATNSESSTTSSGASTATNSDSSTTSSEASTATNSESSTVSSGISTVTNSES
STTSSGANTATNSGSSVTSAGSGTAALTGMHTTSHSASTAVSEAKPGGSLVPWEIFLITLVSVVA
AVGLFAGLFFCVRNLSLRNTFNTAVYHPGLNHGLGPGPGGNHGAPHRPRWSPNWFWRPVSII
AMEMSGRNSGP

Signal peptide:

amino acids 1-20

Transmembrane domain:

amino acids 510-532

FIGURE 101

GGCCGGACGCCTCCGCGTTACGGGATGAATTAACGGCGGGTTCGCGACGGAGGTTGTGACCCCTA
CGGAGCCCCAGCTTGCCACGCACCCCACTCGGCGTCGCGGGCGTGCCCTGCTTGTCACAGGTG
GGAGGCTGGAACATCAGGCTGAAAAACAGAGTGGGTACTCTCTTCTGGGAAGCTGGCAACAAAT
GGATGATGTGATATATGCATTCCAGGGGAAGGAAATTGTGGTGCTTCTGAACCCATGGTCAATT
AACGAGGCAGTTTCTAGCTACTGCACGTACTTCATAAAGCAGGACTCTAAAAGCTTTGGAATCAT
GGTGTGCATGGAAGGGATTACTTTATACTGACTCTGTTTTGGGGAAGCTTTTTTGAAGCATTT
TCATGCTGAGTCCCTTTTTTACCTTTGATGTTTGTAACCCATCTTGGTATCGCTGGATCAACAAC
CGCCTTGTGGCAACATGGCTCACCTACCTGTGGCATTATTGGAGACCATGTTTGGTGTAAAAGT
GATTATAACTGGGGATGCATTTGTTCTGGAGAAAGAAGTGTCAATTATCATGAACCATCGGACAA
GAATGGACTGGATGTTCTGTGGAATTGCCTGATGCGATATAGCTACCTCAGATTGGAGAAAATT
TGCCTCAAAGCGAGTCTCAAAGGTGTTCTGGATTGTTGGTGGGCCATGCAGGCTGCTGCCTATAT
CTTCATTCATAGGAAATGGAAGGATGACAAGAGCCATTTGGAAGACATGATTGATTACTTTTGTG
ATATTCACGAACCACTTCAACTCCTCATATCCCAGAAGGGACTGATCTCACAGAAAACAGCAAG
TCTCGAAGTAATGCATTTGCTGAAAAAATGGACTTCAGAAATATGAATATGTTTTACATCCAAG
AACTACAGGCTTTACTTTTGTGGTAGACCGTCTAAGAGAAGGTAAGAACCTTGATGCTGTCCATG
ATATCACTGTGGCGTATCCTCACAACATTCCTCAATCAGAGAAGCACCTCCTCCAAGGAGACTTT
CCCAGGGAAATCCACTTTACGTCCACCGGTATCCAATAGACACCCTCCCCACATCCAAGGAGGA
CCTTCAACTCTGGTGCCACAACCGTGGGAAGAGAAAGAAGAGAGGCTGCGTTCTTCTATCAAG
GGGAGAAGAATTTTTATTTTACCGGACAGAGTGTCAATCCACCTTGCAAGTCTGAACCTCAGGGTC
CTTGTGGTCAAATTGCTCTCTATACTGTATTGGACCCTGTTTCCAGCCCTGCAATGTGCCTACTCAT
ATATTTGTACAGTCTTGTTAAGTGGTATTTTATAATCACCATTGTAATCTTTGTGCTGCAAGAGA
GAATATTTGGTGGACTGGAGATCATAGAACTGTCATGTTACCGACTTTTACACAAACAGCCACAT
TTAAATTCAAAGAAAAATGAGTAAGATTATAAGGTTTGCCATGTGAAAACCTAGAGCATATTTTG
GAAATGTTCTAAACCTTTCTAAGCTCAGATGCATTTTTCATGACTATGTCGAATATTTCTTACT
GCCATCATTATTTGTTAAAGATATTTTGCACCTAATTTTGTGGGAAAAATATTGCTACAATTTT
TTAATCTCTGAATGTAATTTTGATACTGTGTACATAGCAGGGAGTGATCGGGGTGAAATAACTT
GGCCAGAATATTATTAAACAATCATCAGGCTTTTAAA

FIGURE 102

MHSRGREIVVLLNPWSINEAVSSYCTYFIKQDSKSFIMVSWKGIYFILTLFWGSFFGSIFMLSP
FLPLMFVNPSWYRWINNRLVATWLTLPVALLETMFGVKVIITGDAFVPGERSVIIMNHRTRMDWM
FLWNCIMRYSYLRLKICLKASLKGVPFGFWAMQAAAYIFIHRKWKDDKSHFEDMIDYFCDIHEP
LQLLI FPEGTDLTENSKSRSNFAEKNGLQKYEYVLHPRTTGFTFVVDRLREGKNLDAVHDITVA
YPHNIPQSEKHLLQGDFPREIHFBVHRYPIDTLPTSKE DLQLWCHKRWEEKEERLRSFYQGEKNF
YFTGQSVIPPCKSELRLVLVVKLLSILYWTLSFAMCLLIYLSLVKWFIIITIVIFVLQERIFGG
LEIIELACYRLLHKQPHLNSKKNE

Important features of the protein:

Signal peptide:

amino acids 1-22

Transmembrane domains:

amino acids 44-63, 90-108, 354-377

FIGURE 103

CGGCTCGAGCGGCTCGAGTGAAGAGCCTCTCCACGGCTCCTGCGCCTGAGACAGCTGGCCTGACC
TCCAAATCATCCATCCACCCCTGCTGTCTATCTGTTTTCATAGTGTGAGATCAACCCACAGGAATA
TCCATGGCCTTTTGTGCTCATTGTTGTTCTCAGTTTCTACGAGCTGGTGTGAGGACAGTGGCAAGT
CACTGGACCGGGCAAGTTTGTCCAGGCCTTGGTGGGGGAGGACGCCGTGTTCTCCTGCTCCCTCT
TTCCTGAGACCAGTGCAGAGGCTATGGAAGTGGCGTTCTTCAGGAATCAGTTCATGCTGTGGTC
CACCTCTACAGAGATGGGGAAGACTGGGAATCTAAGCAGATGCCACAGTATCGAGGGAGAAGTGA
GTTTGTGAAGGACTCCATTGCAGGGGGGCGTGTCTCTTAAGGCTAAAAACATCACTCCCTCGG
ACATCGGCCTGTATGGGTGCTGGTTCAGTTCCAGATTTACGATGAGGAGGCCACCTGGGAGCTG
CGGGTGGCAGCACTGGGCTCACTTCCTCTCATTCCATCGTGGGATATGTTGACGGAGGTATCCA
GTTACTCTGCCTGTCTCAGGCTGGTTCCTCCAGCCACAGCCAAGTGGAAAGGTCCACAAGGAC
AGGATTTGTCTTCAGACTCCAGAGCAAATGCAGATGGGTACAGCCTGTATGATGTGGAGATCTCC
ATTATAGTCCAGGAAAATGCTGGGAGCATATTGTGTTCCATCCACCTTGCTGAGCAGAGTCATGA
GGTGAATCCAAGGTATTGATAGGAGAGACGTTTTTCCAGCCCTCACCTTGCGCGCTGGCTTCTA
TTTTACTCGGGTTACTCTGTGGTGCCCTGTGTGGTGTGTCATGGGGATGATAATTGTTTTCTTC
AAATCCAAAGGGAAAATCCAGGCGGAACTGGACTGGAGAAGAAAGCACGGACAGGCAGAATTGAG
AGACGCCCGGAAACACGCAGTGGAGGTGACTCTGGATCCAGAGACGGCTCACCCGAAGCTCTGCG
TTTTCTGATCTGAAAATGTAACCATAGAAAAGCTCCCGAGGAGGTGCCCTCACTCTGAGAAGAGA
TTTACAAAGGAAGAGTGTGGTGGCTTCTCAGGGTTTCCAAGCAGGGAGACATTACTGGGAGGTGGA
CGTGGGACAAAATGTAGGGTGGTATGTGGGAGTGTGTCGGGATGACGTAGACAGGGGGAAGAACA
ATGTGACTTTGTCTCCCAACAATGGGTATTGGGTCTCAGACTGACAACAGAACATTTGTATTTC
ACATTCAATCCCCATTTTATCAGCCTCCCCCCCAGCACCCCTCCTACACGAGTAGGGGTCTTCCT
GGACTATGAGGGTGGGACCATCTCCTTCTTCAATACAAATGACCAGTCCCTTATTTATACCTGC
TGACATGTCAGTTTGAAGGCTTGTGTGAGACCTATATCCAGCATGCGATGTATGACGAGGAAAAG
GGGACTCCCATATTATATGTCCAGTGTCTGGGGATGAGACAGAGAAGACCCTGCTTAAAGGGC
CCCACACCACAGACCCAGACACAGCCAAGGGAGAGTGTCTCCGACAGGTGGCCCCAGCTTCCTCT
CCGGAGCCTGCGCACAGAGAGTACGCCCCCCTCTCCTTTAGGGAGCTGAGGTTCTTCTGCCC
TGAGCCCTGCAGCAGCGGCAGTCACAGCTTCCAGATGAGGGGGGATTGGCCTGACCCTGTGGGAG
TCAGAAGCCATGGCTGCCCTGAAGTGGGGACGGAATAGACTCACATTAGGTTTAGTTTGTGAAAA
CTCCATCCAGCTAAGCGATCTTGAACAAGTACAACCTCCAGGCTCCTCATTTGCTAGTCACGG
ACAGTGATTCCTGCCCTCAGAGTGAAGATTAAAGAGACAACGAATGTGAATCATGCTTGCAGGTT
TGAGGGCACAGTGTGTTGCTAATGATGTGTTTTTATATTATACATTTTCCCACCATAAACTCTGTT
TGCTTATTCACATTAATTTACTTTTCTCTATACCAAATCACCCATGGAATAGTTATTGAACACC
TGCTTTGTGAGGCTCAAAGAATAAAGAGGAGGTAGGATTTTTTCACTGATTCTATAAGCCCAGCAT
TACCTGATACCAAACAGGCAAAGAAAACAGAAGAAGAGGAAGGAAAACCTACAGGTCCATATCC
CTCATTAACACAGACACAAAATTTAAATAAAATTTTAAACAAATTAACTAAACAATATATTTA
AAGATGATATATACTACTCAGTGTGTTTGTCCACAAATGCAGAGTTGGTTTAAATTTAAAT
ATCAACCAGTGTAATTCAGCACATTAATAAAGTAAAAAAGAAAACCATAAAAAAAAAAAAAA

FIGURE 104

MAFVLILVLSFYELVSGQWQVTGPGKFVQALVGEDAVFSCSLFPETSAEAMEVRFFRNQFHAVVH
LYRDGEDWESKQMPQYRGRTEFVKDSIAGGRVSLRLKNITPSDIGLYGCWFSSQIYDEEATWELR
VAALGSLPLISIVGYVDGGIQLLCLSSGWFPQPTAKWKGPQGDLSSDSRANADGYSLYDVEISI
IVQENAGSILCSIHLAEQSHEVESKVLIGETFFQSPWRLASILLGLLCGALCGVVMGMIIVFFK
SKGKIQAELDWRRKHGQAELRDARKHAVEVTLDPETAHPKLCVSDLKTVTHRKAQEVPHSEKRF
TRKSVVASQGFQAGRHYWEVDVGQNVGWYVGVCRDDVDRGKNNVTLSPNNGYWVLRLTTEHLYFT
FNPHFISLPPSTPPTRVGVFLDYEGGTISFFNTNDQSLIYTLLTCQFEGLLRPYIQHAMYDEEKG
TPIFICPVSWG

Signal peptide:

amino acids 1-17

Transmembrane domains:

amino acids 131-150, 235-259

FIGURE 105

CCTTCACAGGACTCTTCATTGCTGGTTGGCAATGATGTATCGGCCAGATGTGGTGAGGGCTAGGAAAAGAG
TTTGTGGGAACCTGGGTTATCGGCCTCGTCATCTTCATATCCCTGATTGTCTGGCAGTGTGCATTGGA
CTCACTGTTCAATTATGTGAGATATAATCAAAGAAGACCTACAATTACTATAGCACATTGTCATTTACAAC
TGACAAACTATATGCTGAGTTTGGCAGAGAGGCTTCTAACAATTTTACAGAAATGAGCCAGAGACTTGAAT
CAATGGTGAAAAATGCATTTTATAATCTCCATTAAGGGAAGAATTTGTCAAGTCTCAGGTTATCAAGTTC
AGTCAACAGAAGCATGGAGTGTGGCTCATATGCTGTTGATTGTAGATTTCACTCTACTGAGGATCCTGA
AACTGTAGATAAAATTTGTTCAACTTGTTTTACATGAAAAGCTGCAAGATGCTGTAGGACCCCTAAAGTAG
ATCCTCACTCAGTTAAATTAATAAATCAACAAGACAGAAACAGACAGCTATCTAAACCATTGCTGCGGA
ACACGAAGAAGTAAACTCTAGGTGAGTCTCAGGATCGTTGGTGGGACAGAAGTAGAAGAGGGTGAATG
GCCCTGGCAGGCTAGCCTGCAGTGGGATGGGAGTCACTCGCTGTGGAGCAACCTTAATTAATGCCACATGGC
TTGTGAGTGTGCTCACTGTTTACAACATATAAGAACCTGCCAGATGGACTGCTTCTTTGGAGTAACA
ATAAAACCTTCGAAAATGAAACGGGGTCTCCGGAGAATAATTGTCCATGAAAAATACAAACCCCATCACA
TGACTATGATATTTCTCTTGCAAGCTTTCTAGCCCTGTTCCCTACACAAATGCAGTACATAGAGTTTGTG
TCCCTGATGCATCCTATGAGTTTCAACCAGGTGATGTGATGTTGTGACAGGATTTGGAGCACTGAAAAAT
GATGGTTACAGTCAAATCATCTTCGACAAGCACAGGTGACTCTCATAGACGCTACAACTTGCAATGAACC
TCAAGCTTACAATGACGCCATAACTCCTAGAATGTTATGTGCTGGCTCCTTAGAAGGAAAAACAGATGCAT
GCCAGGGTGACTCTGGAGGACCCTGGTTAGTTTCAAGATGCTAGAGATATCTGGTACCTTGCTGGAATAGTG
AGCTGGGAGATGAATGTGCGAAACCAACAAGCCTGGTGTTTATACTAGAGTTACGGCCTTGCGGGACTG
GATTACTTCAAAAACCTGGTATCTAAGAGACAAAAGCCTCATGGAACAGATAACATTTTTTTTTGTTTTT
GGTGTGGAGGCCATTTTAGAGATACAGAATTGGAGAAGACTTGCAAAACAGCTAGATTTGACTGATCTCA
ATAAACTGTTTGCTTGATGCATGTATTTCTTCCAGCTCTGTTCCGCACGTAAGCATCCTGCTTCTGCCA
GATCAACTCTGTCACTGTGAGCAATAGTTGAAACTTTATGTACATAGAGAAATAGATAATACAATATTAC
ATTACAGCCTGTATTCATTTGTTCTCTAGAAGTTTGTGAGAATTTTGACTTGTGACATAAATTTGTAAT
GCATATATACAATTTGAAGCACTCCTTTCTTCAGTTCTCAGCTCCTCTCATTTTCAAGCAATATCCATTT
TCAAGGTGCAGAACAAGGAGTGAAAGAAAATATAAGAAGAAAAAATCCCCTACATTTTATTGGCACAGAA
AAGTATTAGGTGTTTTCTTAGTGGAATATTAGAAATGATCATATTCAATTATGAAAGGTCAAGCAAAGACA
GCAGAATACCAATCACTTCATCATTTAGGAAGTATGGGAAGTAAAGTTAAGGAAGTCCAGAAAGAAGCCAAG
ATATATCCTTATTTTCATTTCCAAACAACTACTATGATAAATGTGAAGAAGATTCTGTTTTTTGTGACCT
ATAATAATTATACAACTTCATGCAATGTACTTGTCTAAGCAAATTAAGCAAATATTTATTTAACATTG
TACTGAGGATGTCAACATATAACAATAAATATAAATCACCCA

FIGURE 106

MMYRPDVVRARKRVCWEPWVIGLVIFISLIVLAVCIGLTVHYVRYNQKKTYNYYSTLSFTTDKLY
AEFGREASNNFTEMSQRLESMVKNAFYKSPLREEFVKSQKHGVLAHMLLICRFHSTED
PETVDKIVQLVLHEKLQDAVGPPKVDPHSVKIKKINKTETDSYLNHCCGTRRSKTLGQSLRIVGG
TEVEEGEWPWQASLQWDGSHRCGATLINATWLVSAAHCFTTYKNPARWTASFGVTIKPSKMKRGL
RRIIVHEKYKHPSHDYDISLAELSSPVPTYNAVHRVCLPDASYEFQPGDVMFVTGFGALKNDGYS
QNHLRQAQVTLIDATTCNEPQAYNDAITPRMLCAGSLEGKTDACQGDSSGGPLVSSDARDIWYLAG
IVSWGDECAKPNKPGVYTRVTALRDWITSKTGI

Transmembrane domain:

amino acids 21-40 (type II)

FIGURE 107

AGAGAAAGAAGCGTCTCCAGCTGAAGCCAATGCAGCCCTCCGGCTCTCCGCGAAGAAGTTCCCTG
CCCCGATGAGCCCCCGCCGTGCGTCCCCGACTATCCCAGGCGGGCGTGGGGCACCAGGGCCAGC
GCCGACGATCGCTGCCGTTTTGCCCTTGGGAGTAGGATGTGGTGAAAGGATGGGGCTTCTCCCTT
ACGGGGGCTCACAATGGCCAGAGAAGATTCCGTGAAGTGTCTGCGCTGCCTGCTCTACGCCCTCAA
TCTGCTCTTTTGGTTAATGTCCATCAGTGTGTTGGCAGTTTCTGCTTGGATGAGGGACTACCTAA
ATAATGTTCTCACTTTAACTGCAGAAACGAGGGTAGAGGAAGCAGTCATTTTGACTTACTTTCCT
GTGGTTTCATCCGGTCATGATTGCTGTTTGCTGTTTCTTATCATTGTGGGGATGTTAGGATATTG
TGAACGGTGAAAAGAAATCTGTTGCTTCTTGCAATGTTTGGAAAGTTTGGCTTGTCAATTTCT
GTGTAGAACTGGCTTGTGGCGTTTGGACATATGAACAGGAACCTTATGGTTCCAGTACAATGGTCA
GATATGGTCACTTTGAAAGCCAGGATGACAAATTATGGATTACCTAGATATCGGTGGCTTACTCA
TGCTTGGAAATTTTTTTCAGAGAGAGTTTAAAGTGTGTGGAGTAGTATATTTCACTGACTGGTTGG
AAATGACAGAGATGGACTGGCCCCCAGATTCTGCTGTGTGTAGAGAATCCCAGGATGTTCCAAA
CAGGCCACCAGGAAGATCTCAGTGACCTTTATCAAGAGGGTGTGGGAAGAAAATGTATTCCTT
TTTGAGAGGAACCAACAACATGCAGGTGCTGAGGTTTCTGGGAATCTCCATTGGGGTGACACAAA
TCCTGGCCATGATTCTCACCATTACTCTGCTCTGGGCTCTGTATTATGATAGAAGGGAGCTGGG
ACAGACCAATGATGTCCTTGAAGAATGACAACCTCTCAGCACCTGTCATGTCCCTCAGTAGAACT
GTTGAAACCAAGCCTGTCAAGAATCTTTGAACACACATCCATGGCAAACAGCTTTAATACACACT
TTGAGATGGAGGAGTTATAAAAAGAAATGTCACAGAAGAAAACCAAACTTGTTTTATTGGACT
TGTGAATTTTGTAGTACATACTATGTGTTTCAGAAATATGTAGAAATAAAAATGTTGCCATAAAA
TAACACCTAAGCATATACTATTCTATGCTTTAAATGAGGATGGAAAAGTTTCATGTCAATAAGTC
ACCACCTGGACAATAATTGATGCCCTTAAATGCTGAAGACAGATGTCATACCCACTGTGTAGCC
TGTGTATGACTTTTACTGAACACAGTTATGTTTTGAGGCAGCATGGTTTGATTAGCATTTCGCA
TCCATGCAAACGAGTCACATATGGTGGGACTGGAGCCATAGTAAAGGTTGATTACTTCTACCAA
CTAGTATATAAAGTACTAATTAAATGCTAACATAGGAAGTTAGAAAATACTAATAACTTTTATTA
CTCAGCGATCTATTCTCTGATGCTAAATAAATTATATATCAGAAAACCTTCAATATTGGTGACT
ACCTAAATGTGATTTTGTGCTGTTACTAAAATATTCTTACCCTTAAAAGAGCAAGCTAACACAT
TGTCTTAAGCTGATCAGGGATTTTTGTATATAAGTCTGTGTTAAATCTGTATAATTCAGTCGAT
TTCAGTTCTGATAATGTTAAGAATAACCATTATGAAAAGGAAAATTTGTCTGTATAGCATCATT
ATTTTTAGCCTTTCTGTTAATAAAGCTTTACTATTCTGTCTGGGCTTATATTACACATATAAC
TGTTATTTAAATACTTAACCACTAATTTTGAATAATACCAGTGTGATACATAGGAATCATTATTC
AGAATGTAGTCTGGTCTTTAGGAAGTATTAATAAGAAAATTTGCACATAACTTAGTTGATTGAGA
AAGACTTGTATGCTGTTTTCTCCCAAATGAAGACTCTTTTGGACACTAAACACTTTTTAAAAA
GCTTATCTTTGCCCTTCTCCAAACAAGAAGCAATAGTCTCCAAGTCAATATAAATCTACAGAAAA
TAGTGTCTTTTTCTCCAGAAAAATGCTTGTGAGAATCATTAAAAACATGTGACAATTTAGAGATT
CTTTGTTTTATTTCACTGATTAATATACTGTGGCAAATTACACAGATTATTAAATTTTTTTACAA
GAGTATAGTATATTTATTTGAAATGGGAAAAGTGCATTTTACTGTATTTTGTGATTTTGTGTTAT
TTCTCAGAAATATGGAAGAAAATTTAAATGTGTCAATAAATATTTCTAGAGAGTAA

FIGURE 108

MAREDSVKCLRCLLYALNLLFWLMSISVLAVSAWMRDYLNNVLTTLTAETRVEEAVILTYFPVVHP
VMIAVCCFLIIVGMLGYCGTVKRNLLLLAWYFGSLLVIFCVELACGVWTYEQELMVPVQWSDMVT
LKARMTNYGLPRYRWLTHAWNFFQREFKCCGVVYFTDWLEMTMDWPPDSCCVREFPGCSKQAHQ
EDLSDLYQEGCGKMYSLRGTKQLQVLRFLGISIGVTQILAMILTITLLWALYYDRREPQTDQM
MSLKNDNSQHLSCPSVELLKPSLSRIFEHTSMANSFNTHFEMEEL

Signal peptide:

amino acids 1-33

Transmembrane domains:

amino acids 12-35, 57-86, 94-114, 226-248

FIGURE 109

CCAAGGCCAGAGCTGTGGACACCTTATCCCACTCATCTCATCTCTTCTCTGATAAAGCCCTTACCAGTGCT
 GATAAAGTCTTTCTCGTGAGAGCCTAGAGGCCTTAAAAAAAAGTGCTTGAAAGAGAAGGGGACAAAGGAACA
 CCAGTATTAAGAGGATTTTCCAGTGTCTTGGCAGTTGGTCCAGAAGGATGCCTCCATTCTGCTTCTCACCTG
 CCTCTTCATCACAGGCACCTCCGTGTCACCCGTGGCCCTAGATCCTTGTCTGCTTACATCAGCCTGAATGAGC
 CCTGGAGGAACACTGACCACCAAGTTGGATGAGTCTCAAGGTCTCTCTATGTGACAACCATGTGAATGGGGAG
 TGGTACCACCTTACGGGCATGGCGGGAGATGCCATGCCTACCTTCTGCATACCAGAAAACCACTGTGGAACCCA
 CGCACCTGTCTGGCTCAATGGCAGCCACCCCTAGAAAGCGACGGCATTGTGCAACGCCAGGCTTGTGCCAGCT
 TCAATGGGAACGCTGTCTCTGGAACACCACGGTGGAAGTCAAGGCTTGCCCTGGAGGCTACTATGTGTATCGT
 CTGACCAAGCCCAGCGCTGTCTTCCACGTCTACTGTGGTCATTTTTATGACATCTGCGACGAGGACTGCCATGG
 CAGCTGCTCAGATACCAGCGAGTGCACATGCGCTCCAGGAAGTGTGCTAGGCCCTGACAGGCAGACATGCTTTG
 ATGAAAATGAATGTGAGCAAAACAACGGTGGCTGCAGTGAGATCTGTGTGAACCTCAAAAACCTCTACCCTGT
 GAGTGTGGGGTTGGCCGTGTGCTAAGAAGTATGGCAAGACTTGTGAAGACGTTGAAGGATGCCACAATAACAA
 TGGTGGCTGCAGCCACTCTTGCCCTGGATCTGAGAAAGGCTACCAGTGTGAATGTCCCCGGGGCTGGTGTGT
 CTGAGGATAACCACACTTGCCAAAGTCCCTGTGTTGTGCAAAATCAAATGCCATTGAAGTGAACATCCCCAGGGAG
 CTGTTTGGTGGCTGGAGCTCTTCTGACCAACACCTCTGCGGAGGAGTGTCCAACGGCACCCATGTCAACAT
 CCTTCTCTCTCAAGACATGTGGTACAGTGGTCTGATGTGGTGAATGACAAGATTGTGGCCAGCAACCTCGTGA
 CAGGTCTACCCAAGCAGACCCCGGGGAGCAGCGGGGACTTCATCATCCGAACCAGCAAGCTGCTGATCCCGGTG
 ACCTGCGAGTTTCCACGCCTGTACACCATTTCTGAAGGATACGTTCCCAACCTTCGAAACTCCCCACTGGAAAT
 CATGAGCCGAAATCATGGGATCTTCCATTCACTCTGGAGATCTTCAAGGACAATGAGTTTGAAGAGCCTTACC
 GGGAAAGCTCTGCCACCCCTCAAGCTTCGTGACTCCCTCTACTTTGGCATTGAGCCCCGTGGTGCACGTGAGCGGC
 TTGGAAGCTTGGTGGAGAGCTGCTTTGCCACCCCACTCCAAGATCGACGAGGTCTGAAATACTACCTCAT
 CCGGGATGGCTGTGTTTCAGATGACTCGGTAAAGCAGTACACATCCCGGGATCACCTAGCAAAGCACTTCCAGG
 TCCTGTCTTCAAGTTTGTGGGCAAAGACCACAAGGAAGTGTCTGCACTGCCGGGTCTTGTCTGTGGAGTG
 TTGGACGAGCGTTCCCGCTGTGCCAGGGTTGCCACCGCGAATGCGTCTGGGGCAGGAGGAGAGGACTCAGC
 CGGTCTACAGGGCCAGACGCTAACAGGCGGCCGATCCGCATCGACTGGGAGGACTAGTTTCGTAGCCATACCTC
 GAGTCCCTGCATTGGACGGCTCTGCTCTTTGGAGCTTCTCCCCCACCGCCCTCTAAGAACATCTGCCAACAGC
 TGGGTTCCAGACTTCACACTGTGAGTTCAGACTCCAGCACCAACTCACTCTGATTCTGGTCCATTAGTGGGCA
 CAGGTCACAGCACTGCTGAACAATGTGGCCTGGGTGGGGTTTCATCTTTCTAGGGTTGAAAATAAACTGTCCA
 CCCAGAAAGACACTCACCCCATTTCCCTCATTTCTTCTACACTTAAATACCTCGTGTATGGTGAATCAGAC
 CACAAAATCAGAAGCTGGGTATAATATTTCAAGTTACAAACCCTAGAAAAATTAAACAGTTACTGAAATTATGA
 CTTAAATACCCAATGACTCCTTAAATATGTAAATTATAGTTATACCTTGAAATTTCAATTCAAATGCAGACTAA
 TTATAGGGAATTTGGAAGTGTATCAATAAACAGTATATAATTTT

FIGURE 110

MPPFLLLTCLFITGTSVSPVALDPCSAYISLNEPWRNTDHQLDESQGPPLCDNHVNGEWYHFTGMAGDAMP
TFCIPENHCGTHAPVWLNGSHPLEGDGIVQRQACASFNGNCLWNTTVEVKACPGGYVYRLTKPSVCFHV
YCGHFDICDEDCHGSCSDTSECTCAPGTVLGPDRQTCFDENECEQNNGGCSEICVNLKNSYRCECGVGRV
LRSDGKTCEDEVEGCHNNNGGCSHSLGSEKGYQCECPRGLVLSEDNHTCQVPVLCKSNAIEVNIPRELVGG
LELFLTNTSCRGVSNNGTHVNILFSLKTCGTVVDVNDKIVASNLVTGLPKQTPGSSGDFIIRTSKLLIPVT
CEFPRLYTISEGYVPNLRNSPLEIMSRNHGIFPFTLEIFKDNEFEOPYREALPTLKLRLDSLYFGIEPVVHV
SGLESLVESCFATPTSKIDEVLKYYLIRDGCVSDSVKQYTSRDHLAKHFQVPVFKFVKGDKHKEVFLHCRV
LVCGVLDERSRCAQGCHRRMRGAGGEDSAGLQGQTLTGGPIRIDWED

Important features of the protein:

Signal peptide:

amino acids 1-16

N-glycosylation sites.

amino acids 89-93, 116-120, 259-263, 291-295, 299-303

Tyrosine kinase phosphorylation sites.

amino acids 411-418, 443-451

N-myristoylation sites.

amino acids 226-232, 233-239, 240-246, 252-258, 296-302, 300-306,
522-528, 531-537

Aspartic acid and asparagine hydroxylation site.

amino acids 197-209

ZP domain proteins.

amino acids 431-457

Calcium-binding EGF-like proteins.

amino acids 191-212, 232-253

FIGURE 111

GAGAGAGGCAGCAGCTTGCTCAGCGGACAAGGATGCTGGGCGTGAGGGACCAAGGCCTGCCCTGCACTCGG
GCCTCCTCCAGCCAGTGCTGACCAGGGACTTCTGACCTGCTGGCCAGCCAGGACCTGTGTGGGGAGGCCCT
CCTGCTGCCTTGGGGTGACAATCTCAGCTCCAGGCTACAGGGAGACCGGGAGGATCACAGAGCCAGCATGT
TACAGGATCCTGACAGTGATCAACCTCTGAACAGCCTCGATGTCAAACCCCTGCGCAAACCCCGTATCCCC
ATGGAGACCTTCAGAAAGGTGGGGATCCCCATCATCATAGCACTACTGAGCCTGGCGAGTATCATCATTGT
GGTTGTCTCATCAAGGTGATTCTGGATAAATACTACTTCTCTGCGGGCAGCCTCTCCACTTCATCCCGA
GGAAGCAGCTGTGTGACGGAGAGCTGGACTGTCCCTTGGGGGAGGACGAGGAGCACTGTGTCAAGAGCTTC
CCCGAAGGGCCTGCAGTGGCAGTCCGCCTCTCCAAGGACCGATCCCACTGCAGGTGCTGGACTCGGCCAC
AGGGAACCTGGTTCTCTGCCTGTTTCGACAACTTCACAGAAGCTCTCGCTGAGACAGCCTGTAGGCAGATGG
GCTACAGCAGAGCTGTGGAGATTGGCCCAGACCAGGATCTGGATGTTGTTGAAATCACAGAAAAACAGCCAG
GAGCTTCGCATGCGGAACCTCAAGTGGGCCCTGTCTCTCAGGCTCCCTGGTCTCCCTGCACTGTCTTGCCCTG
TGGGAAGAGCCTGAAGACCCCCGTGTGGTGGGTGGGGAGGAGGCCCTCTGTGGATTCTTGGCCTTGGCAGG
TCAGCATCCAGTACGACAAACAGCAGCTCTGTGGAGGGAGCATCCTGGACCCCCACTGGGTCTCACGGCA
GCCCCTGCTTCAGGAAACATAACCGATGTGTTCAACTGGAAGGTGCGGGCAGGCTCAGACAACTGGGCAG
CTTCCCATCCCTGGCTGTGGCCAAGATCATCATCATTGAATTCAACCCCATGTACCCCAAAGACAATGACA
TCGCCCTCATGAAGCTGCAGTTCCTCACTTTCTCAGGCACAGTCAAGGCCATCTGTCTGCCCTTCTTT
GATGAGGAGCTCACTCCAGCCACCCCACTCTGGATCATTGGATGGGGCTTTACGAAGCAGAATGGAGGGAA
GATGTCTGACATACTGCTGCAGGCGTCAGTCCAGGTCATTGACAGCACACGGTGCAATGCAGACGATGCGT
ACCAGGGGGAAGTCACCGAGAAGATGATGTGTGCAGGCATCCCGAAGGGGGTGTGGACACCTGCCAGGGT
GACAGTGGTGGGCCCCCTGATGTACCAATCTGACCAGTGGCATGTGGTGGGCATCGTTAGCTGGGGCTATGG
CTCGGGGGGGGGCAGCACCCAGGAGTATACACCAAGGTCTCAGCCTATCTCAACTGGATCTACAATGTCT
GGAAGGCTGAGCTGTAATGCTGCTGCCCTTTGCAGTGCTGGGAGCCGCTTCCTTCTGCCCCTGCCACCT
GGGGATCCCCCAAAGTCAGACACAGAGCAAGAGTCCCTTGGGTACACCCCTCTGCCACAGCCTCAGCAT
TTCTTGGAGCAGCAAAGGGCCTCAATTCCTGTAAGAGACCCTCGCAGCCCAGAGGCGCCAGAGGAAGTCA
GCAGCCCTAGCTCGGCCACACTTGGTGCTCCCAGCATCCCAGGGAGAGACACAGCCCACTGAACAAGGTCT
CAGGGGTATTGCTAAGCCAAGAAGGAACCTTCCACACTACTGAATGGAAGCAGGCTGTCTTGTAAAAGCC
CAGATCACTGTGGGCTGGAGAGGAGAAGGAAAGGGTCTGCGCCAGCCCTGTCCGTCTTCACCCATCCCCAA
GCCTACTAGAGCAAGAAACAGTTGTAATATAAAATGCACTGCCCTACTGTTGGTATGACTACCGTTACCT
ACTGTTGTCAATTGTTATTACAGCTATGGCCACTATTATTAAAGAGCTGTGTAACATCTCTGGCAAAAAAAA
AAAA

FIGURE 112

MLQDPDSQPLNSLDVKPLRKPRIPMETFRKVGIPIIIIALLSLASIIIVVVLIKVILDKYYFLCG
QPLHFI PRKQLCDGELDCPLGEDEEHCVKSFPEGPAVAVRLSKDRSTLQVLDSATGNWFSACFDN
FTEALAE TACRQMGYSRAVEIGPDQDL DVVEITENSQELMRNSSGPCLSGSLVSLHCLACGKSL
KTPRVVGEEASVDSWPWQVSIQYDKQHVC GGSILDPHWVLTAAHCFRKHTDVFNWKV RAGSDKL
GSFPSLAVAKIIIIIEFNPMYPKDNDIALMKLQFPLTFSGTVRPICLPFFDEELTPATPLWIIGWG
FTKQNGGKMSDILLQASVQVIDSTRCNADDAYQGEVTEKMMCAGIPEGGVDTCQGDSGGPLMYQS
DQWHVVGIVSWGYGCGGPSTPGVYTKVSAYLNWIYNVWKAEL

Transmembrane domain:

amino acids 32-53 (typeII)

FIGURE 113

GGCTGGACTGGAACCTCCTGGTCCCAAGTGATCCACCGCCTCAGCCTCCCAAGGTGCTGTGATTA
TAGGTGTAAGCCACCGTGTCTGGCCTCTGAACAACTTTTTTCAGCAACTAAAAAGCCACAGGAGT
TGAACCTGCTAGGATTCTGACTATGCTGTGGTGGCTAGTGCTCCTACTCCTACCTACATTAAATC
TGTTTTTTGTTCTCTGTAACTAGCCTTTACCTTCCTAACACAGAGGATCTGTCACTGTGGCTCT
GGCCCAAACCTGACCTTCACTCTGGAACGAGAACAGAGGTTTCTACCCACACCGTCCCTCGAAG
CCGGGGACAGCCTCACCTTGCTGGCCTCTCGCTGGAGCAGTGCCCTCACCAACTGTCTCACGTCT
GGAGGCACTGACTCGGGCAGTGACAGGTAGCTGAGCCTCTTGGTAGCTGCGGCTTTCAAGGTGGGC
CTTGCCCTGGCCGTAGAAGGGATTGACAAGCCCGAAGATTTTCATAGGCGATGGCTCCCACTGCC
AGGCATCAGCCTTGCTGTAGTCAATCACTGCCCTGGGGCCAGGACGGGCCGTGGACACCTGCTCA
GAAGCAGTGGGTGAGACATCACGCTGCCCGCCCATCTAACCTTTTCATGTCTGCACATCACCTG
ATCCATGGGCTAATCTGAACCTCTGTCCCAAGGAACCCAGAGCTTGAGTGAGCTGTGGCTCAGACC
CAGAAGGGGTCTGCTTAGACCACCTGGTTTATGTGACAGGACTTGCACTTCTCTGGAACATGAGG
GAACGCCGGAGGAAAGCAAAGTGGCAGGGAAGGAACCTGTGCCAAATTATGGGTGAGAAAAGATG
GAGGTGTTGGGTTATCACAAGGCATCGAGTCTCCTGCATTCACTGGACATGTGGGGGAAGGGCTG
CCGATGGCGCATGACACACTCGGGACTCACCTCTGGGGCCATCAGACAGCCGTTTCCGCCCCGAT
CCACGTACCAGCTGCTGAAGGGCAACTGCAGGCCGATGCTCTCATCAGCCAGGCAGCAGCCAAAA
TCTGCGATCACCAGCCAGGGGCAGCCGTCTGGGAAGGAGCAAGCAAAGTGACCATTTCTCCTCCC
CTCCTTCCCTCTGAGAGGCCCTCCTATGTCCCTACTAAAGCCACCAGCAAGACATAGCTGACAGG
GGCTAATGGCTCAGTGTGGGCCAGGAGGTGAGCAAGGCCTGAGAGCTGATCAGAAGGGCCTGCT
GTGCGAACACGGAATGCCTCCAGTAAGCACAGGCTGCAAAATCCCCAGGCAAAGGACTGTGTGG
CTCAATTTAAATCATGTTCTAGTAATTGGAGCTGTCCCAAGACCAAAGGAGCTAGAGCTTGGTT
CAAATGATCTCCAAGGGCCCTTATACCCAGGAGACTTTGATTTGAATTTGAAACCCCAAATCCA
AACCTAAGAACCAGGTGCATTAAGAATCAGTTATTGCCGGGTGTGGTGGCCTGTAATGCCAACAT
TTTGGGAGGCCGAGGCGGTAGATCACCTGAGGTGAGGAGTTCAAGACCAGCCTGGCCAACATGG
TGAAACCCCTGTCTCTACTAAAAATACAAAAAACTAGCCAGGCATGGTGGTGTGTGCCTGTATC
CCAGCTACTCGGGAGGCTGAGACAGGAGAATTACTTGAACCTGGGAGGTGAAGGAGGCTGAGACA
GGAGAATCACTTCAGCCTGAGCAACACAGCGAGACTCTGTCTCAGAAAAATAAAAAAGAATTA
TGTTTATTTGTAA

FIGURE 114

MLWWLVLLLLPTLKSVFCSLVTSLYLPNTEDLSLWLWPKPDLHSGTRTEVSTHTVPSKPGTASPC
WPLAGAVPSPTVSRLEALTRAVQVAEPLGSCGFQGGPCPGRRRD

Signal peptide:

amino acids 1-15

10063569

FIGURE 115

CAGCAGTGGTCTCTCAGTCCTCTCAAAGCAAGGAAAGAGTACTGTGTGCTGAGAGACCATGGC
AGAATCCTCCAGAGAATTGTGAAGACTGTCACATTCTAAATGCAGAAGCTTTTAAATCCAAGAAA
ATATGTAAATCACTTAAGATTTGTGGACTGGTGTGGTATCCTGGCCCTAACTCTAATTGTCCT
GTTTTGGGGGAGCAAGCACTTCTGGCCGGAGGTACCCAAAAAGCCTATGACATGGAGCACACTT
TCTACAGCAATGGAGAGAAGAAGATTTACATGGAATTGATCCTGTGACCAGAACTGAAATA
TTCAGAAGCGGAAATGGCACTGATGAAACATTGGAAGTGCACGACTTTAAAAACGGATACACTGG
CATCTACTTCGTGGGTCTTCAAAAATGTTTTATCAAACTCAGATTAAAGTGATTCTCCTGAATTTT
CTGAACCAGAAGAGGAAATAGATGAGAATGAAGAAATTACCACAACCTTTCTTTGAACAGTCAGTG
ATTTGGGTCCCAGCAGAAAAGCCTATTGAAAACCGAGATTTCTTAAAAATTCAAAATCTGGA
GATTTGTGATAACGTGACCATGTATTGGATCAATCCCACTCTAATATCAGTTTCTGAGTTACAAG
ACTTTGAGGAGGAGGAGAAGATCTTCACTTTCTGCCAACGAAAAAAGGGATTGAACAAAAT
GAACAGTGGGTGGTCCCTCAAGTGAAAGTAGAGAAGACCCGTCACGCCAGACAAGCAAGTGAGGA
AGAACTTCCAATAAATGACTATACTGAAAATGGAATAGAATTTGATCCCATGCTGGATGAGAGAG
GTTATTGTTGTATTTACTGCCGTCGAGGCAACCGCTATTGCCGCCGCGTCTGTGAACCTTTACTA
GGCTACTACCCATATCCATACTGCTACCAAGGAGGACGAGTCATCTGTCGTGTCATCATGCCTTG
TAACTGGTGGGTGGCCCGCATGCTGGGGAGGGTCTTAATAGGAGGTTTGAGCTCAAATGCTTAAAC
TGCTGGCAACATATAATAAATGCATGCTATTCAATGAATTTCTGCCTATGAGGCATCTGGCCCCT
GGTAGCCAGCTCTCCAGAATTACTTGTAGGTAATTCCTCTCTTCATGTTCTAATAAACTTCTACA
TTATCACCAAAAAAAAAAAAAAAAAA

FIGURE 116

MAKNPPENCEDCHILNAEAFKSKKICKSLKICGLVFGILALTLIVLFWGSKHFWPEVPKKAYDME
HTFYSGEKKKIYMEIDPVTRTEIFRSGNGTDETLVHDFKNGYTGIIYFVGLQKCFIKTQIKVIP
EFSEPEEEIDENEEITTTFFEQSVIWPVPAEKPIENRDFLKNKILEICDNVTMYWINPTLISVSE
LQDFEEEGEDLHFPANEKKGIEQNEQWVVPQVKVEKTRHARQASEEELPINDYTENGIEFDPMLD
ERGYCCIIYCRGNRYCRRVCEPLLGYYPYPYCYQGGRVICRVIMPCNWWVARMLGRV

Important features of the protein:

Signal peptide:

amino acids 1-40

Transmembrane domain:

amino acids 25-47 (type II)

N-glycosylation sites.

amino acids 94-97, 180-183

Glycosaminoglycan attachment sites.

amino acids 92-95, 70-73, 85-88, 133-136, 148-151, 192-195, 239-
242

N-myristoylation sites.

amino acids 33-38, 95-100, 116-121, 215-220, 272-277

Microbodies C-terminal targeting signal.

amino acids 315-317

Cytochrome c family heme-binding site signature.

amino acids 9-14

FIGURE 117

GAGCTCCOCTCAGGAGCGCTTAGCTTCACACCTTCGGCAGCAGGAGGGCGGCAGCTTCTCGCAGGCGGCA
GGGCGGGCGGCCAGGATCATGTCCACCACCACATGCCAAGTGGTGGCGTTCTCCTGTCCATCCTGGGGCT
GGCCGGCTGCATCGCGGCCACCGGGATGGACATGTGGAGCACCAGGACCTGTACGACAACCCCGTCACT
CCGTGTTCCAGTACGAAGGGCTCTGGAGGAGCTGCGTGAGGCAGAGTTCAGGCTTCACCGAATGCAGGCCC
TATTTACCATCCTGGGACTTCCAGCCATGCTGCAGGCAGTGCAGGCCCTGATGATCGTAGGCATCGTCCT
GGGTGCCATTGGCCTCCTGGTATCCATCTTTGCCCTGAAATGCATCCGCATTGGCAGCATGGAGGACTCTG
CCAAAGCCAACATGACACTGACCTCCGGGATCATGTTCAATGTCTCAGGTCTTTGTGCAATTGCTGGAGTG
TCTGTGTTTGCCAACATGCTGGTGACTAATTCTGGATGTCCACAGCTAACATGTACACCGCATGGGTGG
GATGGTGCAGACTGTTTACAGACAGGTACACATTTGGTGCGGCTCTGTTCTGTTGGGCTGGGTGCGTGGAGGCC
TCACACTAATTGGGGGTGTGATGATGTGCATCGCCTGCCGGGGCCTGGCACCAGAAGAAACCACTACAAA
GCCGTTTCTTATCATGCCTCAGGCCACAGTGTGCTTACAAGCCTGGAGGCTTCAAGGCCAGCACTGGCTT
TGGGTCCAACACCAAAAACAAGAAGATATACGATGGAGGTGCCCGCACAGAGGACGAGGTACAATCTTATC
CTTCCAAGCACGACTATGTTAATGCTCTAAGACCTCTCAGCACGGGCGGAAGAACTCCCGGAGAGCTCA
CCCAAAAAACAAGGAGATCCCATCTAGATTCTTCTTCTGCTTTTGACTCACAGCTGGAAGTTAGAAAAACCT
CGATTTTATCTTTGGAGAGGCCAAATGGTCTTAGCCTCAGTCTCTGTCTCTAAATATTCCACCATAAAACA
GCTGAGTTATTTATGAATTAGAGGCTATAGCTCACATTTTCAATCCTCTATTTCTTTTTTAAATATAACT
TTCTACTCTGATGAGAGAATGTGGTTTTAATCTCTCTCTCACATTTTGATGATTTAGACAGACTCCCCCTC
TTCTCTAGTCAATAAACCCATTGATGATCTATTTCCAGCTTATCCCCAAGAAAACCTTTGAAAGGAAA
GAGTAGACCCAAAGATGTTATTTTCTGCTGTTTGAATTTTGTCTCCCCACCCCAACTTGGCTAGTAATAA
ACACTTACTGAAGAAGAAGCAATAAGAGAAAAGATATTTGTAATCTCTCCAGCCCATGATCTCGGTTTTCTT
ACACTGTGATCTTAAAGTTACCAACCAAGTCATTTTCACTTTGAGGCAACCAACCTTTCTACTGCTG
TTGACATCTTCTTATTACAGCAACACCATTCTAGGAGTTTCTGAGCTCTCCACTGGAGTCTCTTTCTGT
CGCGGGTCAGAAATTGTCCCTAGATGAATGAGAAAATTATTTTTTTAATTTAAGTCCTAAATATAGTTAA
AATAAATAATGTTTTAGTAAATGATACACTATCTCTGTGAAATAGCCTCACCCCTACATGTGGATAGAAG
GAAATGAAAAATAATTGCTTTGACATTGTCTATATGGTACTTTGTAAAGTCATGCTTAAGTACAAATTC
ATGAAAAGCTCACACCTGTAATCCTAGCACTTTGGGAGGCTGAGGAGGAAGGATCACTTGAGCCCAGAAGT
TCGAGACTAGCCTGGGCAACATGGAGAAGCCCTGTCTCTACAAAATACAGAGAGAAAAAATCAGCCAGTCA
TGGTGGCATAACCTGTAGTCCCAGCATTCGGGGAGGCTGAGGTGGGAGGATCACTTGAGCCCAGGGAGGT
TGGGGCTGCAGTGAGCCATGATCACACCACGCACTCCAGCCAGGTGACATAGCGAGATCCTGTCTAAAAA
AATAAAAAATAATAATGGAACACAGCAAGTCCTAGGAAGTAGGTTAAACTAATCTTTAA

FIGURE 118

MSTTTCQVVAFLLSILGLAGCIAATGMDMWSTQDLYDNPVTSVFQYEGLRSCVRQSSGFTECRP
YFTILGLPAMLQAVRALMIVGIVLGAIGLLVSIFALKCIRIGSMEDSAKANMTLTSGIMFIVSGL
CAIAGVSVFANMLVTNFWMSTANMYTGMGGMVQTVQTRYTFGAALFVGWVAGGLTLIGGVMMCIA
CRGLAPEETNYKAVSYHASGHSVAYKPGGFKASTGFGSNTKNKKIYDGGARTEDEVQSYPSKHDY
V

Signal peptide:

amino acids 1-23

Transmembrane domains:

amino acids 81-100, 121-141, 173-194

FIGURE 119

GGAAAACTGTTCTTCTGTGGCACAGAGAACCCTGCTTCAAAGCAGAAGTAGCAGTTCGGGAGTCC
AGCTGGCTAAACTCATCCCAGAGGATAATGCGCAACCCATGCCTTAGAAATCGCTGGGCTGTTTCTTG
GTGGTGTGGAATGGTGGGCACAGTGGCTGTCACTGTCATGCCTCAGTGGAGAGTGTGGCCTTCATT
GAAAACAACATCGTGGTTTTTAAAACTTCTGGGAAGGACTGTGGATGAATTGCGTGAGGCAGGCTAA
CATCAGGATGCAGTGGCAAAATCTATGATTCCCTGCTGGCTCTTCTCCGGACCTACAGGCAGCCAGAG
GACTGATGTGTGCTGCTTCCGTGATGTCCTTCTTGGCTTTCATGATGGCCATCCTTGGCATGAAATGC
ACCAGGTGCACGGGGACAATGAGAAGGTGAAGGCTCACATTCTGCTGACGGCTGGAATCATCTTCAT
CATCACGGGCATGGTGGTGCTCATCCCTGTGAGCTGGGTGGCCAATGCCATCATCAGAGATTCTTATA
ACTCAATAGTGAATGTTGCCCAAAACGTGAGCTTGGAGAAGCTCTCTACTTAGGATGGACCACGGCA
CTGGTGCTGATTGTTGGAGGAGCTCTGTTCTGCTGCGTTTTTTGTTGCAACGAAAAGAGCAGTAGCTA
CAGATACTCGATACCTTCCCATCGCACAAACCAAAAAAGTTATCACACCGGAAAGAGTCACCGAGCG
TCTACTCCAGAAGTCAGTATGTGTAGTTGTGTATGTTTTTAACTTTACTATAAAGCCATGCAAATG
ACAAAAATCTATATTACTTTCTCAAAATGGACCCCAAGAACTTTGATTTACTGTTCTTAACTGCCT
AATCTTAATTACAGGAAGTGTGCATCAGCTATTTATGATTCTATAAGCTATTTACAGCAGAATGAGATA
TTAAACCCAATGCTTTGATTGTTCTAGAAAGTATAGTAATTTGTTTTCTAAGGTGGTTCAAGCATCTA
CTCTTTTTATCATTTACTTCAAAATGACATTGCTAAAGACTGCATTATTTTACTACTGTAATTTCTCC
ACGACATAGCATTATGTACATAGATGAGTGAACATTTATATCTCACATAGAGACATGCTTATATGGT
TTTATTTAAATGAAATGCCAGTCCATTACACTGAATAAATAGAACTCAACTATTGCTTTTCAGGGAA
ATCATGGATAGGGTTGAAGAAGGTTACTATTAATTGTTTAAAAACAGCTTAGGGATTAATGTCTCCA
TTTATAATGAAGATTAAATGAAGGCTTTAATCAGCATTGTAAAGGAAATTGAATGGCTTTCTGATAT
GCTGTTTTTTAGCCTAGGAGTTAGAAATCCTAACTTCTTTATCCTCTTCTCCAGAGGCTTTTTTTTT
CTTGTGTATTAAATTAACATTTTTTAAACGCAGATATTTGTCAAGGGGCTTTCATTCAAACCTGCTT
TTCCAGGGCTATACTCAGAAGAAAGATAAAAGTGTGATCTAAGAAAAAGTGATGGTTTTAGGAAAGTG
AAAAATTTTTGTTTTGTATTTGAAGAAGATGATGCATTTTGACAAGAAATCATATATGTATGGAT
ATATTTTAATAAGTATTTGAGTACAGACTTTGAGGTTTCATCAATATAAATAAAAGAGCAGAAAAATA
TGTCTTGGTTTTTCATTTGCTTACCAAAAAACAACAACAAAAAAGTTGTCCTTTGAGAACTTCACCT
GCTCCTATGTGGGTACCTGAGTCAAAATTGTCATTTTTGTTCTGTGAAAAATAAATTTCTTCTGTA
CCATTTCTGTTTAGTTTTACTAAATCTGTAAATACTGTATTTTTCTGTTTATCCAAATTTGATGAA
ACTGACAATCCAATTTGAAAGTTTGTGTCGACGCTGTCTAGCTTAAATGAATGTGTTCTATTTGCTT
TATACATTTATATTAATAAATTGTACATTTTTCTAATT

FIGURE 120

MATHALEIAGLFLGGVGMVGTVAVTVMPPQWRVSAFIENNIVVFENFWGLWMNCVRQANIRMQCK
IYDSLLALSPDLQAARGLMCAASVMSFLAFMAILGMKCTRCTGDNEKVKAHILLTAGIIFIITG
MVVLIPVSWVANAIIRDYNSIVNVAQKRELGEALYLGWTTALVLIVGGALFCCVFCNEKSSSY
RYSIPSHRTTQKS YHTGKKSPSVYSRSQYV

Signal peptide:

amino acids 1-17

Transmembrane domains:

amino acids 82-101, 118-145, 164-188

FIGURE 121

GGAGAGAGGCGCGGGGTGAAAGGCGCATTGATGCAGCCTGCGGCGGCCTCGGAGCGCGGCGGAG
CCAGACGCTGACCACGTTCTCTCCTCGGTCTCTCCGCCTCCAGCTCCGCGCTGCCCCGCGAGCC
GGGAGCCATGCGACCCAGGGCCCCGCGCCTCCCCGCGAGCGGCTCCGCGGCCTCCTGCTGCTCC
TGCTGCTGCAGCTGCCCCGCGCCGTCGAGCGCCTCTGAGATCCCCAAGGGGAAGCAAAAGGCGCAG
CTCCGCGCAGAGGGAGGTGGTGGACCTGTATAATGGAATGTGCTTACAAGGCCAGCAGGAGTGCC
TGGTCGAGACGGGAGCCCTGGGGCCAATGTTATTCCGGGTACACCTGGGATCCCAGGTCGGGATG
GATTCAAAGGAGAAAAGGGGGAATGTCTGAGGAAAGCTTTGAGGAGTCTTGACACCCAACACTAC
AAGCAGTGTTTCATGGAGTTTCATTGAATTATGGCATAGATCTTGGGAAAATTGCGGAGTGACATT
TACAAAGATGCGTTCAAATAGTGCTCTAAGAGTTTGTTCAGTGGCTCACTTCGGCTAAAATGCA
GAAATGCATGCTGTCAGCGTTGGTATTTTACATTCAATGGAGCTGAATGTTTCAGGACCTCTTCCC
ATTGAAGCTATAATTTATTTGGACCAAGGAAGCCCTGAAATGAATTCAACAATTAATATTCATCG
CACTTCTTCTGTGGAAGGACTTTGTGAAGGAATTGGTGCTGGATTAGTGGATGTTGCTATCTGGG
TTGGCACTTGTTTCAGATTACCCAAAAGGAGATGCTTCTACTGGATGGAATTCAGTTTCTCGCATC
ATTATTGAAGAACTACCAAAATTAAATGCTTTAATTTTCATTGCTACCTCTTTTTTTATTATGCC
TTGGAATGGTTCACCTTAAATGACATTTTAAATAAGTTTATGTATACATCTGAATGAAAAGCAAAG
CTAAATATGTTTACAGACCAAAGTGTGATTTCACTGTTTTTAAATCTAGCATTATTCATTTTG
CTTCAATCAAAGTGGTTTCAATATTTTTTTTAGTTGGTTAGAATACTTTCTTCATAGTCACATT
CTCTCAACCTATAATTTGGAATATTGTTGTGGTCTTTTGTTTTTTCTCTTAGTATAGCATTTTTA
AAAAATATAAAAGCTACCAATCTTTGTACAATTTGTAAATGTTAAGAATTTTTTTTATATCTGT
TAAATAAAAATTATTTCCAACA

FIGURE 122

MRPQGPAASPQRLRGLLLLLLQLPAPSSASEIPKGKQKAQLRQREVVDLYNGMCLQGPAGVPGR
DGSPGANVIPGTPGIPGRDGFKEKGECLRESFEESWTPNYQCSWSSLNYGIDLGKIAECTFTK
MRSNSALRVLFSGSLRLKCRNACCQRWYFTFNGAECSGPLPIEAIYLDQGSPEMNSTINIHRTS
SVEGLCEGIGAGLVDVAIWVGTCSDYPKGDASTGWNSVSRIIEELPK

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 195-217

FIGURE 123

GCTGAGCGTGTGCGCGGTACGGGGCTCTCCTGCCTTCTGGGCTCCAACGCAGCTCTGTGGCTGAA
 CTGGGTGCTCATCACGGGAACGCTGGGCTATGGAATACAGATGTGGCAGCTCAGGTAGCCCCAA
 ATTGCCTGGAAGAATACATCATGTTTTTCGATAAGAAGAAATTGTAGGATCCAGTTTTTTTTTTA
 ACCGCCCCCTCCCCACCCCCCAAAAACTGTAAAGATGCAAAACGTAATATCCATGAAGATCC
 TATTACCTAGGAAGATTTTGATGTTTTGCTGCGAATGCGGTGTTGGGATTTATTTGTTCTTGGAG
 TGTTCGCGTGGCTGGCAAAGAATAATGTTCCAAAATCGGTCCATCTCCCAAGGGGTCCAATTTT
 TCTTCCTGGGTGTGACGAGCCCTGACTCACTACAGTGCAGCTGACAGGGGCTGTCATGCAACTG
 GCCCCTAAGCCAAAGCAAAGACCTAAGGACGACCTTTGAACAATACAAGGATGGGTTTCAATG
 TAATTAGGCTACTGAGCGGATCAGCTGTAGCACTGGTTATAGCCCCACTGTCTTACTGACAATG
 CTTTCTCTGCCGAACGAGGATGCCCTAAGGGCTGTAGGTGTGAAGGCAAATGGTATATTGTGA
 ATCTCAGAAATTACAGGAGATACCTCAAGTATATCTGCTGGTTGCTTAGGTTTGTCCCTTCGCT
 ATAACAGCCTTCAAAAACCTTAAGTATAATCAATTTAAAGGGCTCAACCAGCTCACCTGGCTATAC
 CTTGACCATAACCATATCAGCAATATTGACGAAAATGCTTTAATGGAATACGCAGACTCAAAGA
 GCTGATTCCTTAGTTCCAATAGAATCTCCTATTTTCTTAACAATACCTTCAGACCTGTGACAAATT
 TACGGAACCTTGGATCTGTCTATAATCAGCTGCATTCTCTGGGATCTGAACAGTTTCGGGGCTTG
 CGGAAGCTGCTGAGTTTACATTTACGGTCTAACTCCCTGAGAACCATCCCTGTGCGAATATTCCA
 AGACTGCCGCAACCTGGAACCTTTTGACCTGGGATATAACCGGATCCGAAGTTTAGCCAGGAATG
 TCTTTGCTGGCATGATCAGACTCAAAGAACTTCACCTGGAGCACAATCAATTTTCCAAGCTCAAC
 CTGGCCCTTTTTCCAAGGTTGGTCAGCCTTCAGAACCTTTACTTGCAGTGAATAAAATCAGTGT
 CATAGGACAGACCATGTCTTGACCTGGAGCTCCTTACAAAGGCTTGATTTATCAGGCAATGAGA
 TCGAAGCTTTTCACTGGACCCAGTGTTCCTAGTGTGTCGCGAATCTGCAGCGCCTCAACCTGGAT
 TCCAACAAGCTCACATTTATTGGTCAAGAGATTTTGGATTCTTGGATATCCCTCAATGACATCAG
 TCTTGCTGGGAATATATGGGAATGCAGCAGAAATATTTGCTCCCTTGTAAGTGGCTGAAAAGTT
 TTAAAGGTCTAAGGGAGAATACAATATCTGTGCCAGTCCCAAAGAGCTGCAAGGAGTAAATGTG
 ATCGATGCAGTGAAGAACTACAGCATCTGTGGCAAAGTACTACAGAGAGGTTTGATCTGGCCAG
 GGCTCTCCCAAAGCCGACGTTTAAAGCCAAAGCTCCCCAGGCCGAAGCATGAGAGCAAACCCCTT
 TGCCCCCGACGGTGGGAGCCACAGAGCCCGGCCAGAGACCGATGCTGACGCCGAGCACATCTCT
 TTCCATAAAATCATCGCGGGCAGCGTGGCGCTTTTCCTGTCCGTGCTCGTCATCCTGCTGGTTAT
 CTACGTGTCATGGAAGCGGTACCTGCGAGCATGAAGCAGCTGCAGCAGCGCTCCCTCATGCGAA
 GGCACAGGAAAAAGAAAAGACAGTCCCTAAAGCAAATGACTCCAGCACCCAGGAATTTTATGTA
 GATTATAAAACCCACCAACACGGAGACCAGCGAGATGCTGCTGAATGGGACGGGACCCCTGCACCTA
 TAACAAATCGGGCTCCAGGGAGTGTGAGGTATGCAACCATTTGATAAAAAGAGCTCTTAAAGCT
 GGGAAATAAGTGGTGCTTTATTGAACTCTGGTGACTATCAAGGGAACGCGATGCCCCCCCTCCCC
 TTCCCTCTCCCTCTCACTTTGGTGGCAAGATCCTTCCTTGTCCGTTTTAGTGCATTATAATACT
 GGTCAATTTCTCTCATAATAATCAACCATTTGAAATTTAAATACCACAATCAATGTGAAGCTT
 GAACTCCGGTTTAAATAATAATACCTATTGTATAAGACCCTTTACTGATTCCATTAATGTGCATTT
 GTTTTAAGATAAAACTTCTTTTCATAGGTAAAAA

FIGURE 124

MGFNVIRLLSGSAVALVIAPTVLLTMLSSAERGCPKGCRCGKMVYCESQKLQEIPSSISAGCLG
LSLRVNSLQKLKYNQFKGLNQLTWLYLDHNNHISNIDENAFNGIRRLKELILSSNRISYFLNNTFR
PVTNLRNLDLSYNQLHSLGSEQFRGLRKLLSLHLRSNSLRTIPVRIFQDCRNLELLDLGYNRIRS
LARNVFAGMIRLKEHLHLEHNQFSKLNALFPRLVSLQNLVYLQWNKISVIGQTMSTWSSLRDL
SGNEIEAFSGPSVFCVPLQLRLNLDNKLTFIGQEILDSWISLNDISLAGNIWECSRNICSLVN
WLKSEFKGLRENTIICASPKELQGVNVIDAVKNYSICGKSTTERFDLARALPKPTFKPKLPRPKHE
SKPPLPPTVGATEPGPETDADAEHISFHKIAGSVALFLSVLVILLVIYVSWKRYPASMQLQQR
SLMRRHRKKKRQSLKQMPSTQEFYVDYKPTNTETSEMLLNGTGPCTYNKSGSRECEV

Important features of the protein:

Signal peptide:

amino acids 1-33

Transmembrane domain:

amino acids 420-442

N-glycosylation sites.

amino acids 126-129, 357-360, 496-499, 504-507

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 465-468

Tyrosine kinase phosphorylation site.

amino acids 136-142

N-myristoylation sites.

amino acids 11-16, 33-38, 245-250, 332-337, 497-502, 507-512

FIGURE 125

CCGTTATCGTCTTGCGCTACTGCTGAATGTCCGTCCCGGAGGAGGAGGAGAGGCTTTTGCCGCTG
ACCCAGAGATGGCCCCGAGCGAGCAAATTCCTACTGTCCGGCTGCGCGGCTACCGTGGCCGAGCT
AGCAACCTTTCCCTGGATCTCACAAAACCTCGACTCCAATGCAAGGAGAAGCAGCTCTTGCTC
GGTTGGGAGACGGTGCAAGAGAATCTGCCCCCTATAGGGGAATGGTGCGCACAGCCCTAGGGATC
ATTGAAGAGGAAGGCTTTCTAAAGCTTTGGCAAGGAGTGACACCCGCCATTTACAGACACGTAGT
GTATTCTGGAGGTCGAATGGTCACATATGAACATCTCCGAGAGGTTGTGTTTGGCAAAAGTGAAG
ATGAGCATTATCCCCTTTGGAAATCAGTCATTGGAGGGATGATGGCTGGTGTTATTGGCCAGTTT
TTAGCCAATCCAACCTGACCTAGTGAAGGTTTCTAGTGAAGGAAAAAGGAACTGGAAGG
AAAACCATTCGGATTTCTGTTGTACATCATGCATTTGCAAAAATCTTAGCTGAAGGAGGAATAC
GAGGGCTTTGGGCAGGCTGGGTACCCAATATACAAAGAGCAGCACTGGTGAATATGGGAGATTTA
ACCACCTATGATACAGTGAAACACTACTTGGTATTGAATACACCACTTGAGGACAATATCATGAC
TCACGGTTTATCAAGTTTATGTTCTGGACTGGTAGCTTCTATTCTGGGAACACCAGCCGATGTCA
TCAAAAGCAGAATAATGAATCAACCACGAGATAAACAAGGAAGGGGACTTTTGTATAAATCATCG
ACTGACTGCTTGATTTCAGGCTGTTCAAGGTGAAGGATTCATGAGTCTATATAAAGGCTTTTACC
ATCTTGGCTGAGAATGACCCCTTGGTCAATGGTGTTCTGGCTTACTTATGAAAAATCAGAGAGA
TGAGTGGAGTCAGTCCATTTTAA

FIGURE 126

MSVPEEEERLLPLTQRWPRASKFLLSGCAATVAELATFPLDLTKTRLQMGEAALARLGDGARES
APYRGMVRTALGIIIEEGFLKLWQGVTPAIYRHVVYSGGRMVITYEHLREVVFVKSEDEHYPLWKS
VIGGMMAGVIGQFLANPTDLVKVQMMEGKRRKLEGKPLRFRGVHHAFAKILAEGGIRGLWAGWVP
NIQRAALVNMGDLTTYDTPVKHYLVNTPLEDNIMTHGLSSLCSGLVASILGTPADVIKSRIMNQP
RDKQGRGLLYKSSTDCLIQAVQGEGFMSLYKGFLPSWLRMTPWSMVFWLTYEKIREMSGVSPF

Transmembrane domains:

amino acids 25-38, 130-147, 233-248

FIGURE 127

CGCGGATCGGACCCAAGCAGGTCGGCGGGCGGCGGAGAGCGGCCGGGCGTCAGCTCCTCGAC
CCCCGTGTCGGGCTAGTCCAGCGAGGCGGACGGGCGGCGTGGGCCCATGGCCAGGCCCGGCATGG
AGCGGTGGCGCGACCGGCTGGCGCTGGTGACGGGGGCGCTCGGGGGGCATCGGCGCGGCGCTGGCC
CGGGCCCTGGTCCAGCAGGGACTGAAGGTGGTGGGCTGCGCCCGCACTGTGGGCAACATCGAGGA
GCTGGCTGCTGAATGTAAGAGTGCAGGCTACCCCGGACTTTGATCCCCTACAGATGTGACCTAT
CAAATGAAGAGGACATCCTCTCCATGTTCTCAGCTATCCGTTCTCAGCACAGCGGTGTAGACATC
TGCATCAACAATGTGGCTTGGCCCGGCGCTGACACCCTGCTCTCAGGCAGCACCAAGTGGTTGGAA
GGACATGTTCAATGTGAACGTGTGGCCCTCAGCATCTGCACACGGGAAGCCTACCAGTCCATGA
AGGAGCGGAATGTGGACGATGGGCACATCATTAAATCAATAGCATGTCTGGCCACCGAGTGTTA
CCCCTGTCTGTGACCCACTTCTATAGTGCCACCAAGTATGCCGTCACTGCGCTGACAGAGGGACT
GAGGCAAGAGCTTCGGGAGGCGCCAGACCCACATCCGAGCCACGTGCATCTCTCCAGGTGTGGTGG
AGACACAATTGCGCTTCAAACCTCCACGACAAGGACCCTGAGAAGGCAGCTGCCACCTATGAGCAA
ATGAAGTGTCTCAAACCCGAGGATGTGGCCGAGGCTGTTATCTACGTCTCAGCACCCCGCACA
CATCCAGATTGGAGACATCCAGATGAGGCCACGGAGCAGGTGACCTAGTGACTGTGGGAGCTCC
TCCTTCCCTCCCCACCCTTCATGGCTTGCCTCCTGCCTCTGGATTTTAGGTGTTGATTTCTGGAT
CACGGGATACCATTCTGTCCACACCCCGACCAGGGGCTAGAAAATTTGTTTGAGATTTTATA
TCATCTTGTCAAATTGCTTCAGTTGTAAATGTGAAAAATGGGCTGGGGAAAGGAGGTGGTGTCCC
TAATTGTTTTACTTGTAACTTGTCTTGTGCCCTGGGCACCTGGCCTTTGTCTGCTCTCAGTG
TCTTCCCTTTGACATGGGAAAGGAGTTGTGGCCAAAATCCCCATCTTCTTGACCTCAACGTCTG
TGGCTCAGGGCTGGGGTGGCAGAGGAGGCCCTTACCTTATATCTGTGTTGTATCCAGGGCTCC
AGACTTCCTCCTCTGCCTGCCCCACTGCACCTCTCCCCCTTATCTATCTCCTTCTCGGCTCCCC
AGCCCAGTCTTGGCTTCTTGTCCCTCCTGGGGTCATCCCTCCACTCTGACTCTGACTATGGCAG
CAGAACCAGGGCCTGGCCAGTGGATTTTCATGGTGATCATTAAAAAGAAAAATCGCAACCAA
AAAAAAAAA

FIGURE 128

MARPGMERWRDRLALVTGASGGIGAARALVQQGLKVVGCAITVGNIEELAAECKSAGYPGTLI
PYRCDLSNEEDILSMFSAIRSQHSGVDICINNAGLARPDITLLSGSTSGWKDMFNVNVLALSICTR
EAYQSMKERNVDDGHIININMSGHRVLPVSVTHFYATKYAVTALTEGLRQELREAQTHIRATC
ISPGVVETQFAFKLHDKDPEKAAATYEQMKCLKPEDVAEAVIYVLSTPAHIQIGDIQMRPTEQVT

Important features of the protein:

Signal peptide:

amino acids 1-17

N-myristoylation sites.

amino acids 18-24, 21-27, 22-28, 24-30, 40-46, 90-96, 109-115,
199-205

Short-chain alcohol dehydrogenase.

amino acids 30-42, 104-114

FIGURE 129

AACTTCTACATGGGCCTCCTGCTGCTGGTGTCTTCCTCAGCCTCCTGCCGGTGGCCTACACCAT
CATGTCCCTCCCACCCTCCTTTGACTGCGGGCCGTTTCAGGTGCAGAGTCTCAGTTGCCCGGGAGC
ACCTCCCCTCCCGAGGCAGTCTGCTCAGAGGGCCTCGGCCCAGAATTCCAGTTCTGGTTTCATGC
CAGCCTGTAAAAGGCCATGGAACTTTGGGTGAATCACCGATGCCATTTAAGAGGGTTTTCTGCCA
GGATGGAAATGTTAGGTGCTTCTGTGTCTGCGCTGTTTCATTTTCAGTAGCCACCAGCCACCTGTGG
CCGTTGAGTGCTTGAAATGAGGAACGAGAAAATTAATTTCTCATGTATTTTCTCATTTATTTA
TTAATTTTTAACTGATAGTTGTACATATTTGGGGGTACATGTGATATTTGGATACATGTATACAA
TATATAATGATCAAATCAGGGTAACTGGGATATCCATCACATCAAACATTTATTTTTTATCTTT
TTAGACAGAGTCTCACTCTGTCAACCAGGCTGGAGTGCAGTGGTGCCATCTCAGCTTACTGCAAC
CTCTGCCTGCCAGGTTCAAGCGATTCTCATGCCTCCACCTCCCAAGTAGCTGGGACTACAGGCAT
GCACCACAATGCCCACTAATTTTTGTATTTTGTAGTAGAGACGGGGTTTTGCCATGTTGCCCAGG
CTGGCCTTGAACCTCGCCTCAAACAATCCACTGCCTCGGCCTCCCAAAGTGTTATGATTACA
GGCGTGAGCCACCGTGCCTGGCCTAAACATTTATCTTTTCTTTGTGTTGGGAACTTTGAAATTAT
ACAATGAATTATTGTTAACTGTCATCTCCCTGCTGTGCTATGGAACACTGGGACTTCTTCCCTCT
ATCTAACTGTATATTTGTACCAGTTAACCAACCGTACTTCATCCCCACTCCTCTCTATCCTTCCC
AACCTCTGATCACCTCATTCTACTCTCTACCTCCATGAGATCCACTTTTTTAGCTCCCATGTG
AGTAAGAAAATGCAATATTTGTCTTTCTGTGCCTGGCTTATTTCACTTAACATAATGACTTCCTG
TTCCATCCATGTTGCTGCAAATGACAGGATTTTCGTTCTTAATTTCAATTAAAATAACCACACATG
GCAAAAA

FIGURE 130

MGLLLLVLFLSLLPVAYTIMSLPPSFDCGPFRCRVSVAREHLPSRGSLLRGPRPRIPVLVSCQPV
KGHGTLGESPMFPKRVCQDGNVRSFCVCAVHFSSHQPPVAVECLK

Important features of the protein:

Signal peptide:

amino acids 1-18

N-myristoylation site.

amino acids 86-92

Zinc carboxypeptidases, zinc-binding region 2 signature.

amino acids 68-79

FIGURE 131

TTCTGAAGTAACGGAAGCTACCTTGATAAAGACCTCAACACTGCTGACCATGATCAGCGCAGCCTGGAGC
ATCTTCCTCATCGGGACTAAAATTGGGCTGTTCCCTCAAGTAGCACCTCTATCAGTTATGGCTAAATCCTG
TCCATCTGTGTGCTGCGATGCGGGTTTCATTTACTGTAATGATCGCTTTCTGACATCCATTCCAACAG
GAATACCAGAGGATGCTACAACCTCTACCTTCAGAACAACCAAATAAATAATGCTGGGATTCCCTCAGAT
TTGAAAACTTGCTGAAAGTAGAAAGAATATACCTATACCACAACAGTTTAGATGAATTTCCCTACCAACCT
CCCAAAGTATGTAAGAGTTACATTTGCAAGAAAATAACATAAGGACTATCACTTATGATTCACTTTCAA
AAATTCCTTATCTGGAAGAATTACATTTAGATGACAACCTCTGTCTCTGCAGTTAGCATAGAAGAGGGAGCA
TTCCGAGACAGCAACTATCTCCGACTGCTTTTCCCTGTCCCGTAATCACCTTAGCACAAATCCCTGGGGTTT
GCCCAGGACTATAGAAGAACTACGCTTGGATGATAATCGCATATCCACTATTTTCATCACCATCTCTCAAG
GTCTCACTAGTCTAAACGCCTGGTTCTAGATGGAACCTGTTGAACAATCATGGTTTAGGTGACAAAGTT
TTCCTCAACCTAGTTAATTTGACAGAGCTGTCCCTGGTGCGGAATTCCTGACTGCTGCACCAGTAAACCT
TCCAGGCACAAACCTGAGGAAGCTTTATCTTCAAGATAACCACATCAATCGGGTGCCCCCAATGCTTTTT
CTTATCTAAGGCAGCTCTATCGACTGGATATGTCCAATAATAACCTAAGTAATTTACCTCAGGTATCTTT
GATGATTTGGACAATATAACACAACCTGATTCTTCGCAACAATCCCTGGTATTGCGGGTGCAAGATGAAATG
GGTACGTGACTGGTTACAATCACTACCTGTGAAGGTCAACGTGCGTGGGCTCATGTGCCAAGCCCCAGAAA
AGGTTTCGTGGGATGGCTATTAAGGATCTCAATGCAGAACTGTTTGATTGTAAGGACAGTGGGATTGTAAGC
ACCATTCAAGATAACCACTGCAATACCCAACACAGTGTATCCTGCCCAAGGACAGTGGCCAGCTCCAGTGAC
CAAACAGCCAGATATTAAGAACCCCAAGCTCACTAAGGATCAACAAACCACAGGGAGTCCCTCAAGAAAAA
CAATTACAATTACTGTGAAGTCTGTACCTCTGATACCATTATATCTCTTGGAACCTTGCTCTACCTATG
ACTGCTTTGAGACTCAGCTGGCTTAACTGGGCCATAGCCCGGCATTGGATCTATAACAGAAACAATTGT
AACAGGGGAACGCAGTGAGTACTTGGTCACAGCCCTGGAGCCTGATTCACCTATAAAGTATGCATGGTTC
CCATGGAAACCAGCAACCTCTACCTATTTGATGAAACTCCTGTTTGTATTGAGACTGAAACTGCACCCCTT
CGAATGTACAACCCCTACAACCACCCTCAATCGAGAGCAAGAGAAAGAACCTTACAAAAACCCCAATTTACC
TTTGGCTGCCATCATTGGTGGGGCTGTGGCCCTGGTTACCATTCGCCCTTCTTGCTTTAGTGTGTGGTATG
TTCATAGGAATGGATCGCTCTTCTCAAGGAAGTGTGCATATAGCAAAGGGAGGAGAAGAAAGGATGACTAT
GCAGAAGCTGGCACTAAGAAGGACAACCTCTATCCTGGAAATCAGGGAAACTTCTTTTCAGATGTTACCAAT
AAGCAATGAACCCATCTCGAAGGAGGAGTTTGTAAACACACCATATTTCTCCTAATGGAATGAATCTGT
ACAAAAACAATCACAGTGAAAGCAGTAGTAACCGAAGCTACAGAGACAGTGGTATTCAGACTCAGATCAC
TCACACTCATGATGTGCTGAAGGACTCACAGCAGACTTGTGTTTTGGGTTTTTTAAACCTAAGGGAGGTGATG
GT

FIGURE 132

MISAAWSIFLIGTKIGLFLQVAPLSVMAKSCPSVCRCDAGFIYCNDRLTSIPTGIPEDATTLYL
QNNQINNAGIPSDLKNLLKVERIYLYHNSLDEFPTNLPKYVKELHLQENNIRTITYDSLSKIPYL
EELHLLDNSVSASVIEEGAFRDSNYLRLLFSLRNHLSTIPWGLPRTIEELRLDDNRISTISSPSL
QGLTSLKRLVLVDGNLLNNHGLGDKVFFNLVNLTELSLVRNSLTAAPVNLPGTNLRKLYLQDNHIN
RVPPNAFSYLRQLYRLDMSNNNLSNLPQGIFFDDLDNITQLILRNNPWYCGCKMKWVRDWLQSLPV
KVNVRGLMCQAPEKVRGMAIKDLNAELFDCKDSGIVSTIQITTAIPNTVYPAQGQWPAPVTKQPD
IKNPKLTKDQQTGSPSRKTITITVKSVTSDTIHISWKLALPMTALRLSWLKLGHSPAFGSITET
IVTGERSEYLVTALEPDSPYKVCMPMETSNNLYLFDETPVCIETETAPLRMYNPPTTLNREQEKE
PYKNPNLPLAAIIGGAVALVTIALLALVCWYVHRNGSLFSRNCAYSKGRRRKDDYAEAGTKKDNS
ILEIRETSFQMLPISNEPISKEEFVIHTIFPPNGMNLYKNNHSESSSNRSYRDSGIPDSDSHS

Important features of the protein:

Signal peptide:

amino acids 1-28

Transmembrane domain:

amino acids 531-552

N-glycosylation sites.

amino acids 226-229, 282-285, 296-299, 555-558, 626-629, 633-636

Tyrosine kinase phosphorylation site.

amino acids 515-522

N-myristoylation sites.

amino acids 12-17, 172-177, 208-213, 359-364, 534-539, 556-561,
640-645

Amidation site.

amino acids 567-570

Leucine zipper pattern.

amino acids 159-180

Phospholipase A2 aspartic acid active site.

amino acids 34-44

FIGURE 133

CCGTCATCCCCCTGCAGCCACCCTTCCCAGAGTCCTTTGCCCAGGCCACCCAGGCTTCTTGGA
GCCCTGCCGGGCCACTTGTCTTCATGTCTGCCAGGGGAGGTGGGAAGGAGGTGGGAGGAGGGCG
TGCAGAGGCAGTCTGGGCTTGGCCAGAGCTCAGGGTGTGAGCGTGTGACCAGCAGTGAGCAGAG
GCCGGCCATGGCCAGCCTGGGGCTGCTGCTCCTGCTCTTACTGACAGCACTGCCACCGCTGTGGT
CCTCCTCACTGCCTGGGCTGGACACTGCTGAAAGTAAAGCCACCATTGCAGACCTGATCCTGTCT
GCGCTGGAGAGAGCCACCGTCTTCCTAGAACAGAGGCTGCCTGAAATCAACCTGGATGGCATGGT
GGGGGTCCGAGTGTGGAAGAGCAGCTAAAAAGTGTCCGGGAGAAGTGGGCCCAGGAGCCCTGC
TGCAGCCGCTGAGCCTGCGCGTGGGGATGCTGGGGGAGAAGCTGGAGGCTGCCATCCAGAGATCC
CTCCACTACCTCAAGCTGAGTGATCCCAAGTACCTAAGAGAGTTCCAGCTGACCCTCCAGCCCGG
GTTTTGGAAGCTCCACATGCCTGGATCCACACTGATGCCTCCTTGGTGTACCCACGTTCCGGGC
CCCAGGACTCATTCTCAGAGGAGAGAAGTGACGTGTGCCTGGTGCAGCTGCTGGGAACCGGACG
GACAGCAGCGAGCCCTGCGGCCTCTCAGACCTCTGCAGGAGCCTCATGACCAAGCCCGGCTGCTC
AGGCTACTGCCTGTCCCACCAACTGCTCTTCTTCTCTGGGCCAGAATGAGGGGATGCACACAGG
GACCACTCCAACAGAGCCAGGACTATATCAACCTCTTCTGCGCCAACATGATGGACTTGAACCGC
AGAGCTGAGGCCATCGGATACGCCTACCTACCCGGGACATCTTCATGGAAAACATCATGTTCTG
TGAATGGGCGGCTTCTCCGACTTCTACAAGCTCCGGTGGCTGGAGGCCATTCTCAGCTGGCAGA
AACAGCAGGAAGGATGCTTCGGGGAGCCTGATGCTGAAGATGAAGAATTATCTAAAGCTATTCAA
TATCAGCAGCATTTTTTCGAGGAGAGTGAAGAGGCGAGAAAAACAATTTCCAGATTCTCGCTCTGT
TGCTCAGGCTGGAGTACAGTGGCGCAATCTCGGCTCACTGCAACCTTTGCCTCCTGGGTTCAGC
AATTCTCTTGCCTCATCCTCCCAGTAGCTGGGACTACAGGAGCGTGCCACCATACCTGGCTAAT
TTTTATATTTTTTTAGTAGAGACAGGGTTTCATCATGTTGCTCATGCTGGTCTCGAACTCCTGAT
CTCAAGAGATCCGCCACCTCAGGCTCCCAAAGTGTGGGATTATTAGGTGTGAGCCACCGTGTCTG
GCTGAAAAGCACTTTCAAAGAGACTGTGTTGAATAAAGGGCCAAGGTTCTTGCCACCCAGCACTC
ATGGGGGCTCTCTCCCTAGATGGCTGCTCCTCCCAACACAGCCACAGCAGTGGCAGCCCTGG
GTGGCTTCTTATACATCCTGGCAGAATAACCCCCAGCAAACAGAGAGCCACACCCATCCACACCG
CCACCACCAAGCAGCCGCTGAGACGGACGGTTCCATGCCAGCTGCCTGGAGGAGGAACAGACCCC
TTTAGTCCTCATCCCTTAGATCCTGGAGGGCACGGATCACATCCTGGGAAGAAGGCATCTGGAGG
ATAAGCAAAGCCACCCGACACCCAATCTTGAAGCCCTGAGTAGGCAGGGCCAGGGTAGGTGGG
GGCCGGGAGGGACCCAGGTGTGAACGGATGAATAAAGTTCAACTGCAACTGAAAAA

FIGURE 134

MSARGRWEGGRRACRGSGLARAQGAERTVSSEQRPAMASLGLLLLLLTALPPLWSSSLPGLD
TAESKATIADLILSALERATVFLEQRLPEINLDGMVGVRVLEEQLKSVREKWAQEPLLQPLSLRV
GMLGEKLEAAIQRSYLHYLKLSDPKYLREFQLTLQPGFWKLPHAWIHTDASLVYPTFGPQDSFSEE
RSDVCLVQLLGTGTDSSSEPCGLSDLCRSLMTKPGCSGYCLSHQLLFFLWARMRGCTQGPIQQSQD
YINLFCANMMDLNRRAEAIGYAYPTRDIFMENIMFCGMGGFSDFYKLRWLEAILSQKQEGCFG
EPDAEDEELSKAIQYQQHFSRRVKRREKQFPDSRSVAQAGVQWRNLGSLQPLPPGFKQFSCLILP
SSWDYRSVPPYLANFYIFLVETGFHHVAHAGLELLISRDPPTSGSQSVGL

Important features of the protein:

Signal peptide:

amino acids 1-26

Transmembrane domain:

amino acids 39-56

Tyrosine kinase phosphorylation sites.

amino acids 149-156, 274-282

N-myristoylation sites.

amino acids 10-16, 20-26, 63-69, 208-214

Amidation site.

amino acids 10-14

Glycoprotein hormones beta chain signature 1.

amino acids 230-237

FIGURE 135

GGTCTGAGTGCAGAGCTGCTGTCATGGCGGCCGCTCTGTGGGGCTTCTTTCCCGTCCTGCTGCTG
CTGCTGCTATCGGGGGATGTCCAGAGCTCGGAGGTGCCCAGGGCTGCTGCTGAGGGATCGGGAGG
GAGTGGGGTCGGCATAGGAGATCGCTTCAAGATTGAGGGGCGTGCAAGTTGTTCCAGGGGTGAAGC
CTCAGGACTGGATCTCGGCGGCCCGAGTGCTGGTAGACGGAGAAGAGCACGTCGGTTTCCTTAAG
ACAGATGGGAGTTTTGTGGTTCATGATATACCTTCTGGATCTTATGTAGTGAAGTTGTATCTCC
AGCTTACAGATTTGATCCCGTTCGAGTGGATATCACTTCGAAAGGAAAAATGAGAGCAAGATATG
TGAATTACATCAAACATCAGAGGTTGTCAGACTGCCCTATCCTCTCCAAATGAAATCTTCAGGT
CCACCTTCTTACTTTATTAAAGGGAATCGTGGGGCTGGACAGACTTTCTAATGAACCCAAATGGT
TATGATGATGGTTCCTCCTTTATTGATATTTGTGCTTCTGCCTAAAGTGGTCAACACAAGTGATC
CTGACATGAGACGGGAAATGGAGCAGTCAATGAATATGCTGAATCCAACCATGAGTTGCCTGAT
GTTTCTGAGTTCATGACAAGACTCTTCTCTTCAAATCATCTGGCAAATCTAGCAGCGGCAGCAG
TAAAACAGGCAAAAGTGGGGCTGGCAAAAGGAGGTAGTCAGGCCGTCCAGAGCTGGCATTTCAC
AAACACGGCAACACTGGGTGGCATCCAAGTCTTGAAAACCGTGTGAAGCAACTACTATAAACTT
GAGTCATCCCGACGTTGATCTCTTACAACGTGTATGTT
AACTTTTTAGCACATGTTTTGTACTTGGTACACGAGAAAACCCAGCTTTCATCTTTTGTCTGTAT
GAGGTCAATATTGATGTCACTGAATTAATTACAGTGTCTATAGAAAATGCCATTAATAAATTAT
ATGAACTACTATACATTATGTATATTAATTAACATCTTAATCCAGAAATCAAAAAAAAAAAAA
AAAAAAAAAAAAAAAA

FIGURE 136

MAAALWGFFPVLLLLLLSGDVQSSEVPGAAAEGSGSGVGIGDRFKIEGRAVVPGVKPDWISAA
RVLVDGEEHVGFLKTDGSFVVHDIPSGSYVVEVVSAPYRFDPVVRVDITSKGKMRARYVNYIKTSE
VVRPLPYPLQMKSSGPPSYFIKRESWGWTDFLMNPMVMMVLPLLI FVLLPKVVNTSDPDMRREME
QSMNMLNSNHELPDVSEFMTRLFSSKSSGKSSSGSSKTGKSGAGKRR

Important features of the protein:

Signal sequence:

amino acids 1-23

Transmembrane domain:

amino acids 161-182

N-glycosylation site.

amino acids 184-187

Glycosaminoglycan attachment sites.

amino acids 37-40, 236-239

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 151-154

N-myristoylation sites.

amino acids 33-38, 36-41, 38-44, 229-234

Amidation site.

amino acids 238-241

ATP/GTP-binding site motif A (P-loop).

amino acids 229-236

FIGURE 137

GATGGCGCAGCCACAGCTTCTGTGAGATTTCGATTCTCCCCAGTTCCCCTGTGGGTCTGAGGGGA
CCAGAAGGGTGAGCTACGTTGGCTTTCTGGAAGGGGAGGCTATATCGTCAATTCCCCAAAACAA
GTTTTGACATTTCCCCGAAATGTCATTCTCTATCTATTCACTGCAAGTGCCTGCTGTTCCAGGC
CTTACCTGCTGGGCACTAACGGCGGAGCCAGGATGGGGACAGAATAAAGGAGCCACGACCTGTGC
CACCAACTCGCACTCAGACTCTGAACTCAGACCTGAAATCTTCTTTCACGGGAGGCTTGGCAGT
TTTTCTTACTCCTGTGGTCTCCAGATTTTCAGGCCTAAGATGAAAGCCTCTAGTCTTGCCCTCAGC
CTTCTCTCTGCTGCGTTTTATCTCCTATGGACTCCTTCCACTGGACTGAAGACACTCAATTTGGG
AAGCTGTGTGATCGCCACAAACCTTCAGGAAATACGAAATGGATTTTCTGAGATACGGGGCAGTG
TGCAAGCCAAAGATGGAACATTGACATCAGAATCTTAAGGAGGACTGAGTCTTTGCAAGACACA
AAGCCTGCGAATCGATGCTGCGCTCTGCGCCATTGCTAAGACTCTATCTGGACAGGGTATTTAA
AACTACCAGACCCCTGACCATTATACTCTCCGGAAGATCAGCAGCCTCGCCAATTCCTTTCTTA
CCATCAAGAAGGACCTCCGGCTCTCTCATGCCACATGACATGCCATTGTGGGGAGGAAGCAATG
AAGAAATACAGCCAGATTCTGAGTCACTTTGAAAAGCTGGAACCTCAGGCAGCAGTTGTGAAGGC
TTTGGGGGAAGTAGACATTCTTCTGCAATGGATGGAGGAGACAGAAATAGGAGGAAAGTGATGCTG
CTGCTAAGAATATTCGAGGTCAAGAGCTCCAGTCTTCAATACCTGCAGAGGAGGCATGACCCCAA
ACCACCATCTCTTTACTGTACTAGTCTTGTGCTGGTCACAGTGTATCTTATTTATGCATTACTTG
CTTCCTTGCAATGATTGTCTTTATGCATCCCCAATCTTAATTGAGACCATACTTGTATAAGATTTT
TGTAATATCTTTCTGCTATTGGATATATTTATTAGTTAATATATTTATTTATTTTTTGCTATTTA
ATGTATTTATTTTTTACTTGGACATGAACTTTAAAAAATTCACAGATTATATTTATAACCTG
ACTAGAGCAGGTGATGTATTTTTATACAGTAAAAAATAACCTTGTAATCTAGAAGAGTGG
CTAGGGGGGTATTTCATTTGTATTCAACTAAGGACATATTTACTCATGCTGATGCTCTGTGAGAT
ATTTGAAATTGAACCAATGACTACTTAGGATGGGTTGTGGAATAAGTTTTGATGTGGAATTGCAC
ATCTACCTTACAATTACTGACCATCCCCAGTAGACTCCCCAGTCCCATAATTGTGTATCTTCCAG
CCAGGAATCCTACACGCCAGCATGTATTTCTACAAATAAAGTTTTCTTTGCATACCAAAAAA
AAAAA

FIGURE 138

MRQFPKTSFDISPEMSFSIYSLQVPAVPG LTCWALTAEPGWGQNGATT CATNSHSDSEL RPEIF
SSREAWQFFLLWSPDFRPKM KASSLAFSLLSAAFYLLWTPSTGLKTLNLGSCVIATNLQEIRNG
FSEIRGSVQAKDGNIDIRILRRTESLQDTKPANRCCLLRHLLRLYLDRVFKNYQTPDHYTLRKIS
SLANSFLTIKKDLRLSHAHMTCHCGEEAMKKYSQILSHFEKLEPQAAVVKALGELDILLQWMEET
E

Important features of the protein:

Signal peptide:

amino acids 1-42

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 192-195, 225-228

N-myristoylation sites.

amino acids 42-47, 46-51, 136-141

FIGURE 140

MRLGSGTFATCCVAIEVLGIAVFLRGFFPAPVRSSARAEGAEPPAPEPSAGASSNWTTLPPPLF
SKVVIVLIDALRDDDFVFGSKGVKFMPTTYLVEKGASHSFVAEAKPPTVTMPRIKALMTGSLPGF
VDVIRNLNSPALLEDVIRQAKAAGKRIVFYGDETWVKLFPKHFEYDGTTSFFVSDYTEVDNNV
TRHLDKVLKRGDWDILILHYLGLDGHISGPN SPLIGQKLSEMDSVLMKIHTSLQSKERETPLP
NLLVLCGDHGMSETGSHGASSTEEVNTPLILISSAFERKPGDIRHPKHVQ

Important features of the protein:

Signal peptide:

amino acids 1-34

Transmembrane domain:

amino acids 58-76

N-glycosylation sites.

amino acids 56-60, 194-198

N-myristoylation sites.

amino acids 6-12, 52-58, 100-106, 125-131, 233-239, 270-276,
275-281, 278-284

Amidation site.

amino acids 154-158

Cell attachment sequence.

amino acids 205-208

FIGURE 141

GGCACGAGGCAAGCCTTCCAGGTTATCGTGACGCACCTTGAAAGTCTGAGAGCTACTGCCCTACA
GAAAGTTACTAGTGCCCTAAAGCTGGCGCTGGCACTGATGTACTGCTGCTGTTGGAGTACAAC
TCCCTATAGAAAACAACCTGCCAGCACCTTAAGACCACTCACACCTTCAGAGTGAAGAACTTAAAC
CCGAAGAAATTAGCATTTCATGACCAGGATCACAAAGTACTGGTCCTGGACTCTGGGAATCTCAT
AGCAGTTCCAGATAAAAACTACATACGCCCAGAGATCTTCTTTGCATTAGCCTCATCCTTGAGCT
CAGCCTCTGCGGAGAAAGGAAGTCCGATTCTCCTGGGGGTCTCTAAAGGGGAGTTTGTCTCTAC
TGTGACAAGGATAAAGGACAAAGTCATCCATCCCTTCAGCTGAAGAAGGAGAACTGATGAAGCT
GGCTGCCCCAAAAGGAATCAGCACGCCGGCCCTTCATCTTTTATAGGGCTCAGGTGGGCTCCTGGA
ACATGCTGGAGTCGGCGGCTCACCCCGGATGGTTCATCTGCACCTCCTGCAATTGTAATGAGCCT
GTTGGGGTGACAGATAAATTTGAGAACAGGAAACACATTGAATTTTCATTTCAACCAGTTTGCAA
AGCTGAAATGAGCCCCAGTGAGGTCAGCGATTAGGAAACTGCCCCATTGAACGCCTTCCTCGCTA
ATTTGAACATAATTGTATAAAAACACCAAACCTGCTCACT

FIGURE 142

MLLLLLLEYNFPIENNCQHLKTTHTFRVKNLNPKKFSIHDQDHKVLVLD SGNLI AVDPKNYIRPEI
FFALASSLSSASA EKGS PILLGVSKGEFCLYCDKDKGQSHPSLQLKKEKLMKLA AQKESARRPFI
FYRAQVGSWNMLESAAHPGWFICTSCNCNEPVGVTDFENRKHIEFSFQPVCKAEMSPSEVSD

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 33-36

N-myristoylation site.

amino acids 50-55, 87-92

Interleukin-1

amino acids 37-182

FIGURE 143

CTAGAGAGTATAGGGCAGAAGGATGGCAGATGAGTGACTCCACATCCAGAGCTGCCTCCCTTTAA
TCCAGGATCCTGTCCTTCCTGTCTGTAGGAGTGCCTGTTGCCAGTGTGGGGTGAGACAAGTTTG
TCCCACAGGGCTGTCTGAGCAGATAAGATTAAGGGCTGGGTCTGTGCTCAATTAACCTCCTGTGGG
CACGGGGGCTGGGAAGAGCAAAGTCAGCGGTGCCTACAGTCAGCACCATGCTGGGCCTGCCGTGG
AAGGGAGGTCTGTCTGGGCGCTGCTGCTGCTTCTCTTAGGCTCCCAGATCCTGCTGATCTATGC
CTGGCATTTCACGAGCAAAGGGACTGTGATGAACACAATGTCATGGCTCGTTACCTCCCTGCCA
CAGTGGAGTTTGCTGTCCACACATTCAACCAACAGAGCAAGGACTACTATGCCTACAGACTGGGG
CACATCTTGAATTCTGGAAGGAGCAGGTGGAGTCCAAGACTGTATTCTCAATGGAGCTACTGCT
GGGGAGAAGTAGGTGTGGGAAATTTGAAGACGACATTGACAAGTCCATTTCCAAGAAAGCACAG
AGCTGAACAATACTTTACCTGCTTCTTACCATCAGCACCAGGCCCTGGATGACTCAGTTCAGC
CTCCTGAACAAGACCTGCTTGGAGGGATTCCACTGAGTGAAACCCACTCACAGGCTTGTCATGT
GCTGCTCCACATTCCGTGGACATCAGCACTACTCTCCTGAGGACTCTTCAGTGGCTGAGCAGCT
TTGACTTGTGTTATCCTATTTTGCATGTGTTTGAGATCTCAGATCAGTGTGTTTAGAAAATCC
ACACATCTTGAGCCTAATCATGTAGTGTAGATCATTAACATCAGCATTTTAAGAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 144

MLGLPWKGGLSWALLLLLLLGSQILLIYAWHFHEQRDCDEHNVMARYLPATVEFAVHTFNQQSKDY
YAYRLGHILNSWKEQVESKTVFSMELLGRTRCGKFEDDIDNCHFQESTELNNTFTTCFFTISTRP
WMTQFSLLNKTCLGFFH

Important features of the protein:

Signal peptide:

amino acids 1-25

N-glycosylation sites.

amino acids 117-121, 139-143

N-myristoylation site.

amino acids 9-15

APP ID=10063569

FIGURE 145

CTGTGCAGCTCGAGGCTCCAGAGGCACACTCCAGAGAGAGCCAAGGTTCTGACGCGAATGAGGAAG
CACCTGAGCTGGTGGTGGCTGGCCACTGTCTGCATGCTGCTCTTCAGCCACCTCTCTGCGGTCCA
GACGAGGGGCATCAAGCACAGAATCAAGTGGAACCGGAAGGCCCTGCCCAGCACTGCCCAGATCA
CTGAGGCCCAGGTGGCTGAGAACCGCCCGGAGCCTTCATCAAGCAAGGCCGCAAGCTCGACATT
GACTTCGGAGCCGAGGGCAACAGGTACTACGAGGCCAACTACTGGCAGTTCCCCGATGGCATCCA
CTACAACGGCTGCTCTGAGGCTAATGTGACCAAGGAGGCATTTGTCACCGGCTGCATCAATGCCA
CCCAGGCGGCGAACCAGGGGGAGTTCCAGAAGCCAGACAACAAGCTCCACCAGCAGGTGCTCTGG
CGGCTGGTCCAGGAGCTCTGCTCCCTCAAGCATTGCGAGTTTTGGTTGGAGAGGGGCGCAGGACT
TCGGGTCACCATGCACCAGCCAGTGCTCCTCTGCCTTCTGGCTTTGATCTGGCTCATGGTGAAAT
AAGCTTGCCAGGAGGCTGGCAGTACAGAGCGCAGCAGCGAGCAAATCCTGGCAAGTGACCCAGCT
CTTCTCCCCCAAACCCACGCGTGTTCTGAAGGTGCCAGGAGCGGCGATGCACTCGCACTGCAAA
TGCCGCTCCACGTATGCGCCCTGGTATGTGCCCTGCGTTCTGATAGATGGGGGACTGTGGCTTCT
CCGTCACTCCATTCTCAGCCCCTAGCAGAGCGTCTGGCACACTAGATTAGTAGTAAATGCTTGAT
GAGAAGAACACATCAGGCACTGCGCCACCTGCTTCACAGTACTTCCCAACAACCTCTTAGAGGTAG
GTGTATTCCCGTTTTACAGATAAGGAAACTGAGGCCAGAGAGCTGAAGTACTGCACCCAGCATC
ACCAGCTAGAAAGTGGCAGAGCCAGGATTCAACCCTGGCTTGTCTAACCCAGGTTTTCTGCTCT
GTCCAATTCCAGAGCTGTCTGGTGATCACTTTATGTCTCACAGGGACCCACATCCAAACATGTAT
CTCTAATGAAATTGTGAAAGCTCCATGTTTAGAAATAAATGAAAACACCTGA

FIGURE 146

MRKHLSSWWLATVCMLLFSHL SAVQTRGIKHRIKWNRKALPSTAQITEAQVAENRPGAFIKQGRK
LDIDFGAEGNRYYEANYWQFPDGIHYNGCSEANVTKEAFVTGCINATQAANQGEFQKPDNKLHQQ
VLWRLVQELCSLKHCFWLERGAGLRVTMHQPVLLCLLALIWLMMVK

Important features of the protein:

Signal peptide:

amino acids 1-26

Transmembrane domain:

amino acids 157-171

N-glycosylation sites.

amino acids 98-102, 110-114

Tyrosine kinase phosphorylation site.

amino acids 76-83

N-myristoylation sites.

amino acids 71-77, 88-94, 93-99, 107-113, 154-160

Amidation site.

amino acids 62-66

FIGURE 147

GCCTTGGCCTCCCAAAGGGCTGGGATTATAGGCGTGACCACCATGTCTGGTCCAGAGTCTCATT
CCTGATGATTTATAGACTCAAAGAAAAGCTCATGTTCAGAAGCTCTCTTCTCTTCTGGCCTCCTCT
CTGTCTTCTTTCCCTCTTCTCTTATTTAATTAGTAGCATCTACTCAGAGTCATGCAAGCTGG
AAATCTTTTCATTTTGCTTGTCAGTGGGGTAGGTCACCTGAGTCTTAGTTTTTATTTTTGAAATTT
CAACTTTCAGATTGAGGGGTACATGTGAAGGTTTGTTTTATGAGTATATTGCATTGATGCTGAGG
TTTGGGGT

FIGURE 148

MFRSSLLFWPPLCLLSLFLILISSIYSESKLEIFHFACQWGRSLSLSFYFLKFQLSDSGGTCE
GLFYEYIA

Important features of the protein:

Signal peptide:

amino acids 1-25

N-myristoylation site.

amino acids 62-68

FIGURE 149

GTCTCCGCGTCACAGGAACCTTCAGCACCCACAGGGCGGACAGCGCTCCCTCTACCTGGAGACTTGAC
 TCCCGCGCGCCCCAACCTGCTTATCCCTTGACCGTCGAGTGTGAGAGATCCTGCAGCCGCCAGTCC
 CGGCCCTCTCCCGCCCCACCCACCTCCTGGCTCTTCTGTTTTTACTCCTCTTTTCATTTCATA
 ACAAAGCTACAGCTCCAGGAGCCAGCGCCGGGCTGTGACCCAAGCCGAGCGTGAAGAATGGGGTT
 CCTCGGGACCGGCACTTGGAATTCTGGTGTAGTGTCTCCGATTCAAGCTTTCCCAAACCTGGAGGAA
 GCCAAGACAAATCTCTACATAATAGAGAATTAAGTGCAGAAAGACCTTTGAATGAACAGATTGCTGAA
 GCAGAAGAAGACAAGATTAAAAAACATATCCTCCAGAAAACAAGCCAGGTGAGAGCAACTATTCTTT
 TGTTGATAAAGCTGAACTGCTAAAGGCAATAACAGAAAAGGAAAAAATTGAGAAAGAAAGACAATCTA
 TAAGAAGCTCCCACTTGATAATAAGTTGAATGTGGAAGATGTTGATTCAACCAAGAATCGAAAAGT
 ATCGATGATTATGACTCTACTAAGAGTGGATTGGATCATAAATTTCAAGATGATCCAGATGGTCTTCA
 TCACTAGACGGGACTCCTTTAACCCTGAAGACATTGTCCATAAAATCGCTGCCAGGATTATGAAG
 AAAATGACAGAGCCGTGTTTGACAAGATTGTTTCTAACTACTTAATCTCGGCCTTATCAGAGAAAGC
 CAAGCACATACACTGGAAGATGAAGTAGCAGAGGTTTTACAAAAATTAATCTCAAAGGAAGCCAACAA
 TTATGAGGAGGATCCCAATAAGCCCACAAGCTGGACTGAGAATCAGGCTGGAATAATACCAGAGAAAG
 TGACTCCAATGGCAGCAATTCAGATGGTCTTGCTAAGGGAGAAAACGATGAAACAGTATCTAACACA
 TTAACCTTGACAAATGGCTTGAAAGGAGAACTAAACCTACAGTGAAGACAACCTTTGAGGAACTCCA
 ATATTTCCCAAATTTCTATGCGCTACTGAAAAGTATTGATTTCAGAAAAAGCAAGAGAGAAAGAAA
 CACTGATTACTATCATGAAAACACTGATTGACTTTGTGAAGATGATGGTGAAATATGGAACAATATCT
 CCAGAAGAAGGTGTTTCTACCTTGAAAACCTGGATGAAATGATTGCTCTTCAGACCAAAAAACAAGCT
 AGAAAAAATGCTACTGACAATATAAGCAAGCTTTTCCAGCACCATCAGAGAAGAGTCATGAAGAAA
 CAGACAGTACCAAGGAAGAAGCAGCTAAGATGGAAAAGGAATATGGAAGCTTGAAGGATTCCACAAAA
 GATGATAACTCCAACCCAGGAGGAAAGACAGATGAACCCAAAGGAAAAACAGAAGCCTATTTGGAAGC
 CATCAGAAAAAATATTGAATGGTTGAAGAAACATGACAAAAAGGGAAATAAAGAAGATTATGACCTTT
 CAAAGATGAGAGACTTCATCAATAACAAGCTGATGCTTATGTGGAGAAAGGCATCCTTGACAAGGAA
 GAAGCCGAGGCCATCAAGCGCATTTATAGCAGCTGTAAAAATGGCAAAGATCCAGGAGTCTTTCAA
 CTGTTTCAGAAAACATAATATAGCTTAAACACTTCTAATTCTGTGATTAAATTTTTTACCCAAAGG
 GTTATTAGAAAGTGTGAATTTACAGTAGTTAACCTTTTACAAGTGGTTAAACATAGCTTTCTTCCC
 GTAAAACTATCTGAAAGTAAAGTTGTATGTAAGCTGAAAAAAAAAAAAAAAAAAAAA

FIGURE 150

MGFLGTGTWILVLVLP IQAFPKPGGSQDKSLHNRELSAERPLNEQIAEAEEDKIKKTYPPENKPG
QSNYSFVDNLNLLKAITEKEKIEKERQSIRSSPLDNKLNVEDVDSTKNRKLIDDYDSTKSGLDHK
FQDDPDGLHQLDGTPLTAEDIVHKIAARIYEENDRAVFDKIVSKLLNLGLITESQAHTLEDEVAE
VLQKLISKEANNYEEDPNKPTSWTENQAGKIKEKVTMAAIQDGLAKGENDETVSNTLTTLTNGLE
RRTKTYSEDNFEELQYFPNFYALLKSIDSEKEAKEKETLITIMKTLIDFVKMMVKYGTISPEEGV
SYLENLDEMIALQTKNKLEKNATDNISKLFPAPEKSHEETDSTKEEAAMEKEYGSLKDSTKDD
NSNPGGKTDEPKGKTEAYLEAIRKNIEWLKKHDKKGNKEDYDLSKMRDFINKQADAYVEKGILDK
EEAEAIKRIYSSL

N-glycosylation sites:

amino acids 68-71, 346-349, 350-353

Casein kinase II phosphorylation site:

amino acids 70-73, 82-85, 97-100, 125-128, 147-150, 188-191, 217-
220, 265-268, 289-292, 305-308, 320-323, 326-329, 362-365, 368-
341, 369-372, 382-385, 386-389, 387-390

N-myristoylation sites:

amino acids 143-148, 239-244

FIGURE 151

CGGCTCGAGGCTCCCGCCAGGAGAAAGGAACATTCTGAGGGGAGTCTACACCCTGTGGAGCTCAA
GATGGTCCTGAGTGGGGCGCTGTGCTTCCGAATGAAGGACTCGGCATTGAAGGTGCTTTATCTGC
ATAATAACCAGCTTCTAGCTGGAGGGCTGCATGCAGGAAGGTCATTAAAGGTGAAGAGATCAGC
GTGGTCCCCAATCGGTGGCTGGATGCCAGCCTGTCCCCGTATCCTGGGTGTCCAGGGTGGAAAG
CCAGTGCTGTCTATGTGGGGTGGGGCAGGAGCCGACTCTAACACTAGAGCCAGTGAACATCATGG
AGCTCTATCTTGGTGCCAAGGAATCCAAGAGCTTCACCTTCTACCGGCGGGACATGGGGCTCACC
TCCAGCTTCGAGTCCGGTGCCTACCCGGGCTGGTTCCGTGTGCACGGTGCCTGAAGCCGATCAGCC
TGTCAGACTCACCCAGCTTCCCGAGAATGGTGGCTGGAATGCCCCATCACAGACTTCTACTTCC
AGCAGTGTGACT**TAG**GGCAACGTGCCCCCAGAACTCCCTGGGCAGAGCCAGCTCGGGTGAAGGGT
GAGTGGAGGAGACCCATGGCGGACAATCACTCTCTGTCTCTCAGGACCCCCACGTCTGACTTAG
TGGGCACCTGACCACTTTGTCTTCTGGTTCCAGTTTGGATAAAATCTGAGATTGGAGCTCAGT
CCACGGTCTCCCCACTGGATGGTGTCTACTGCTGTGGAACCTTGTA AAAACCATGTGGGGTAAA
CTGGGAATAACATGAAAAGATTTCTGTGGGGTGGGGTGGGGGAGTGGTGGGAATCATTCTGTCT
TAATGGTAAGTACAAAGTGTACCTGAGCCCCGAGGCCAACCCTCCCCAGTTGAGCCTTATA
GGGTGAGTACTCTCCACATGAAGTCTGTCACTCACCCTGTGCAGGAGAGGGAGGTGGTGCATA
GAGTCAGGGATCTATGGCCCTTGGCCAGCCCCACCCCTTCCCTTTAATCCTGCCACTGTCATA
TGCTACCTTTCCTATCTCTCCCTCATCATCTTGTGTGGGCATGAGGAGGTGGTGTATGTCAGAA
GAAATGGCTCGAGCTCAGAAGATAAAAGATAAGTAGGGTATGCTGATCCTCTTTAAAAACCCAA
GATACAATCAAAATCCCAGATGCTGGTCTCTATTTCCCATGAAAAAGTGTCTATGACATATTGAGA
AGACCTACTTACAAAGTGGCATATATTGCAATTTATTTAATTAAGATAACCTATTTATATATT
TCTTTATAGAAAAAGTCTGGAAGAGTTTACTTCAATTGTAGCAATGTGAGGGTGGTGGCAGTAT
AGGTGATTTTCTTTTAAATCTGTTAATTTATCTGTATTTCCTAATTTTCTACAATGAAGATGA
ATTCCTTGATAAAAATAAGAAAAGAAATTAATCTTGAGGTAAGCAGAGCAGACATCATCTCTGA
TTGTCTCAGCCTCCACTTCCCCAGAGTAAATTCAAATTGAATCGAGCTCTGTCTGTCTGGTTGG
TTGTAGTAGTGATCAGGAAACAGATCTCAGCAAAGCCACTGAGGAGGAGGCTGTGCTGAGTTTGT
GTGGCTGGAATCTCTGGGTAAGGAACTTAAAGAACAAAAATCATCTGGTAATTTCTTCCTAGAAG
GATCACAGCCCCCTGGGATTCCAAGGCATTGGATCCAGTCTCTAAGAAGGCTGTGTACTGGTTGA
ATTGTGTCCCCCTCAAATTCACATCCTTCTTGGATCTCAGTCTGTGAGTTTATTTGGAGATAAG
GTCTCTGCAGATGTAGTTAGTTAAGACAAGGTCATGCTGGATGAAGGTAGACCTAAATTCATAT
GACTGGTTTCTTGTATGAAAAGGAGAGGACACAGAGACAGAGGAGACGCGGGGAAGACTATGTA
AAGATGAAGGCAGAGATCGGAGTTTTGCAGCCACAAGCTAAGAAACACCAAGGATTGTGGCAACC
ATCAGAAGCTTGGAAAGAGGCAAAGAAGAAATCTTCCCTAGAGGCTTTAGAGGGATAACGGCTCTG
CTGAAACCTTAATCTCAGACTTCCAGCCTCCTGAACGAAGAAAGATAAATTTGGGCTGTTTTAA
GCCACCAAGGATAAATGGTTACAGCAGCTCTAGGAACTAATACAGCTGCTAAATGATCCCTGT
CTCCTCGTGTTTACATTCTGTGTGTGTCCCTCCCAATGTACCAAAGTTGTCTTTGTGACCAA
TAGAATATGGCAGAAGTGATGGCATGCCACTTCCAAGATTAGGTTATAAAAGACACTGCAGCTTC
TACTTGAGCCCTCTCTCTCTGCCACCCACCGCCCCAATCTATCTTGGCTCACTCGCTCTGGGGG
AAGCTAGCTGCCATGCTATGAGCAGGCCTATAAAGAGACTTACGTGGTAAAAATGAAGTCTCCT
GCCCACAGCCACATTAGTGAACCTAGAAGCAGAGACTCTGTGAGATAATCGATGTTTGTGTTTT
AAGTTGCTCAGTTTTGGTCTAAGTTGTTATGCAGCAATAGATAAATAATATGCAGAGAAAGAG

FIGURE 152

MVLSGALCFRMKDSALKVLYLHNNQLLAGGLHAGKVIKGEESISVVPNRWLDASLSPVILGVQGS
QCLSCGVGQEPTLTLEPVNIMELYLGAKESKSFTFYRRDMGLTSSFESAAYPGWFLCTVPEADQP
VRLTQLPENGGWNAPITDFYFQQCD

N-myristoylation sites.

amino acids 29-34, 30-35, 60-65, 63-68, 73-78, 91-96, 106-111

Interleukin-1 signature.

amino acids 111-131

Interleukin-1 proteins.

amino acids 8-29, 83-120, 95-134, 64-103

FIGURE 153

CTTCAGAACAGGTTCTCCTTCCCCAGTCACCAAGTTGCTCGAGTTAGAATTGTCTGCAATGGCCGC
CCTGCAGAAATCTGTGAGCTCTTTCCCTTATGGGGACCCTGGCCACCAGCTGCCTCCTTCTCTTGG
CCCTCTTGGTACAGGGAGGAGCAGCTGCGCCCATCAGCTCCCACTGCAGGCTTGACAAGTCCAAC
TTCCAGCAGCCCTATATACCAACCGCACCTTCATGCTGGCTAAGGAGGCTAGCTTGGCTGATAA
CAACACAGACGTTTCGTCTCATTGGGGAGAACTGTTCCACGGAGTCAGTATGAGTGAGCGCTGCT
ATCTGATGAAGCAGGTGCTGAACCTTACCCTTGAAGAAGTGCTGTTCCCTCAATCTGATAGGTTT
CAGCCTTATATGCAGGAGGTGGTGGCCCTTCTGGCCAGGCTCAGCAACAGGCTAAGCACATGTCA
TATTGAAGGTGATGACCTGCATATCCAGAGGAATGTGCAAAAGCTGAAGGACACAGTGAAAAAGC
TTGGAGAGAGTGGAGAGATCAAAGCAATTGGAGAACTGGATTGCTGTTTATGTCTCTGAGAAAT
GCCTGCATTGACACAGAGCAAAGCTGAAAAATGAATAACTAACCCCTTTCCCTGCTAGAAATAA
CAATTAGATGCCCCAAAGCGATTTTTTTTAAACAAAAGGAAGATGGGAAGCCAAACTCCATCATG
ATGGGTGGATTCCAAATGAACCCCTGCGTTAGTTACAAAGGAAACCAATGCCACTTTTGTTTATA
AGACCAGAAGGTAGACTTTCTAAGCATAGATATTTATTGATAACATTTTCATTGTAAGTGGTGTTT
TATACACAGAAAACAATTTATTTTTTAAATAATTGTCTTTTCCATAAAAAAGATTACTTTCCAT
TCCTTTAGGGGAAAAAACCCCTAAATAGCTTCATGTTTCCATAATCAGTACTTTATATTTATAAA
TGTATTTATTATTATTATAAGACTGCATTTTATTATATCATTTTATTAATATGGATTATTAT
AGAAACATCATTCGATATTGCTACTTGAGTGTAAGGCTAATATTGATATTTATGACAATAATTAT
AGAGCTATAACATGTTTATTTGACCTCAATAAACACTTGGATATCCC

FIGURE 154

MAALQKSVSSFLMGTLATSCLLLLLALLVQGGAAPISSHCRLDKSNFQQPYITNRTFMLAKEASL
ADNNTDVRLLIGEKLFHGVSMSERCYLMKQVLNFTLEEVLFPQSDRFQPYMQEVVPFLARLSNRLS
TCHIEGDDLHIQRNVQKLKDTVKKLGESGEIKAIGELDLLFMSLRNACI

Important features of the protein:

Signal peptide:

amino acids 1-33

N-glycosylation sites.

amino acids 54-58, 68-72, 97-101

N-myristoylation sites.

amino acids 14-20, 82-88

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 10-21

FIGURE 155

GGCTTGCTGAAAATAAAATCAGGACTCCTAACCTGCTCCAGTCAGCCTGCTTCCACGAGGCCTGT
CAGTCAGTGCCCGACTTGTGACTGAGTGTGCAGTGCCCGAGCATGTACCAGGTCAGTGCAGAGGGC
TGCCCTGAGGGCTGTGCTGAGAGGGAGAGGAGCAGAGATGCTGCTGAGGGTGGAGGGAGGCCAAGC
TGCCAGGTTTGGGGCTGGGGGCCAAGTGGAGTGAGAACTGGGATCCCAGGGGGAGGGTGCAGAT
GAGGGAGCGACCCAGATTAGGTGAGGACAGTTCTCTCATTAGCCTTTTCTACAGGTGGTTGCAT
TCTTGGCAATGGTCATGGGAACCCACCTACAGCCACTGGCCCAGCTGCTGCCCCAGCAAAGGG
CAGGACACCTCTGAGGAGCTGCTGAGGTGGAGCACTGTGCCTGTGCCTCCCCTAGAGCCTGCTAG
GCCCCAACCGCCACCCAGAGTCTGTAGGGCCAGTGAAGATGGACCCCTCAACAGCAGGGCCATCT
CCCCCTGGAGATATGAGTTGGACAGAGACTTGAACCGGCTCCCCCAGGACCTGTACCACGCCCCGT
TGCCTGTGCCCCGACTGCGTCAGCCTACAGACAGGCTCCCACATGGACCCCCGGGGCAACTCGGA
GCTGCTCTACCACAACCAGACTGTCTTCTACAGGCGGCCATGCCATGGCGAGAAGGGCAGCCACA
AGGGCTACTGCCTGGAGCGCAGGCTGTACCGTGTTCCTTAGCTTGTGTGTGTGCGGCCCCGT
GTGATGGGCTAGCCGGACCTGCTGGAGGCTGGTCCCTTTTGGGAAACCTGGAGCCAGGTGTACA
ACCACTTGCCATGAAGGGCCAGGATGCCAGATGCTTGGCCCCGTGAAGTGTGTCTGGAGCAG
CAGGATCCCGGGACAGGATGGGGGGCTTTGGGAAAACCTGCACCTTCTGCACATTTTGAAAAGAG
CAGCTGCTGCTTAGGGCCGCCGAAGCTGGTGTCTGTCTCTCAGGAAAGGTTTTCAA
GTTCTGCCCATTTCTGGAGGCCACCACTCCTGTCTCTTCTCTTTCCCATCCCCTGCTACCCTG
GCCAGCACAGGCACTTCTAGATATTTCCCCCTTGCTGGAGAAGAAAGAGCCCCCTGGTTTTATT
TGTTTGTCTTACTCATCACTCAGTGAGCATCTACTTTGGGTGCATTCTAGTGTAGTTACTAGTCTT
TTGACATGGATGATTCTGAGGAGGAAGCTGTTATTGAATGTATAGAGATTTATCCAAATAAATAT
CTTTATTTAAAAATGAAAAA

FIGURE 156

MRERPRLGEDSSLISLFLQVVAFLAMVMGTHYSHWPSCCPSKGQDTSEELLRWSTVPVPPLEPA
RPNRHPESCRASEDGPLNSRAISPWRYELDRDLNRLPQDLYHARCLCPHCVSLQTGSHMDPRGNS
ELLYHNQTVFYRRPCHGEKGTGKGYCLERRLYRVSLACVCVRPRVMG

Important features of the protein:

Signal peptide:

amino acids 1-32

N-glycosylation site.

amino acids 136-140

Tyrosine kinase phosphorylation site.

amino acids 127-135

N-myristoylation sites.

amino acids 44-50, 150-156

FIGURE 157

CCGGCGATGTCGCTCGTGCTGCTAAGCCTGGCCGCGCTGTGCAGGAGCGCCGTACCCCGAGAGCC
GACCGTTCAATGTGGCTCTGAACTGGGCCATCTCCAGAGTGGATGCTACAACATGATCTAATCC
CCGGAGACTTGAGGGACCTCCGAGTAGAACCTGTTACAACAGTGTGCAACAGGGGACTATTCA
ATTTTGATGAATGTAAGCTGGGTACTCCGGGCAGATGCCAGCATCCGCTTGTGAAGGCCACCAA
GATTTGTGTGACGGGCAAAAGCAACTTCCAGTCCTACAGCTGTGTGAGGTGCAATTACACAGAGG
CCTTCCAGACTCAGACCAGACCCTCTGGTGGTAAATGGACATTTTCTACATCGGCTTCCCTGTA
GAGCTGAACACAGTCTATTTTATTGGGGCCATAATATTCCTAATGCAAATATGAATGAAGATGG
CCCTTCCATGTCTGTGAATTTACCTCACCAGGCTGCCTAGACCACATAATGAAATATAAAAAA
AGTGTGTCAAGGCCGAAGCCTGTGGGATCCGAACATCACTGCTTGTGAAGAAGATGAGGAGACA
GTAGAAGTGAACCTTCAACAACACTCCCCTGGGAAACAGATACATGGCTCTTATCCAACACAGCAC
TATCATCGGGTTTTTCTCAGGTGTTTGAGCCACACCAGAAGAAACAAACGCGAGCTTCAGTGGTGA
TTCCAGTGACTGGGGATAGTGAAGGTGCTACGGTGCAGCTGACTCCATATTTTCTACTTGTGGC
AGCGACTGCATCCGACATAAAGGAACAGTTGTGCTCTGCCCACAAACAGGCGTCCCTTTCCCTCT
GGATAACAACAAAAGCAAGCCGGGAGGCTGGCTGCCTCTCCTCTGCTGTCTCTGCTGGTGGCCA
CATGGGTGCTGGTGGCAGGGATCTATCTAATGTGGAGGCACGAAAGGATCAAGAAGACTTCCTTT
TCTACCACCACACTACTGCCCCCATTAAGGTTCTTGTGGTTTACCCATCTGAAATATGTTTCCA
TCACACAATTTGTTACTTCACTGAATTTCTTCAAACCATTGCAGAAGTGAGGTCATCCTTGAAA
AGTGGCAGAAAAAGAAAATAGCAGAGATGGGTCCAGTGCAGTGGCTTGCCACTCAAAGAAGGCA
GCAGACAAAGTCGTCTTCTTTTCCAATGACGTCAACAGTGTGTGCGATGGTACCTGTGGCAA
GAGCGAGGGCAGTCCCAGTGAGAACTCTCAAGACCTCTTCCCCCTTGCCTTTAACCTTTTCTGCA
GTGATCTAAGAAGCCAGATTCTCTGCACAAATACGTGGTGGTCTACTTTAGAGAGATTGATACA
AAAGACGATTACAATGCTCTCAGTGTCTGCCCCAAGTACCACCTCATGAAGGATGCCACTGCTTT
CTGTGCAGAACTTCTCCATGTCAAGCAGCAGGTGTCAGCAGGAAAAAGATCACAAGCCTGCCACG
ATGGCTGCTGCTCCTTGTAG

FIGURE 158

MSLVLLSLAALCRSAVPREPTVQCGSETGPSPEWMLQHDLPGLRDLRVEPVTTSVATGDYSILMNVS WV
LRADASIRLLKATKICVTGKSNFQSYSCVRCNYTEAFQTQTRPSGGKWTFSYIGFPVELNTVYFIGAHNIP
NANMNEDGPSMSVNFTSPGCGLDHIMYKKKCVKAGSLWDPNITACKKNEETVEVNFTTTPLGNYMALIQH
STIIGFSQVFEPHQKKQTRASVVIPVTGDSEGATVQLTPYFPTCGSDCIRHKGTVVLCPTGVPFPLDNNK
SKPGGWLPLLLSLLVATWVLVAGIYLMWRHERIKKTSFSTTLLPPIKVLVVYPSEICFHHTICYFTEFL
QNHCRSEVILEKWQKKKIAEMGPVQWLATQKKAADKVVFLSNDVNSVCDGTCGKSEGPSSENSQDLFPLA
ENLFCSDLRSQIHLHKYVVVYFREIDTKDDYNALSVCPKYHLMKDATAFCAELLHVKKQVSAGKRSQACHD
GCCSL

Important features of the protein:

Signal peptide:

amino acids 1-14

Transmembrane domain:

amino acids 290-309

N-glycosylation sites.

amino acids 67 - 71, 103 - 107, 156 - 160, 183 - 187, 197 - 201 and 283
- 287

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 228 - 232 and 319 - 323

Casein kinase II phosphorylation sites.

amino acids 178 - 182, 402 - 406, 414 - 418 and 453 - 457

N-myristoylation site.

amino acids 116-122

Amidation site.

amino acids 488-452

FIGURE 159

AGCCACCAGCGCAACATGACAGTGAAGACCCTGCATGGCCCAGCCATGGTCAAGTACTTGCTGCT
GTCGATATTGGGGCTTGCCTTTCTGAGTGAGGCGGCAGCTCGGAAAATCCCCAAAGTAGGACATA
CTTTTTTCCAAAAGCCTGAGAGTTGCCCGCCTGTGCCAGGAGGTAGTATGAAGCTTGACATTGGC
ATCATCAATGAAAACCAGCGCGTTTCCATGTCACGTAACATCGAGAGCCGCTCCACCTCCCCCTG
GAATTACACTGTCACTTGGGACCCCAACCGGTACCCCTCGGAAGTTGTACAGGCCCAGTGTAGGA
ACTTGGGCTGCATCAATGCTCAAGGAAAGGAAGACATCTCCATGAATTCCGTTCCCATCCAGCAA
GAGACCCTGGTCGTCCGGAGGAAGCACCAAGGCTGCTCTGTTTCTTCCAGTTGGAGAAGGTGCT
GGTGACTGTTGGCTGCACCTGCGTCACCCCTGTCATCCACCATGTGCAGTAAGAGGTGCATATCC
ACTCAGCTGAAGAAG

FIGURE 16o

MTVKTLHGPMVKYLLLSILGLAFLSEAAARKIPKVGHTFFQKPESCPPVPGGSMKLDIGIINEN
QRVSMsrNIESRSTSPWNYTvtWDPNRYpSEVVQAQCRNLGCINAQGKEDISMNSVPIQQETLVV
RRKHQGCsvSFQLEKVLvTVGCTCvTPVIHHVQ

Signal sequence:

amino acids 1-30

N-glycosylation site.

amino acids 83-87

N-myristoylation sites.

amino acids 106-111, 136-141

FIGURE 161

ACACTGGCCAAACAAAACGAAAGCACTCCGTGCTGGAAGTAGGAGGAGAGTCAGGACTCCCAGG
ACAGAGAGTGCACAACTACCCAGCACAGCCCCCTCCGCCCCCTCTGGAGGCTGAAGAGGGATTTC
CAGCCCCCTGCCACCCACAGACACGGGTGACTGGGGTGTCTGCCCCCTTGGGGGGGGGACAGCAC
AGGGCCTCAGGCCTGGGTGCCACCTGGCACCTAGAAGATGCTGTGCCCTGGTTCTTGCTGTCTT
TGGCACTGGGCCGAAGCCAGTGGTCTTTCTCTGGAGAGGCTTGTGGGGCCTCAGGACGCTACC
CACTGCTCTCCGGGCTCTCCTGCCGCTCTGGGACAGTGACATACTCTGCCTGCCTGGGGACAT
CGTGCCCTGCTCCGGGCCCCGTGCTGGGCGCTACGCACCTGCAGACAGAGCTGGTGTGAGGTGCC
AGAAGGAGACCGACTGTGACCTCTGTCTGCGTGTGGCTGTCCACTTGGCCGTGCATGGGCACTGG
GAAGAGCCTGAAGATGAGGAAAAGTTTGGAGGAGCAGCTGACTCAGGGGTGGAGGAGCCTAGGAA
TGCCTCTCTCCAGGCCCAAGTCGTGCTCTCCTTCCAGGCCTACCTACTGCCCGCTGCGTCTGCTGC
TGGAGGTGCAAGTGCCCTGCTGCCCTTGTGCAGTTTGGTCAGTCTGTGGGCTCTGTGGTATATGAC
TGCTTCGAGGCTGCCCTAGGGAGTGAGGTACGAATCTGGTCTTATACTCAGCCCAGGTACGAGAA
GGAATCAACACACACAGCAGCTGCCTGCCCTGCCCTGGCTCAACGTGTGAGCAGATGGTGACA
ACGTGCATCTGGTTCTGAATGTCTCTGAGGAGCAGCACTTCGGCCTCTCCCTGTACTGGAATCAG
GTCCAGGGCCCCCAAAACCCCGGTGGCACAAAACCTGACTGGACCGCAGATCATTACCTTGAA
CCACACAGACCTGGTTCCCTGCCTCTGTATTTCAGGTGTGGCCTCTGGAACCTGACTCCGTTAGGA
CGAATATGCCCCCTTACGGGAGGACCCCCGCGCACACCAGAACCTCTGGCAAGCCGCCGACTG
CGACTGTGACCCTGCAGAGCTGGCTGCTGGACGACCGTGTCTGCTGCCCGCAGAAGCGGCACT
GTGCTGGCGGGCTCCGGGTGGGGACCCCTGCCAGCCACTGGTCCCACCGCTTTCCTGGGAGAACG
TCACTGTGGACAAGGTTCTCGAGTTCCCATTTGCTGAAAGGCCACCCTAACCTCTGTGTTACAGTG
AACAGCTCGGAGAAGCTGCAGCTGCAGGAGTGCTTGTGGGCTGACTCCCTGGGGCCTCTCAAAGA
CGATGTGCTACTGTGGAGACACGAGGCCCCCAGGACAACAGATCCCTCTGTGCCTTGGAACCCA
GTGGCTGTACTTCACTACCCAGCAAAGCCTCCACGAGGGCAGCTCGCCTTGGAGAGTACTTACTA
CAAGACCTGCAGTCAGGCCAGTGTCTGCAGCTATGGGACGATGACTTGGGAGCGCTATGGGCTG
CCCCATGGACAAATACATCCACAAGCGCTGGGCCCTCGTGTGGCTGGCCTGCTACTCTTTGCCG
CTGCGCTTTCCCTCATCCTCCTTCTCAAAAAGGATCACGCGAAAGGGTGGCTGAGGCTCTTGAAA
CAGGACGTCGCTCGGGGGCGGCCGCCAGGGGCCGCGCGGCTGTGCTCCTTACTCAGCCGATGA
CTCGGGTTTCGAGCGCTGGTGGGCGCCCTGGCGTCCGCGCTGTGCCAGCTGCCGCTGCGCGTGG
CCGTAGACCTGTGGAGCCGTCTGTAAGTGAAGCGCGCAGGGGCCCGTGGCTTGGTTTCACGCGCAG
CGGCGCCAGACCCTGCAGGAGGGCGCGTGGTGGTCTTGCTCTTCTCTCCCGGTGCGGTGGCGCT
GTGCAGCGAGTGGCTACAGGATGGGGTGTCCGGGCCCCGGGCGCACGGCCCCGACGACGCTTCC
GCGCCTCGCTCAGCTGCGTGTGCCGACTTCTTGACAGGGCCGGGCGCCCGGAGCTACGTGGGG
GCCTGCTTCGACAGGCTGCTCCACCCGGACGCCGTACCCGCCCTTTTCCGCACCGTGCCCGTCTT
CACACTGCCCTCCCACTGCCAGACTTCTGGGGGCCCTGCAGCAGCCTCGCGCCCCGCGTTCG
GGCGGCTCCAAGAGAGAGCGGAGCAAGTGTCCCGGGCCCTTACCCAGCCCTGGATAGCTACTTC
CATCCCCGGGGACTCCCCGCGCGGGACGCGGGGTGGGACCAGGGGCGGGACCTGGGGCGGGGA
CGGGACTTAAATAAAGGCAGACGCTGTTTTTCTAAAAAA

FIGURE 162

MPVPWFLLSLALGRSPVVLSELRVLVGPQDATHCSPGLSCRLWDSILCLPGDIVPAPGPVLAPTHLQTELV
LRCQKETDCDLCLRVAVHLAVHGHWEPEDEEKFGGAADSGVEEPRNASLQAQVVLSTFQAYPTARCVLLEV
QVPAALVQFGQSVGSVVYDCFEAALGSEVRIWSYTQPRYEKELNHTQQLPALPWLNVVSADGDNVHLVLNV
EEQHFGLSLYWNQVQGPPKPRWHKNTGPIITLNTDLVPCLCIQVWPLEPDSVRTNICPFREDPRAHQN
LWQAARLRLTLQSWLLDAPCSLPAAALCWRAPGGDPCQPLVPPLSWENVTVDKVLEFPLLKGHPNLCVQ
VNSSEKLQEQECLWADSLGPLKDDVLLLETRGPQDNRSICALEPSGCTSLPSKASTRAARLGEYLLQDLQS
GQCLQLWDDDLGALWACPMCKYIHKRWALVWLACLLFAAALSLLLLKKDHAKGWLRLKQDVRSGAAARG
RAALLYSADDSGFERLVGALASALCQLPLRVAVDLWSRRELSAQGPVAVFWHAQRRQTLQEGGVVLLFSP
GAVALCSEWLQDGVSGFGAHGPHDAFRASLSCVLPDFLQGRAPGSYVGACFDRLLHPDAVPALFRTVPVFT
LPSQLPDFLGALQQPRAPRSGRLQERAEQVSRAALQPALDSYFHPPGTPAPGRGVGPGAGPGAGDGT

Signal sequence:

amino acids 1-20

Transmembrane domain.

amino acids 453-475

N-glycosylation sites.

amino acids 118-121, 186-189, 198-201, 211-214, 238-241, 248-251,
334-337, 357-360, 391-394

Glycosaminoglycan attachment site.

amino acids 583-586

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 552-555

N-myristoylation sites.

amino acids 107-112, 152-157, 319-324, 438-443, 516-521, 612-617,
692-697, 696-701, 700-705

FIGURE 163

GGGAGGGCTCTGTGCCAGCCCCGATGAGGACGCTGCTGACCATCTTGACTGTGGGATCCCTGGCT
 GCTCACGCCCCCTGAGGACCCCTCGGATCTGCTCCAGCACGTGAAATTCAGTCCAGCAACTTTGA
 AAACATCCTGACGTGGGACAGCGGGCCAGAGGGCACCCAGACACGGTCTACAGCATCGAGTATA
 AGACGTACGGAGAGAGGGACTGGGTGGCAAAGAAGGGCTGTGAGCGGATCACCCGGAAGTCTGC
 AACCTGACGGTGGAGACGGGCAACCTCACGGAGCTCTACTATGCCAGGGTCACCGCT
 GTCAGTGCGGGAGGCGGTCAGCCACCAAGATGACTGACAGGTTGAGTCTCTGCAGCACACTAC
 CCTCAAGCCACCTGATGTGACCTGTATCTCCAAAGTGAGATCGATTGAGATGATTGTTTCACCTA
 CCCCCACGCCAATCCGTGCAGGCGATGGCCACCGGCTAACCTGGAAGACATCTTCCATGACCTG
 TTCTACCACTTAGAGTCCAGGTCAACCGCACCTACCAAATGCACCTTGGAGGGAAGCAGAGAGA
 ATATGAGTTCTTCGGCTGACCCCTGACACAGAGTTCCTTGGCACCATCATGATTTGCGTTCCTCA
 CCTGGGCCAAGGAGAGTGGCCCCCTACATGTGCCGAGTGAAGACACTGCCAGACCGGACATGGACC
 TACTCCTTCTCCGGAGCCTTCTGTTCTCCATGGGCTTCTCGTCGAGTACTCTGCTACCTGAG
 CTACAGATATGTCACCAAGCGCCTGCACCTCCCAACTCCCTGAACGTCCAGCGAGTCTGACTT
 TCCAGCGCTGCGCTTCATCCAGGAGCACGTCCCTGATCCCTGTCTTTGACCTCAGCGGCCGAGC
 AGTCTGGCCAGCCTGTCCAGTACTCCAGATCAGGGTGTCTGGACCCAGGGAGCCCGCAGGAGC
 TCCACAGCGGCATAGCCTGTCCGAGATCACCTACTTAGGGCAGCCAGACATCTCCATCCTCCAGC
 CCTCCACGTGCCACCTCCCCAGATCCTCTCCCACTGTCTATGCCCAAACGCTGCCCTGAG
 GTCGGGCCCCCATCTATGCACCTCAGGTGACCCCCGAAGTCAATTCCCATTTACGCCCCACA
 GGCCATCTCTAAGTCCAGCCTTCTCCTATGCCCTCAAGCCACTCCGGACAGCTGGCCTCCCT
 CCTATGGGGTATGTCATGGAAGTTCTGGCAAAGACTCCCCACTGGGACACTTTCTAGTCTTAAA
 CACCTTAGGCCTAAAGGTGAGCTTCAGAAAGAGCCACCAGCTGGAAGCTGCATGTTAGGTGGCCT
 TTCTCTGCAGGAGGTGACCTCCTTGGCTATGGAGGAATCCCAAGAAGCAAAATCATTGCACCAGC
 CCCTGGGGATTTGCACAGACAGAACATCTGACCCAAATGTGCTACACAGTGGGGAGGAAGGGACA
 CCACAGTACCTAAAGGGCCAGCTCCCCCTCCTCCTCAGTCCAGATCGAGGGCCACCCCATGTC
 CCTCCCTTTGCAACCTCCTTCCGGTCCATGTTCCCCCTCGGACCAAGGTCCAAGTCCCTGGGGCC
 TGCTGGAGTCCCTTGTTGTGTCCTCAAGGATGAAGCCAAGAGCCAGCCCTGAGACCTCAGACCTG
 GAGCAGCCCCACAGAAGTGGATTCTTTTCAGAGGCCTGGCCCTGACTGTGAGTGGGAGTCCCTG
 AGGGGAATGGGAAAGGCTTGGTGCTTCCCTCCCTGTCCCTACCCAGTGTACATCCTTGGCTGTCA
 ATCCCATGCCTGCCCATGCCACACACTCTGCGATCTGGCCTCAGACGGGTGCCCTTGAGAGAAGC
 AGAGGGAGTGGCATGCAGGGCCCCCTGCCATGGGTGCGCTCCTCACCAGCAACAAAGCAGCATGATA
 AGGACTGCAGCGGGGGAGCTCTGGGGAGCAGCTTGTGTAGACAAGCGCGTCTCGCTGAGCCCTG
 CAAGGCAGAAATGACAGTGAAGGAGGAAATGCAGGGAAATCCCGAGGTCCAGAGCCCCACCTC
 CTAACACCATGGATTCAAAGTGCTCAGGGAATTTGCTCTCCTTGCCCCATTCTGGCCAGTTTC
 ACAATCTAGCTCGACAGAGCATGAGGCCCTGCTCTTCTGTCATTGTTCAAAGGTGGGAAGAGA
 GCCTGGAAAAGAACCAGGCTGGAAAAGAACCAGAAGGAGGCTGGGCAGAACCAAGAACCTGC
 ACTTCTGCCAAGGCCAGGGCCAGCAGGACGGCAGGACTCTAGGGAGGGGTGTGGCCTGCAGCTCA
 TTCCCAGCCAGGGCAACTGCCTGACGTTGCACGATTTAGCTTCATTCTCTGATAGAACAAAGC
 GAAATGCAGGTCCACCAGGGAGGGAGACACACAAGCCTTTTCTGCAGGCAGGAGTTTCAGACCT
 ATCCTGAGAATGGGGTTTGAAGGAAGGTGAGGGCTGTGGCCCTGGACGGGTACAATAACACAC
 TGTACTGATGTACAACTTTGCAAGCTCTGCCTTGGGTTTCAGCCCATCTGGGCTCAAATTCAGC
 CTCACCACTCACAAGCTGTGTGACTTCAAACAAATGAAATCAGTGCCAGAACCTCGGTTTCTC
 ATCTGTAATGTGGGGATCATAACACCTACCTCATGGAGTTGTGGTGAAGATGAAATGAAGTCATG
 TCTTTAAAGTGCTTAATAGTGCTTGGTACATGGGCAGTGCCCAATAAACGGTAGCTATTTAAAAA
 AAAAAAA

FIGURE 164

MRTLLTILTVGSLAAHAPEDPSDLLQHVKFQSSNFENILTWDSGPEGTPDTVYSIEYKTYGERDW
VAKKGCQRITRKSCNLTVETGNLTelyarvtavsaggrsatkmtDRFSSLQHTTLKPPDVCIS
KVRSIQMIVHPTPTPIRAGDGHRLTLEDIFHDLFYHLELQVNRTYQMHLGGKQREYEFFGLTPDT
EFLGTIMICVPTWAKESAPYMCRVKTLPDRTWTYSFSGAFLFSMGFLVAVLCYLSYRYVTKPPAP
PNSLNVQRVLTfQPLRFIQEHVLIpVFDLSGPSSLAQPvQYSQIRVSGPREPAGAPQRHSLSEIT
YLGQPDISILQPSNVPPPQILSPLSYAPNAapevgPPSYAPQVTPEAQFPFYAPQAISKVQPSSY
APQATPDSWPPSYGVCMEGSGKDSPTGTLSSPKHLRPKGQLQKEPPAGSCMLGGLSLQEVTSIAM
EESQEAksLHQPLGICTDRTSDPNVLHSGEEGTPQYLKGQLPLLSSVQIEGHpMSLPLQPPSGPC
SPSDQGPSPWGLLESVCPKDEAKSPAPETSDLEQPTELDSLFRGLALTvQWES

Signal sequence.

amino acids 1-17

Transmembrane domain.

amino acids 233-250

N-glycosylation sites.

amino acids 80-83, 87-90, 172-175

N-myristoylation sites.

amino acids 11-16, 47-52, 102-107, 531-536, 565-570

FIGURE 165

TGGCCTACTGGAAAAAAAAAAAAAAAAAAGTCACCCGGGCCCCGGGTGGCCACAACATGG
CTGCGGCGCGGGGGCTGCTCTTCTGGCTGTTCTGCTGGGGGCGCTCTGGTGGGTCCCGGGCCAG
TCGGATCTCAGCCACGGACGGCGTTTCTCGGACCTCAAAGTGTGCGGGGACGAAGAGTGCAGCAT
GTTAATGTACCGTGGGAAAGCTCTTGAAGACTTCACGGGCCCTGATTGTCGTTTTGTGAATTTTA
AAAAAGGTGACGATGTATATGTCTACTACAACTGGCAGGGGGATCCCTTGAACTTTGGGCTGGA
AGTGTGTAACACAGTTTTTGGATATTTTCCAAAAGATTTGATCAAGGTACTTCATAAATACACGGA
AGAAGAGCTACATATTCAGCAGATGAGACAGACTTTGTCTGCTTTGAAGGAGGAAGAGATGATT
TTAATAGTTATAATGTAGAAGAGCTTTTAGGATCTTTGGAAGTGGAGGACTCTGTACCTGAAGAG
TCGAAGAAAGCTGAAGAAGTTTCTCAGCACAGAGAGAAATCTCCTGAGGAGTCTCGGGGGCGTGA
ACTTGACCCTGTGCCTGAGCCCCGAGGCATTTCAGAGCTGATTTCAGAGGATGGAGAAGGTGCTTTCT
CAGAGAGCACCGAGGGGCTGCAGGGACAGCCCTCAGCTCAGGAGAGCCACCCTCACACCAGCGGT
CCTGCGGCTAACGCTCAGGGAGTGCAGTCTTCGTTGGACACTTTTGAAGAAATCTGCACGATAA
ATTGAAAGTGCCGGGAAGCGAAAGCAGAACTGGCAATAGTTCTCCTGCCTCGGTGGAGCGGGAGA
AGACAGATGCTTACAAAGTCCTGAAAACAGAAATGAGTCAGAGAGGAAGTGGACAGTGCCTTATT
CATTACAGCAAAGGATTTGTTGGCATCAAAATCTAAGTTTGTGTTTACAAAGATTGTTTTTAGTA
CTAAGCTGCCTTGGCAGTTTGCATTTTGGAGCCAAACAAAAATATATTATTTTCCCTTCTAAGTA
AAAAAAAAAAAAAAAAAAAA

FIGURE 166

MAAAPGLLFWLFWLGALWWVPGQSDLSHGRRFSDLKVCGDEECSSMLMYRGKALEDFTGPDCRFVN
FKKGDDVYVYYKLAGGSLELWAGSVEHSFGYFPKDLIKVLHKYTEELHIPADETDFVCFEGGRD
DFNSYNVEELLGSLELEDVPEESKKAEEVSQHREKSPESRGRELDPVPEPEAFRADSEDGEGA
FSESTEGLOGQPSAQESHPTSGPAANAQGVQSSLDTFEEILHDKLKVPGSESRTGNSSPASVER
EKTDAYKVLKTEMSQRGSGQCVIHYSKGFWRHQNLSLFYKDCF

Important features of the protein:

Signal peptide:

amino acids 1-22

N-glycosylation site.

amino acids 294-298

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 30-34

Tyrosine kinase phosphorylation site.

amino acids 67-76

N-myristoylation sites.

amino acids 205-211, 225-231, 277-283

Amidation site.

amino acids 28-32

FIGURE 167

CCAGGACCAGGGCGCACCGGCTCAGCCTCTCACTTGTCTCAGAGGCCGGGGAAGAGAAGCAAAGCGC
 AACGGTGTGGTCCAAGCCGGGGCTTCTGCTTCGCCTCTAGGACATACACGGGACCCCTAACTTC
 AGTCCCCCAAACGCGCACCTCGAAGTCTTGAAGTCCAGCCCCGCACATCCACGCGCGGCACAGG
 CGCGGCAGGCGGCAGGTCCCGGCCGAAGGCGATGCGCGCAGGGGGTCGGGCAGCTGGGCTCGGGC
 GCGGGAGTAGGGCCCCGCGAGGGAGGCGAGGGAGGCTGCATATTCAGAGTCGCGGGCTGCGCCCTG
 GGCAGAGGCCGCCCTCGCTCCACGCAACACCTGCTGCTGCCACCGCGCCGCGATGAGCCGCGTGG
 TCTCGCTGCTGCTGGGCGCCGCGCTGCTCTGCGGCCACGGAGCCTTCTGCGCGCCGCTGGTCAAGC
 GGCCAAAAGGTGTGTTTTGCTGACTTCAAGCATCCCTGCTACAAAATGGCCTACTTCCATGAACT
 GTCCAGCCGAGTGAGCTTTCAGGAGGCACGCCCTGGCTTGTGAGAGTGAGGGAGGAGTCTCTCTCA
 GCCTTGAGAATGAAGCAGAACAGAAGTTAATAGAGAGCATGTTGCAAAACCTGACAAAACCCGGG
 ACAGGGATTTCTGATGGTGATTTCTGGATAGGGCTTTGGAGGAATGGAGATGGGCAAACATCTGG
 TGCCTGCCCAGATCTTACCAGTGGTCTGATGGAAGCAATCCCAGTACCGAAACTGGTACACAG
 ATGAACCTTCTTCCGGAAGTGAAAAGTGTGTTGTGATGTATACCAACCAACTGCCAATCTCTGGC
 CTTGGGGGTCCCTACCTTTACCAGTGGAAATGACAGGTGTAACATGAAGCACAATTTATTTTG
 CAAGTATGAACCAGAGATTAATCCAACAGCCCTGTAGAAAAGCCTTATCTTACAAATCAACCAG
 GAGACACCCATCAGAATGTGGTGTACTGAAGCAGGTATAATTCCCAATCTAATTTATGTTGTT
 ATACCAACAATACCCCTGCTCTTACTGATACTGGTTGCTTTTGAACCTGTTGTTTCCAGATGCT
 GCATAAAAGTAAAGGAAGAACAAAAGTGTGCTCAAAACAGTCTACACTGTGGATTTCAAGAGTA
 CCAGAAAAGAAAGTGGCATGGAAGTATAAATACTCATTGACTTGGTTCAGAAATTTGTAATCT
 GGATCTGTATAAGGAATGGCATCAGAACAATAGCTTGAATGGCTTGAAATCACAAAGGATCTGC
 AAGATGAAGTGAAGCTCCCCCTTGAGGCAAAATATTAAAGTAATTTTATATGCTATTATTTCA
 TTTAAAGAATATGCTGTGCTAATAATGGAGTGAGACATGCTTATTTTGCTAAAGGATGCACCCAA
 ACTTCAAACCTTCAAGCAAATGAAATGGACAATGCAGATAAAGTTGTTATCAACACGTCGGGAGTA
 TGTGTGTTAGAAGCAATTCCTTTTATTTCTTTTACCTTTTCATAAGTTGTTATCTAGTCAATGTAA
 TGTATATTGTATTGAAATTTACAGTGTGCAAAAGTATTTTACCTTTGCATAAGTGTGTTGATAAAA
 ATGAAGTGTCTAATATTTATTTTATGGCATCTCATTTTTCAATACATGCTCTTTTGATTAAAG
 AAACCTTATTACTGTTGTCAACTGAATTCACACACACACAAATATAGTACCATAGAAAAAGTTTGT
 TTTCTCGAAATAATTCATCTTTTACGCTTCTCTGCTTTTGGTCAATGTCTAGGAAATCTCTTCAGA
 AATAAGAAGCTATTTTCAATTAAGTGTGATATAAACCTCCTCAAACATTTTACTTAGAGGCAAGGAT
 TGTCTAATTTCAATTTGTGCAAGACATGTGCCCTTATAATTATTTTGTAGCTTAAATTAACAGATT
 TTGTAATAATGTAACCTTTGTTAATAGGTGCATAAAACACTAATGCAGTCAATTTGAACAAAAGAAG
 TGACATACACAATATAAATCATATGTCTTCACACGTTGCCCTATATAATGAGAAGCAGCTCTCTGA
 GGGTCTGAAATCAATGTGGTCCCTCTCTTGCCCACTAAACAAAGATGGTTGTTTCGGGGTTTGGG
 ATTGACACTGGAGGCAGATAGTTGCAAAGTTAGTCTAAGGTTTCCCTAGCTGTATTTAGCCTCTG
 ACTATATTAGTATACAAAGAGGTCATGTGGTTGAGACCAGGTGAATAGTCACTATCAGTGTGGAG
 ACAAGCACAGCACACAGACATTTTAGGAAGGAAAGGAACACGAAATCGTGTGAAAATGGGTTGG
 AACCCATCAGTGATCGCATATTCATTGATGAGGGTTTGCTTGAGATAGAAAATGGTGGCTCCTTT
 CTGCTTATCTCTAGTTTCTTCAATGCTTACGCCTTGTCTTCTCAAGAGAAAGTTGTAACCTCT
 CTGGTCTCATATGTCCCTGTGCTCCTTTTAAACCAATAAAGAGTTCTTGTCTTCTGGGGGAAAAA
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 168

MSRVVSLLLGAALLCGHGAFCRRVVSQGKVCFADFKHPCYKMAYFHELSSRVSFQEARLACESE
GGVLLSLENEAEQKLIESMLQNLTKPGTGISDGDGFWIGLWRNGDGQTSGACPDLYQWSDGSNSQ
YRNWYTDEPSCGSEKCVVMYHQPTANPGLGGPYLYQWNDDRCNMKHNYICKYEPEINPTAPVEK
PYLTNQPGDTHQNVVVTEAGIIPNLIYVVIPTIPLLLLILVAFGTCCFQMLHKSCKGRKTKTSPNQ
STLWISKSTRKESGMEV

Important features of the protein:

Signal peptide:

amino acids 1-21

Transmembrane domain:

amino acids 214-235

N-glycosylation sites.

amino acids 86-89, 255-258

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 266-269

N-myristoylation sites.

amino acids 27-32, 66-71, 91-96, 93-98, 102-107, 109-114, 140-145, 212-217